CUSTOM STRETCH CEILING FRAMES

LY-9013Y

LY-9013Y Silver

Material: Aluminum

Thickness: MM

Length: Up to 2.5 Meters

USE With: Fabric or UV Soft Film
Welded PVC harpoon

- Size and colors can be customzied
- Powder Coating available
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended



LY-9014Y

LY-9014Y Silver

Material: Aluminum

Thickness: 1.5MM

Length: Up to 2.5 Meters

USE With: Fabric or UV Soft Film
Welded PVC harpoon

- Size and colors can be customzied
- Powder Coating available
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended





LY-9015Y

LY-9015Y Silver

Material: Aluminum

Thickness: 1.0MM

Length: Up to 2.5 Meters

USE With: Fabric or UV Soft Film
Welded PVC harpoon

- Size and colors can be customzied
- Powder Coating available
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended



CUSTOM STRETCH CEILING FRAMES



LY-9016Y

LY-9016Y Silver

Material: Aluminum

Thickness: 1.2MM

Length: Up to 2.5 Meters

USE With: Fabric or UV Soft Film
PVC harpoon

- Size and colors can be customzied
- Powder Coating available
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended



LY-9012Y

LY-9012Y Silver

Material: Aluminum

Thickness: MM

Length: Up to 2.5 Meters

USE With: Fabric or UV Soft Film
Welded PVC harpoon

- Size and colors can be customzied
- Powder Coating available
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended



LY-9012Y

LY-9012Y Silver

Stays Same , No Change 1

Material: Aluminum

Thickness: MM

Length: Up to 2.5 Meters

USE With: Fabric or UV Soft Film
Welded PVC harpoon

- Size and colors can be customzied
- Powder Coating available
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended



CUSTOM STRETCH CEILING FRAMES

LY-9012Y

LY-9012Y Silver

Stays Same , No Change 3

Material: Aluminum

Thickness: MM

Length: Up to 2.5 Meters

USE With: Fabric or UV Soft Film
Welded PVC harpoon

- Size and colors can be customzied
- Powder Coating available
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended



LY-9012Y

LY-9012Y Silver

Stays Same , No Change 2

Material: Aluminum

Thickness: MM

Length: Up to 2.5 Meters

USE With: Fabric or UV Soft Film
Welded PVC harpoon

- Size and colors can be customzied
- Powder Coating available
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended



STRETCH CEILING FRAMES



F-12

F-12 Silver

Material: Aluminum

Thickness: 1.2MM

Length: Up to 2.5 Meters

USE With: Fabric or UV Soft Film
PVC harpoon

- Size and colors can be customzied
- Powder Coating available
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended





F-15

F-15 Silver

Material: Aluminum

Thickness: 1.5MM

Length: Up to 2.5 Meters

USE With: Fabric or UV Soft Film
PVC harpoon

- Size and colors can be customzied
- Powder Coating available
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended



F2-15

F2-15 Silver

Material: Aluminum

Thickness: 1.5MM

Length: Up to 2.5 Meters

USE With: Fabric or UV Soft Film
PVC harpoon

- Size and colors can be customzied
- Powder Coating available
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended



STRETCH CEILING FRAMES

LY-9014Y

LY-9014Y Silver

Material: Aluminum

Thickness: 1.5MM
Length: Up to 2.5 Meters

USE With: Fabric or UV Soft Film
Welded PVC harpoon

- Size and colors can be customzied
- Powder Coating available
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended



H-12

H-12 Silver

Material: Aluminum

Thickness: 1.2MM
Length: Up to 2.5 Meters

USE With: Fabric or UV Soft Film
PVC harpoon

- Size and colors can be customzied
- Powder Coating available
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended



H-15

H-15 Silver

Material: Aluminum

Thickness: 1.5MM
Length: Up to 2.5 Meters

USE With: Fabric or UV Soft Film
Welded PVC harpoon

- Size and colors can be customzied
- Powder Coating available
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended



STRETCH CEILING FRAMES

FCK001

FCK001 Silver

Material: Aluminum

Thickness: 1.5MM

Length: Up to 2.5 Meters

USE With: Fabric or UV Soft Film
Welded PVC harpoon

- Size and colors can be customzied
- Powder Coating available
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended





FL-15

FL-15 Silver

Material: Aluminum

Thickness: 1.5MM

Length: Up to 2.5 Meters

USE With: Fabric or UV Soft Film
PVC harpoon

- Size and colors can be customzied
- Powder Coating available
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended



W-12

W-12 Silver

Material: Aluminum

Thickness: 1.2MM

Length: Up to 2.5 Meters

USE With: Fabric or UV Soft Film
Welded PVC harpoon

- Size and colors can be customzied
- Powder Coating available
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended



STRETCH CEILING FRAMES

W-15

W15 Silver

Material: Aluminum

Thickness: 1.5MM

Length: Up to 2.5 Meters

USE With: Fabric or UV Soft Film
Welded PVC harpoon

- Size and colors can be customzied
- Powder Coating available
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended





W2-15

W215 Silver

Material: Aluminum

Thickness: 1.5MM

Length: Up to 2.5 Meters

USE With: Fabric or UV Soft Film
Welded PVC harpoon

- Size and colors can be customzied
- Powder Coating available
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended



W-12

W12 Silver

Material: Aluminum

Thickness: 1.5MM

Length: Up to 2.5 Meters

USE With: Fabric or UV Soft Film
Welded PVC harpoon

- Size and colors can be customzied
- Powder Coating available
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended



STRETCH CEILING FRAMES



WS-15

WS15 Silver

Material: Aluminum

Thickness: 1.5MM
Length: Up to 2.5 Meters

USE With: Fabric or UV Soft Film
Welded PVC harpoon

- Size and colors can be customzied
- Powder Coating available
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended



H2-15

H2-15 Silver

Material: Aluminum

Thickness: 1.5MM
Length: Up to 2.5 Meters

USE With: Fabric or UV Soft Film
Welded PVC harpoon

- Size and colors can be customzied
- Powder Coating available
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended



STRETCH CEILING FRAMES

M-15

M15 Silver

Material: Aluminum

Thickness: 1.5MM
Length: Up to 2.5 Meters

USE With: Fabric or UV Soft Film
Welded PVC harpoon

- Size and colors can be customzied
- Powder Coating available
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended





M2-15

M215 Silver

Material: Aluminum

Thickness: 1.5MM
Length: Up to 2.5 Meters

USE With: Fabric or UV Soft Film
Welded PVC harpoon

- Size and colors can be customzied
- Powder Coating available
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended





V-01

V01 Silver

Material: Aluminum

Thickness: 1.5MM
Length: Up to 2.5 Meters

USE With: Fabric or UV Soft Film
PVC harpoon

- Size and colors can be customzied
- Powder Coating available
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended



Big Cover

Material: PVC
Color: White/Black

Length: Up to 2.5 Meters
USE With: W2 M2 series

Small Cover

Material: PVC
Color: White/Black

Length: Up to 2.5 Meters
USE With: F2 H2 series

H2-PVC01

Material: PVC

Color : White

Thickness: 1.5MM
Length: Up to 2.5 Meters

USE With: Fabric or UV Soft Film
PVC harpoon

- Size and colors can be customzied
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended



STRETCH CEILING FRAMES

PVC-G

Material: PVC
Color: White/Black

Length: Up to 2.5 Meters
USE With: Fabric or UV Soft Film
PVC harpoon

- Size and colors can be customzied
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended

PVC-H

Material: PVC
Color: White/Black

Length: Up to 2.5 Meters
USE With: Fabric or UV Soft Film
PVC harpoon

- Size and colors can be customzied
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended

PVC-B

Material: PVC

Color : White

Thickness: 1.5MM
Length: Up to 2.5 Meters

USE With: Fabric or UV Soft Film
PVC harpoon

- Size and colors can be customzied
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended

STRETCH CEILING FRAMES



PVC-F

Length: Up to 2.5 Meters

Material: PVC
Color: White/Black

USE With: Fabric or UV Soft Film
PVC harpoon

- Size and colors can be customzied
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended

PVC R-25

Length: Up to 2.5 Meters

Material: PVC
Color: White

USE With: Fabric or UV Soft Film
PVC harpoon

- Size and colors can be customzied
- Bend to Custom shapes are available
- Application : Wallmounted
  Suspended

PVC HARPOON

Material: PVC
Color: White/Black

Length: Up to 2.5 Meters
USE With: PVC stretch ceiling film

V PVC HARPOON

Material: PVC
Color: White/Black

Length: Up to 2.5 Meters
USE With: PVC stretch ceiling film

CORNNER

SIZE
6CM*20M*0.1MM(Thickness)
8CM*20M*0.1MM(Thickness)
6CM*20M*0.15MM(Thickness)
8CM*20M*0.15MM(Thickness)

APPLICATION
Cover the corner and connect of Profile with this product, We use aluminum foil tape to smoothen the sharp connection between two framing members, which can scratch the FOXYGEN stretch ceiling film.

LIGHT REFLECTIVE

SIZE
0.6M*5M 0.6M*10M
0.6M*50M 1.2M*10M
1.2M*50M

APPLICATION
To reflect LED lights with even distribution

WELDING MACHINE

Material: Steel
Customized: YES

APPLICATION
Welding PVC harpoon

WELDING MACHINE

Material: Steel
Customized: YES

APPLICATION
Welding PVC harpoon

WELDING MACHINE MODEL

APPLICATION
Welding Machine

ELECTYRIC HEATER

Customized: YES

APPLICATION
Make stretch ceiling film soft

Model	FEH3	FEH5	FEH9
Voltage	220V-50HZ	220V-50HZ ;380V-50HZ	380V-50HZ
Size	340*310*410MM	340*310*410MM	430*410*520MM
Net Weight	7.3KGS	7.3KGS	11.4KGS

GAS HEATER

Customized: YES

APPLICATION
Make stretch ceiling film soft

Model	FGH15W	FGH35W	FGH55W
Voltage	220V-50HZ 7-15W	220V-50HZ 17-35W	2200V-50HZ 25-50W
Size	375*220*310MM	730*410*655MM	792*410*650MM
Net Weight	6.7KGS	11KGS	12.5KGS

PROFILE BENDING MACHINE

APPLICATION
Make round shape profiles

ROLL CUTTING MACHINE

Customized: YES

APPLICATION
roll cutting machine

Model	FX320	Product Power	3500W
Cutting Width	5200mm	Gross Weight	250Kgs
Max Diameter	250mm	Net Weight	170Kgs
Working Voltage	220V/380V	Packing Size	3050*680*400mm

SPATULA BIG

CEILING MOUNT STURDY

Material: Steel

APPLICATION

Install Stretch Ceiling film

SPATULA SMALL

CEILING MOUNT STURDY

Material: Steel

APPLICATION

Install Stretch Ceiling film

SPATULA MIDDLE

CEILING MOUNT STURDY

Material: Steel

APPLICATION

Install Stretch Ceiling film

SPATULA

CEILING MOUNT STURDY

Material: Steel

APPLICATION

Install Stretch Ceiling film

UNINSTALL SPATULA

CEILING MOUNT STURDY

Material: Steel

APPLICATION

Unstall Stretch Ceiling film

UNINSTALL SPATULA

CEILING MOUNT STURDY

Material: Steel

APPLICATION

Unstall Stretch Ceiling film

FOXYGEN COLOR CARD

PROFILE CUTTER

4 GRIPPER

Size: 4”
Weight: 50g

APPLICATION
Hold whole piece stretch ceiling film on the ceiling when you install it.

6 GRIPPER

Size: 6”
Weight: 110g

APPLICATION
Hold whole piece stretch ceiling film on the ceiling when you install it.

9 GRIPPER

Size: 9”
Weight: 150g

APPLICATION
Hold whole piece stretch ceiling film on the ceiling when you install it.

LED MODULE

Input Voltage:AC220

Power:1W/LED

Waterproof:IP20/IP65

Viewing Angle(°):170°

Color Temperature(CCT):3000K/4000K /6000K/12000K

APPLICATION

For use with all single frame

EDGELIT

Input Voltage:DC12/AC220

Power:1.5W/LED

Waterproof:IP20/IP65

Viewing Angle(°):45°

APPLICATION

For use with all Double frame

Back-lit led with lens

Input Voltage:DC12/AC24

Power:1W/LED

Waterproof:IP20/IP65

Viewing Angle(°):170°

Color Temperature(CCT):3000K/4000K /6000K/12000K

APPLICATION

For use with all single frame

Indoor power

12V/24V

150W/200W/300W/400W

APPLICATION

POWER SUPPLY

Outdoor power

12V/24V

200W/400W/700W

Waterproof

APPLICATION

POWER SUPPLY