

Smart Retail Solutions Provider Assists Stores in Digital Transformation







CONNECTUS

Tel:0086-0591-83375135

Mail:admin@fzluckystar.com

Add: No.5, Shi Zi Ting Road, Cangshan Park, Pushang Industrial District, Fuzhou, Fujian, China



Innovators is Smart Retail

Fuzou Lucky Star Co.,LTD. founded in 2005, We are a leading Chinese enterprise specializing in the research, development, and production of intelligent weighing instruments and cloud media intelligent price lists and offering a comprehensive suite of solutions for new retaismart operations. With a vorktorce exceeding 300 employees and an extensive netv/ork of channel partners, wve cater to customers delivering professional-grade smart retail solutions.

Dedicated to crafting intelligent cloud media smart price tags, along with a range of smart products and marketing platforms. We possess the capability for independent research and innovation in both hardware and software, seamless solutionintegration, and comprehensive resource alignment across the entire industry chain. Through our seamlessly integrated online angofline intelligent marketing systems, we assist clients in their digital transformation efforts and the restructuring of the retaiecosystem.

With a wealth of technical expertise and sharp market acumen, Strategically expand its reach globally, serving morethan 5,000 clients and growing alongside them.

5000 Chain store selection

Brand collaboration

CS series CS series

gent marke ing screer



E4T10W1B | 10.1°

Full color LCD Narrow bezel Glass panel Waterproof splashing

[P4 waterproof]

Resolution ratio: 1280×800 Equipment weight: 369.5 g

Dimension: 150.9×243.9×11 mm Brightness: 250 Battery: DC 24V

Window size: $216.6 \times 135.4 \, \text{mm}$ Contrast ratio: $1000:1 \, \text{typ}$ Communication: WIFI+BLE Operation temperature: $0 \sim 50 \, ^{\circ}\text{C}$



 Full color LCD
 Narrow bezel
 Glass panel
 Waterproof splashing

 IP4 waterproof
 Dual screen display

Resolution ratio: 1200×800 Equipment weight: 643 g

Dimension: 150.9×243.9×11 mm Brightness: 250 Battery: DC 24V

Window size: 216.6 \times 135.4 mm Contrast ratio: 1000:1 typ Communication: WIFI+BLE Operation temperature: 0~50 °C





E4T10W1B-W | 10.1

 Ivory white
 Full color LCD
 Narrow bezel
 Glass panel

 IP4 waterproof
 Waterproof splashing

Resolution ratio: 1280×800 Equipment weight: 369.5 g

Dimension: 150.9×243.9×11 mm Brightness: 250

Window size: 216.6×135.4 mm Contrast ratio: 1000:1 typ

Communication: WIFI+BLE Operation temperature: 0~50°C

E4T10W2A-W | 10.1 × 2

 Ivory white
 Full color LCD
 Narrow bezel
 Glass panel

 IP4 waterproof
 Dual screen display
 Waterproof splashing

Resolution ratio: 1200×800 Equipment weight: 643 g Communication: WIFI+BLE

Dimension: 150.9×243.9×11 mm Brightness: 250 Operation temperature: 0~50 °C

Window size: 216.6×135.4 mm Contrast ratio: 1000:1 typ Battery: DC 24V





E4T15W1B | 15.6^{*}

 Full color LCD
 Narrow bezel
 Glass panel
 Waterproof splashing
 IP4 waterproof

Resolution ratio: 1920×1080 Equipment weight: 1100 g

Dimension: 223.6×374.2×19 mm Brightness: 300 Battery: DC 24V

Window size: 344.16×193.59 Contrast ratio: 1000:1 typ Operation temperature: 0~50 °C

Communication: WIFI+2.4G wireless frequency hopping Horn: Sound chamber speaker 8Ω1W ×1

E4T15W2A | 15.6 × 2

 Full color LCD
 Narrow bezel
 Glass panel
 Waterproof splashing

 IP4 waterproof
 Dual screen display

Resolution ratio: 1920×1080 Equipment weight: 1624 g

Dimension: 223.6×374.2×19 mm Brightness: 300 Battery: DC 24V

Window size: 344.16×193.59 mm Contrast ratio: 1000:1 typ Operation temperature: 0~50 °C

Communication: WIFI+2.4G wireless frequency hopping Horn: Sound chamber speaker $8\Omega 1W \times 1$



gent marketing screen



E5T10W1B | 10.1[®]

 Full color LCD
 Narrow bezel
 Glass panel
 Ultra broad perspective

 IP4 waterproof
 4G optional

Resolution ratio:1280×800 Equipment weight: 587.6 g

Dimension: 151.3×264.4×8.5 mm Brightness: 250 Battery: DC 24V

Window size: 216.6×135.4 mm Contrast ratio: 1000:1 typ

Operation temperature: 0~50 °C Communication: WIFI+BLE

E5T10W2A | 10.1 × 2

Full color LCD Narrow bezel Glass panel Ultra broad perspective

 IP4 waterproof
 4G optional
 Dual screen display

Resolution ratio:1280×800 Equipment weight: 587.6 g Communication: WIFI+BLE

Dimension: 151.3×264.4×8.5 mm Brightness: 250 Operation temperature: 0~50 °C

Window size: 216.6×135.4 mm Contrast ratio: 1000:1 typ Battery: DC 24V



Operation temperature: $0~40~^{\circ}C$

Full color LCD Narrow bezel Glass panel Ultra broad perspective IP4 waterproof 4G optional

Resolution ratio:1280×800

Dimension: 150.9×246.4×73.8 mm Equipment weight: 1100 g

Window size: 216.6×135.4 mm Brightness: 250

Communication: WIFI+BLE optional 4G CAT1 Contrast ratio: 1000:1 typ Horn: Sound chamber speaker $8\Omega 1W \times 1$ Operation temperature: 0~50 °C



Battery: DC 12V1A

Application scenarios









E4E15Q-M | 1.54^{*}

Four colors display IP4 waterproof can be upgraded to IP68 waterproof

Resolution ratio: 200×200 Equipment weight: 22 g Dimension: 50.1×37.6×12.9 mm Battery: 1×CR2450

NFC: SUPPORTS NFC Window size: 27×27 mm LED flash: Support 7 colors Communication: 2.4G wireless frequency hopping

E4E21Q-M | 2.13^{*}

Four colors display IP4 waterproof can be upgraded to IP68 waterproof

Resolution ratio: 250×122 Equipment weight: 32.5 g Dimension: 70×35.5×11.6 mm Battery: 2×CR2450

Window size: 47.8×23 mm LED flash: Support 7 colors NFC: Support NFC

Communication: 2.4G wireless frequency hopping Operation temperature: 0~40 °C

E4E26Q-M | 2.66

Dimension: 83.2×41.7×12.6 mm

Four colors display

Resolution ratio: 296×152 Equipment weight: 40.5 g Battery: 2×CR2450

IP68 waterproof

Window size: 60×31 mm LED flash: Support 7 colors

Communication: 2.4G wireless frequency hopping Operation temperature: 0~40 °C

E4E42Q-MP | 4.2^{*}

Four colors display IP68 waterproof

Resolution ratio: 400×300 Equipment weight: 94 g

Dimension: 97.4×88.9×13.8 mm Battery: 3×CR2450 NFC: Support NFC

Window size: 84.8×63.6 mm LED flash: Support 7 colors

Communication: 2.4G wireless frequency hopping Operation temperature: 0~40 °C



NFC: Support NFC

05 04

Elegant ink screen

Elegant ink screen

screen

E4E42R-MP | 4.2^{*}

Three colors display IP68 waterproof

Resolution ratio: 400×300 Equipment weight: 94 g

Dimension: 97.4×88.9×13.8 mm Battery: 3×CR2450 NFC: Support NFC

Window size: 84.8×63.6 mm LED flash: Support 7 colors

Communication: 2.4G wireless frequency hopping Operation temperature: 0~40 °C

E4E75R-M | 7.5^{*}

Three colors display IP4 waterproof

Resolution ratio: 800×480 Equipment weight: 251 g

Dimension: 175.2×119.7×9.9 mm Battery: Disposable lithium batteries

Window size: 163.2×97.3 mm LED flash: Support 7 colors


Communication: 2.4G wireless frequency hopping Operation temperature: 0~40 °C NFC: Support NFC

Three colors display IP4 waterproof





E4E97R-M | 9.7



E4E26F-MP | 2.66

Dimension: 83.2×41.7×12.6 mm

Dual colors display | IP68 waterproof | Low temperature freezing

Resolution ratio: 296×152 Equipment weight: 39 g


LED flash: Support 7 colors Window size: 60×31 mm

Operation temperature: -25~10 °C NFC: Support NFC



Communication: 2.4G wireless frequency hopping

Application scenarios








Battery: 2×CR2450









IS series **IS** series

E4E42Q-M | 4.2

Four colors display IP4 waterproof

Resolution ratio: 400×300 Equipment weight: 94 g

Battery: 3×CR2450 Dimension: 97.4×88.9×13.8 mm NFC: Support NFC

Window size: 84.8×63.6 mm LED flash: Support 7 colors

Communication: 2.4G wireless frequency hopping Operation temperature: 0~40 °C



E4E75Q-M | 7.5^{*}

Four colors display IP4 waterproof

Resolution ratio: 800×480 Equipment weight: 251 g

Dimension: 175.2×119.7×9.88 mm NFC: Support NFC

Window size: 163.2×97.3 mm LED flash: Support 7 colors

Communication: 2.4G wireless frequency hopping

Operation temperature: 0~40 °C Battery: Disposable lithium battery



E4E97Q-M | 9.7

Four colors display IP4 waterproof

NFC: Support NFC Resolution ratio: 960×672 Dimension: 221×166×11.5 mm Battery: 6×CR2450

Window size: 201.6×141.1 mm LED flash: Support 7 colors

Operation temperature: 0~40 °C Communication: 2.4G wireless frequency hopping



E4E15R-M | 1.54

Three colors display | IP4 waterproof can be upgraded to IP68 waterproof

Resolution ratio: 200×200 Equipment weight: 22 g

Dimension: 50.1×37.6×12.9 mm Battery: 1×CR2450 NFC: Support NFC

Window size: 27×27 mm LED flash: Support 7 colors

Communication: 2.4G wireless frequency hopping Operation temperature: 0~40 °C

E4E26R-M | 2.66

Three colors display IP4 waterproof can be upgraded to IP68 waterproof

Resolution ratio: 296×152 Equipment weight: 39 g

Dimension: 83.2×41.7×12.6 mm Battery: 2×CR2450 NFC: Support NFC

Window size: 60×31 mm LED flash: Support 7 colors

Communication: 2.4G wireless frequency hopping Operation temperature: 0~40 °C



Elegant ink

E4E42R-M | 4.2

Three colors display IP4 waterproof


Resolution ratio: 400×300 Equipment weight: 94 g

Dimension: 97.4×88.9×13.8 mm Battery: 3×CR2450 NFC: Support NFC

Window size: 84.8×63.6 mm LED flash: Support 7 colors

Communication: 2.4G wireless frequency hopping Operation temperature: 0~40 °C

Elegant ink



E3E21W-M | 2.13

Dual colors display IP4 waterproof

长富巴氏鲜奶 學道如 6.80

晨光K-35中性笔 M-G

告 5.00 ^{採株} 元/支

Resolution ratio: 250×122 Equipment weight: 32.5 g Battery: 2×CR2450 Dimension: 70.6 × 34.6 × 12.4 mm

Window size: 47.8×23 mm LED flash: Support 7 colors NFC: Support NFC Communication: 2.4G wireless frequency hopping Operation temperature: 0~40 °C

E3E21F-M | 2.13 Low temperature freezing

Dual colors display IP4 waterproof

Resolution ratio: 250×122 NFC: Support NFC Dimension: 70.6×32.8×11.6 mm Equipment weight: 56 g

Window size: 47.8×23 mm Battery: 2×CR2450 Interaction: RGB colored lights

Operation temperature: -25~10 °C Communication: 2.4G wireless frequency hopping

E3E21R-M | 2.13

Three colors display IP4 waterproof

Resolution ratio: 250×122

Dimension: 70×32.8×11.6 mm Equipment weight: 32.5 g Window size: 47.8×23 mm Battery: 2×CR2450

NFC: Support NFC Interaction: RGB colored lights

Operation temperature: 0~40 °C Communication: 2.4G wireless frequency hopping



E3E29F-M | 2.9

Low temperature freezing

Dual colors display IP4 waterproof

Resolution ratio: 296×128 NFC: Support NFC Dimension: 90.7×40.9×11.9 mm Equipment weight: 43 g Window size: 66.9×29.6 mm Battery: 2×CR2450

Interaction: RGB colored lights Operation temperature: -25~10 °C

Communication: 2.4G wireless frequency hopping

IS series **IS** series

E3E29R-M | 2.9 ^{*}

Three colors display IP4 waterproof

Resolution ratio: 296×128

Dimension: 90.7×40.9×11.9 mm Equipment weight: 32.5 g Window size: 66.9×29.6 mm Battery: 2×CR2450

NFC: Support NFC Interaction: RGB colored lights

Communication: 2.4G wireless frequency hopping Operation temperature: 0~40 °C



E3E29Q-M | 2.9 ^{*}

Four colors display IP4 waterproof

下厨房奇亚籽花生酱200g

Resolution ratio: 296×128

Dimension: 90.7×40.9×11.9 mm Equipment weight: 32.5 g

Window size: 66.9×29.6 mm Battery: 2×CR2450

Interaction: RGB colored lights NFC: Support NFC

Communication: 2.4G wireless frequency hopping Operation temperature: 0~40 °C

E3E42R-M | 4.2 Three colors display IP4 waterproof

Resolution ratio: 400×300

Dimension: 100.5×86.9×14.2 mm Equipment weight: 94 g Window size: 84.8×63.6 mm Battery: 3×CR2450

NFC: Support NFC Interaction: RGB colored lights

Operation temperature: 0~40 °C Communication: 2.4G wireless frequency hopping





E3E58R-M | 5.8

Three colors display IP4 waterproof

Resolution ratio: 648×480

Dimension: 134.9×108.8×14.2 mm Equipment weight: 129.5 g

Window size: 118.8×88.2 mm Battery: 3×CR2450

Interaction: RGB colored lights NFC: Support NFC

Communication: 2.4G wireless frequency hopping Operation temperature: 0~40 °C



E3E58Q-M | 5.8

Four colors display IP4 waterproof

Resolution ratio: 648×480

Dimension: 134.9×108.8×14.2 mm Equipment weight: 129.5 g

Window size: 118.8×88.2 mm Battery: 3×CR2450

NFC: Support NFC Interaction: RGB colored lights

Operation temperature: 0~40 °C Communication: 2.4G wireless frequency hopping

Application scenarios



























13 12

Elegant ink screen

Easy to install accessories

Convenient installation, flexible and safe, suitable for various scenarios

Tido/Hars series Universal installation for various scenarios.

1.5-inch / 2.13-inch / 2.6-inch / 2.9-inch / 4.2-inch / 5.8-inch



Aquarium clamp accessory



Pedestal accessory



Adapter board accessory



Track accessory



Straight line hook accessory




Ice-fresh fork accessories



Universal joint clamp accessory

Sebo series

T-shaped hook accessory



Save More, Earn More **Innovator in Smart Retail**

Through one-click price adjustments, optimizing sales effectiveness, and reducing the investment in human resources, we have saved funds

Utilizing marketing tools like giveaways, advertisements, and mini-program stores to capture customer attention and facilitate transactions

How to save money?

One-click operation device management system for online terminals



Equipment management



Product information management



Flexible deployment

How to make money?

Through advertising marketing

Intelligent advertising placement helps you quickly match customer needs, find high-value, high-intent precision customers, and effortlessly reduce advertising marketing costs. Accumulated over the long term, advertising marketing methods can expedite the customer journey from viewing ads to placing orders. Continuous improvement of placement strategies significantly enhances advertising marketing effectiveness.



Poster template





Lucky draw

Simple equipment management system

Self-developed practical template compilation and equipment management system

Equipment management

- Remotely manage the products linked to the devices
- Remotely manage device power on/off

Remotely manage device volume

Product information management

- Management of price, barcode, and other product information
- Product traceability information
 Product image management



Flexible deployment



Advertising is scheduled to be launched and taken down on time, without the need for on-site maintenance, freeing up manpower and saving costs.



Flexible targeting options including regional, store-specific, and multi-device deployment, ensuring precise delivery and maximizing the value behind each screen.

Flexible format options

Customizable resolution, with options for split-screen or full-screen display, as well as landscape or portrait orientation.

Flexible content editing

The media function supports the placement of promotional posters, product information, or advertisements in the form of images and videos, as needed.

Template Marketplace



Template Customization

There are templates available for various festivals such as New Year's and Mid-Autumn Festival, which can be customized for store-specific designs. There is support for both landscape and portrait orientations, as well as single or dual product displays.



Tailored customization settings

There are options to add attributes such as member prices, limited-time specials, as well as features like carousels, countdowns, and flashing effects.

Multi-dimensional marketing to increase sales

You can bind products, switch templates, launch advertisements, and conduct lottery activities in the mini-program.



The 5 major media advantages of electronic price tags



High-conversi on rate

Shoppers typically spend extended periods with specific shopping intentions and mindsets



High-quality traffic

In large shopping centers and supermarkets, people are less inclined to filter advertising information to make it a natural source of high-quality traffic.



Reinforce impression

Advertisements on public buses and television are subject to chance encounters; Soarfree Price Tag advertisements provide stable and continuous exposure.



High-reach rate

Soarfree electronic screen carriers adopt a "price tag - advertisement" approach, where users are compelled to view product prices, nadvertently reinforcing the reach of advertisements to users.



Diverse formats

For promotions such as supermarket treasure hunts, hourly flash sales nteractive lotteries, etc. opting for Soarfree electronic screens, which offer more timely and nteractive features, is essential.

Brand marketing to enhance brand influence

Utilize shared display screens to showcase brand promotional materials directly. Incorporate videos and images to create an optimal visual experience. Ads can be changed in real-time, with flexible scheduling allowing for immediate deployment within a day.

Interactive marketing to create a sound marketing effect

Combine full-screen visuals with sound to attract users' attention and increase brand visibility. This can attract a large number of customers to watch, aligning with their shopping habits.

Interactive marketing for one-on-one marketing

The price zone and the advertising zone can be jointly adjusted on a one-to-one basis, combining a brand advertisement with a corresponding price format to enhance marketing effectiveness.



Eight key core technologies to build industry-leading innovation

12 years of dedicated research and development, an integrated management model, creating a comprehensive solution for smart new retail across all scenarios.



THE DEDICATED WIRELESS SOC+RTOS EMBEDDED SYSTEM ENSURES SMOOTH VISUALS AND INFORMATION SECURITY.



THE SF-WS4.0 COMMUNICATION LINK IS IMPERVIOUS TO INTERFERENCE

THE SF-WS4.0 COMMUNICATION LINK EMPLOYS MULTI-POINT AGILE FREQUENCY HOPPING TECHNOLOGY TO COUNTERACT INTERFERENCE IN THE 2.4GHZ WIRELESS FREQUENCY BAND.



CROSS-PLATFORM DISTRIBUTED SOFTWARE ARCHITECTURE FOR EASY DEPLOYMENT

EASILY MIGRATE AND DEPLOY BETWEEN LOCAL WINDOWS AND CLOUD-BASED LINUX ENVIRONMENTS.



SMART CLOUD SOLUTIONS EMPOWER THE NEW RETAIL MANAGEMENT MODEL

CLOUD-BASED REMOTE DEVICE MANAGEMENT, REMOTE CONTROL OF ADVERTISEMENT DEPLOYMENT, ELIMINATING THE BURDEN OF HEAVY MANUAL LABOR.



CLOUD TRACEABILITY, ACHIEVING PAPERLESS, ONE-PRODUCT-ONE-CODE

BY ATTACHING PRODUCT TRACEABILITY
INFORMATION THROUGH THE CLOUD
PLATFORM, IT AVOIDS THE CUMBERSOME
OPERATION OF PAPER TRACEABILITY LABELS.



THREE-LEVEL PRICING CONTROL MODE, SIMPLE OPERATION WITH ZERO ERRORS

CLOUD-BASED HEADQUARTERS CENTRALLY MANAGES PRICING, WHILE STORE ERPS ALLOW FOR REAL-TIME PRICE ADJUSTMENTS. EVEN WITHOUT INTERNET ACCESS, ON-SITE PDAS CAN BE USED TO MODIFY PRICES TO HANDLE UNEXPECTED SITUATIONS.



COLORFUL SELF-SERVICE TEMPLATES, CREATING PERSONALIZED CUSTOMIZED STYLES

INDEPENDENTLY DEVELOPED CUSTOMIZABLE SYSTEMS, ALLOWING EACH SUPERMARKET TO TAILOR UNIQUE INTERFACE STYLES.



SAFE AND RELIABLE, CAPABLE OF PROCESSING BILLIONS OF TRANSACTIONS

PROFESSIONAL ENCRYPTION SECURITY
TECHNOLOGY, UTILIZING 128-BIT DATA
ENCRYPTION FOR OPERATIONS ON PROPRIETARY
PLATFORMS, CAPABLE OF SIMULTANEOUSLY
HANDLING MILLIONS OF PIECES OF INFORMATION.

Experience quality worry-free after-sales support

Adhering to the principle of "customer-centric, one-stop service", customer needs are the driving force behind our progress.

Service Hotline

0086-0591-83375135

From research and development to after-sales service, every step pursues meticulousness



Research and Development Process

A professional team, nearly a decade of technical refinement, all dedicated to crafting a perfected price tag system.



Production Process

Professional manufacturers for mass production, ensuring zero defects from components to appearance.



Pre-sales service

Train professional project managers to quickly guide you through product lines and usage process-



Mid-sales service

Based on store layout, recommend suitable installation plans. Professional team provides free installation and debugging.



After-sale service

365 days online after-sales service, resolving customer inquiries and needs, conducting regular follow-up visits to ensure the normal use of software and hardware

10_{Years}
Technical precipitation

24 Hours
Plan provision

365_{Days}
Maintenance services