



Wuxi Newtech Advanced Material Technologies Co., Ltd

无锡新科技先进材料科技有限公司

Address: Room 503, Building 22. Software Park, Huize Road, Binhu District, Wuxi, Jiangsu, China;

Tel: 0510-85 185889; Mail: info@newtecharmor.com; website: <https://www.newtecharmor.com>

Serial Number: 24007A26



Type: MICH Tactical Ballistic Helmet

Materials: 100% Kevlar ballistic shell

Size: S,M,L,XL

Weight: 1.44 Kg

Protection Level: NIJ Level III A





S.N	Parameters	Specifications of MICH Tactial Ballistic Helmet
1	Features	Full coverage ballistic head protection
		Standard 4-point H-harness - Ensures secure fit and stability
		D3O TRUST 7 pad helmet system for - shock absorption, reduces trauma and fatigue.
		Level IIIA Standard Cut - Compatible with communication and hearing systems; left-side quick-release for fast don/doff
2	Additional Features	Shock absorption meets as per EN 3977 standard
		Perfect mass distribution reduces head lag during movement
		Durable and reliable construction for long-term use
		Crown pad provides enhanced trauma protection
		Non-magnetic and non-corrosive metal components
		Resistant to extreme temperatures, flames, water, and moisture
		UV resistant for long-term outdoor use
		High ballistic performance with low weight and perfect harness system for comfort balance and stress fatigue
3	Helmet Fit & Design	Four-point adjustable suspension system for secure and comfortable fit
		Front clip to attach devices such as Night Vision Goggles (NVG) or cameras
		Scratch-resistant non-reflective flat paint
		Excellent ventilation with gap in all directions for optimal airflow
		Rear portion shaped for easy and comfortable movement while wearing a collared tactical vest





Wuxi Newtech Advanced Material Technologies Co., Ltd

无锡新科技先进材料科技有限公司

Address: Room 503, Building 22. Software Park, Huize Road, Binhu District, Wuxi, Jiangsu, China;

Tel: 0510-85 185889; Mail: info@newtecharmor.com; website: https://www.newtecharmor.com



4	Color	Standard UN peacekeeping color scheme (Blue and White)
5	Protection Level	NIJ Level IIIA tested as per NIJ-ST-0101.06 and NIJ-ST-0101.06 (modified)
		Protection Level including Fragmentation protection per MIL-STD 662F
		ISO 9001 In full compliance with recognized international quality and military standards
6	Warranty	24 Months

