



SDS Service Summary

No.: CANEC25003020315

Date: 26 Feb 2025

Page 1 of 1

SGS Job No. : SZP25-006370
Product Name : UV Resin
Manufacturer / Supplier : SHENZHEN JIANGHE NEW MATERIALS TECHNOLOGY CO.,LTD
Composition/Ingredient of product (as per applicant submission) : See *section 3 Composition/information on ingredients* on the SDS
Job Receiving Date : 20 Feb 2025
SDS Preparation Period : 20 Feb 2025-25 Feb 2025

Service Requested : Preparation of Safety Data Sheet (SDS) for the product with submitted information, with calculation of the classification and labeling requirement according to the submitted composition and US Hazard Communication Standard 29 CFR 1910.1200.

Summary : As per request, the contents and formats of the SDS are prepared in accordance with US Hazard Communication Standard 29 CFR 1910.1200, and is provided per attached.

Remark : Information of this SDS refer to SDS CANEC25003020301.

Disclaimer

This Safety Data Sheet (SDS) is provided to applicant to fulfill US Hazard Communication Standard 29 CFR 1910.1200 and communicate the hazard information of chemicals through the supply chain to ensure safe use. It is not a test report or a certificate ensuring the safety of a product. SGS has consolidated product information based on documents provided by Applicant (i.e. product name, the supplier details, product composition, available physical data, etc.) without independent verification from SGS. The information is provided without any warranty, express or implied, regarding its correctness.

Zm Guan
Project Engineer

Safety Data Sheet

29 CFR 1910.1200

Printing date 02/25/2025

Version number 1

Reviewed on 02/20/2025

1 Identification

- **Product identifier**
- **Trade name:** UV Resin
- **Recommended use of the chemical and restrictions on use:**
- **Application of the substance / the preparation:** Sealing waterproof and decorative
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** SHENZHEN JIANGHE NEW MATERIALS TECHNOLOGY CO.,LTD
- **Full address:**
1008, BUILDING 1, COFCO YUNJING PLAZA, HESHUIKOU COMMUNITY, MATAN STREET,
GUANGMING DISTRICT, SHENZHEN
- **Phone number:** 15989551716
- **Email:** jxchenh@163.com
- **Other U.S. contact point:** Not available
- **Further information obtainable from:**
SHENZHEN JIANGHE NEW MATERIALS TECHNOLOGY CO.,LTD
- **Emergency telephone number:**
Poison Center
Tel: +1 800 222 1222
- **Reference Number:** CANEC25003020315,SZP25-006370

2 Hazard(s) identification

- **Classification of the substance or mixture**

Classification according to OSHA Hazard Communication Standard (29 CFR 1910.1200).



GHS08 Health hazard

Toxic to Reproduction 1B H360 May damage fertility or the unborn child.



GHS05 Corrosion

Skin Corrosion 1C

H314 Causes severe skin burns and eye damage.

Eye Damage 1

H318 Causes serious eye damage.



GHS07

Acute Toxicity - Oral 4 H302 Harmful if swallowed.

Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

Flam. Liq. 4

H227 Combustible liquid.

- **Information concerning particular hazards for human and environment:**

The product has to be labeled due to the calculation procedure of OSHA Hazard Communication Standard (29 CFR 1910.1200).

- **Classification system:**

The classification is according to the latest edition of OSHA Hazard Communication Standard (29 CFR 1910.1200), and extended by company and literature data.

(Contd. on page 2)

USA

Safety Data Sheet

29 CFR 1910.1200

Printing date 02/25/2025

Version number 1

Reviewed on 02/20/2025

Trade name: UV Resin

(Contd. of page 1)

- **Label elements**
- **Labelling according to OSHA Hazard Communication Standard (29 CFR 1910.1200)**
- **Hazard pictograms**



GHS05 GHS07 GHS08

- **Signal word** *Danger*

- **Hazard-determining components of labeling:**

N,N-dimethylacrylamide

Tetrahydrofurfuryl acrylate

Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate

diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

- **Hazard statements**

H227 Combustible liquid.*H302+H312* Harmful if swallowed or in contact with skin.*H314* Causes severe skin burns and eye damage.*H317* May cause an allergic skin reaction.*H360* May damage fertility or the unborn child.

- **Precautionary statements**

P201 Obtain special instructions before use.*P202* Do not handle until all safety precautions have been read and understood.*P210* Keep away from flames and hot surfaces. – No smoking.*P260* Do not breathe dusts or mists.*P264* Wash thoroughly after handling.*P270* Do not eat, drink or smoke when using this product.*P272* Contaminated work clothing must not be allowed out of the workplace.*P280* Wear protective gloves/protective clothing/eye protection/face protection.*P301+P312* If swallowed: Call a poison center/doctor if you feel unwell.*P301+P330+P331* If swallowed: Rinse mouth. Do NOT induce vomiting.*P303+P361+P353* If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.*P304+P340* IF INHALED: Remove person to fresh air and keep comfortable for breathing.*P305+P351+P338* If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*P310* Immediately call a poison center/doctor.*P308+P313* IF exposed or concerned: Get medical advice/attention.*P321* Specific treatment (see on this label).*P362+P364* Take off contaminated clothing and wash it before reuse.*P333+P313* If skin irritation or rash occurs: Get medical advice/attention.*P363* Wash contaminated clothing before reuse.*P370+P378* In case of fire: Use CO₂, powder or water spray to extinguish.*P403+P235* Store in a well-ventilated place. Keep cool.*P405* Store locked up.*P501* Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Hazards not otherwise classified (HNOC)** No further relevant information available.

USA

(Contd. on page 3)

Safety Data Sheet

29 CFR 1910.1200

Printing date 02/25/2025

Version number 1

Reviewed on 02/20/2025

Trade name: UV Resin

(Contd. of page 2)

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Description:**

Mixture of the substances listed below with nonhazardous additions.

For the wording of the listed hazard statements refer to Section 16.

- **Composition:**

CAS: 25035-69-2	2-Propenoic acid, 2-methyl-, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate	43.0%
CAS: 5888-33-5	Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate ⚠ Sensitization - Skin 1A, H317	27.0%
CAS: 2680-03-7	N,N-dimethylacrylamide ⚠ Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311; ⚠ Eye Damage 1, H318; Flam. Liq. 4, H227	16.0%
CAS: 2399-48-6	Tetrahydrofurfuryl acrylate ⚠ Toxic to Reproduction 1B, H360; ⚠ Skin Corrosion 1C, H314; Eye Damage 1, H318; ⚠ Acute Toxicity - Oral 4, H302; Sensitization - Skin 1B, H317	13.0%
CAS: 75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide ⚠ Toxic to Reproduction 1B, H360; ⚠ Sensitization - Skin 1B, H317	1.0%

4 First-aid measures

- **Description of first aid measures**

- **General description:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

- **After swallowing:** Immediately call a doctor.

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

- **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures

- **Suitable extinguishing agents:**

CO₂ extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- **Special hazards arising from the substance or mixture:**

During heating or in case of fire poisonous gases are produced.

- **Special protective equipment and precautions for firefighters**

- **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures:**

Mount respiratory protective device.

(Contd. on page 4)

USA

Safety Data Sheet

29 CFR 1910.1200

Printing date 02/25/2025

Version number 1

Reviewed on 02/20/2025

Trade name: UV Resin

(Contd. of page 3)

*Wear protective equipment. Keep unprotected persons away.***· Environmental precautions:***Do not allow product to reach sewage system or any water course.**Inform respective authorities in case of seepage into water course or sewage system.**Dilute with plenty of water.**Do not allow to enter sewers/ surface or ground water.***· Methods and material for containment and cleaning up:***Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).**Use neutralizing agent.**Dispose contaminated material as waste according to section 13.**Ensure adequate ventilation.*

7 Handling and storage

· Precautions for safe handling:*Ensure good ventilation/exhaustion at the workplace.**Open and handle receptacle with care.**Prevent formation of aerosols.**For the general occupational hygienic measures refer to Section 8.***· Information about protection against explosions and fires: Keep respiratory protective device available.****· Conditions for safe storage, including any incompatibilities****· Requirements to be met by storerooms and receptacles: No special requirements.****· Information about storage in one common storage facility:***Store away from foodstuffs.**Store away from water.***· Further information about storage conditions: Keep receptacle tightly sealed.**

8 Exposure controls/personal protection

· Components with limit values that require monitoring at the workplace:*The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.***· Additional information: The lists that were valid during the creation were used as basis.****· Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure.****· Appropriate engineering controls:***Keep away from foodstuffs, beverages and feed.**Immediately remove all soiled and contaminated clothing.**Wash hands before breaks and at the end of work.**Store protective clothing separately.**Avoid contact with the eyes.**Avoid contact with the eyes and skin.**See Section 7 for information about design of technical facilities.***· Individual protection measures, such as personal protective equipment****· Breathing equipment:***In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.***· Hand protection:**

Protective gloves

(Contd. on page 5)

Safety Data Sheet

29 CFR 1910.1200

Printing date 02/25/2025

Version number 1

Reviewed on 02/20/2025

Trade name: UV Resin

(Contd. of page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material:**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eyeface protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **General Information**

· **Appearance:**

Form: Liquid

Color: Colourless

· **Odor:** Odorless

· **Odor threshold:** Not available

· **pH-value:** Not available

· **Change in condition**

Melting point/Freezing point: Not available

Initial boiling point and boiling range: Not available

· **Flash point:** Not available

· **Flammability (solid, gas):** Not available

· **Auto-Ignition temperature:** Not available

· **Decomposition temperature:** Not available

· **Lower and upper explosion limit**

Lower: Not available

Upper: Not available

· **Vapor pressure:** Not available

· **Density:** Not available

· **Relative density:** Not available

· **Vapor density:** Not available

· **Evaporation rate:** Not available

· **Solubility in / Miscibility with**

Water: Not available

· **Partition coefficient (n-octanol/water):** Not available

· **Viscosity:**

Dynamic: Not available

Kinematic: Not available

(Contd. on page 6)

Safety Data Sheet

29 CFR 1910.1200

Printing date 02/25/2025

Version number 1

Reviewed on 02/20/2025

Trade name: UV Resin

(Contd. of page 5)

· **Other information**

No further relevant information available.

10 Stability and reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** No further relevant information available.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Acute toxicity:** Harmful if swallowed or in contact with skin.
- **LD/LC50 values that are relevant for classification:** Not available
- **Skin corrosion/irritation:** Causes severe skin burns and eye damage.
- **Serious eye damage/irritation:** Strong irritant with the danger of severe eye injury.
- **Respiratory or skin sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Toxic
Harmful
Irritant
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Other adverse effects** No further relevant information available.

USA

(Contd. on page 7)

Safety Data Sheet

29 CFR 1910.1200

Printing date 02/25/2025

Version number 1

Reviewed on 02/20/2025



Trade name: UV Resin

(Contd. of page 6)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|---|---|
| · UN-Number | |
| · DOT, IMDG, IATA | UN1760 |
| · UN proper shipping name | |
| · DOT | Corrosive liquids, n.o.s. (Tetrahydrofurfuryl acrylate) |
| · IMDG, IATA | CORROSIVE LIQUID, N.O.S. (Tetrahydrofurfuryl acrylate) |
| · Transport hazard class(es) | |
| · DOT | |
|  | |
| · Class | 8 Corrosive substances |
| · Label | 8 |
| · IMDG, IATA | |
|  | |
| · Class | 8 Corrosive substances |
| · Label | 8 |
| · Packing group | |
| · DOT, IMDG, IATA | III |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Warning: Corrosive substances |
| · EMS Number: | F-A,S-B |
| · Stowage Category | A |
| · Stowage Code | SW2 Clear of living quarters. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable |
| · Transport/Additional information: | |
| · DOT | |
| · Quantity limitations | On passenger aircraft/rail: 5 L
On cargo aircraft only: 60 L |

(Contd. on page 8)

USA

Safety Data Sheet

29 CFR 1910.1200

Printing date 02/25/2025

Version number 1

Reviewed on 02/20/2025

Trade name: UV Resin

(Contd. of page 7)

· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: EI Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (TETRAHYDROFURFURYL ACRYLATE), 8, III

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **New Jersey Right-to-Know List:**

None of the ingredients is listed.

· **New Jersey Special Hazardous Substance List:**

None of the ingredients is listed.

· **Pennsylvania Right-to-Know List:**

None of the ingredients is listed.

· **Pennsylvania Special Hazardous Substance List:**

None of the ingredients is listed.

· **Carcinogenicity categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

USA

(Contd. on page 9)

Safety Data Sheet

29 CFR 1910.1200

Printing date 02/25/2025

Version number 1

Reviewed on 02/20/2025

Trade name: UV Resin

(Contd. of page 8)

16 Other information

· **Relevant hazard statements**

H227 Combustible liquid.
 H301 Toxic if swallowed.
 H302 Harmful if swallowed.
 H311 Toxic in contact with skin.
 H314 Causes severe skin burns and eye damage.
 H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H360 May damage fertility or the unborn child.

· *****

The contents and format of this SDS are in accordance with 29 CFR 1910.1200.

DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

· **Date of preparation / last revision** 02/25/2025

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 NIOSH: National Institute for Occupational Safety
 OSHA: Occupational Safety & Health
 Flam. Liq. 4: Flammable liquids – Category 4
 Acute Toxicity - Oral 3: Acute toxicity – Category 3
 Acute Toxicity - Oral 4: Acute toxicity – Category 4
 Skin Corrosion 1C: Skin corrosion/irritation – Category 1C
 Eye Damage 1: Serious eye damage/eye irritation – Category 1
 Sensitization - Skin 1: Skin sensitisation – Category 1
 Sensitization - Skin 1A: Skin sensitisation – Category 1A
 Sensitization - Skin 1B: Skin sensitisation – Category 1B
 Toxic to Reproduction 1B: Reproductive toxicity – Category 1B

· *****

End of document