



SDS Service Summary

No.: CANEC25000411713

Date: 09 Jan 2025

Page 1 of 1

SGS Job No.	:	SZP25-000756
Product Name	:	hardener
Manufacturer / Supplier	:	SHENZHEN JIANGHE NEW MATERIALS TECHNOLOGY CO.,LTD
Composition/Ingredient of product (as per applicant submission)	:	See section 3 <i>Composition/information on ingredients</i> on the SDS
Job Receiving Date	:	06 Jan 2025
SDS Preparation Period	:	06 Jan 2025-09 Jan 2025
Service Requested	:	Preparation of Safety Data Sheet (SDS) for the product with submitted information, with calculation of the classification and labeling requirement according to the submitted composition and US Hazard Communication Standard 29 CFR 1910.1200.
Summary	:	As per request, the contents and formats of the SDS are prepared in accordance with US Hazard Communication Standard 29 CFR 1910.1200, and is provided per attached.
Remark	:	Information of this SDS refer to SDS CANEC25000411701.

Disclaimer

This Safety Data Sheet (SDS) is provided to applicant to fulfill US Hazard Communication Standard 29 CFR 1910.1200 and communicate the hazard information of chemicals through the supply chain to ensure safe use. It is not a test report or a certificate ensuring the safety of a product.

SGS has consolidated product information based on documents provided by Applicant (i.e. product name, the supplier details, product composition, available physical data, etc.) without independent verification from SGS. The information is provided without any warranty, express or implied, regarding its correctness.

Zm Guan
Project Engineer

Safety Data Sheet

29 CFR 1910.1200

Printing date 01/08/2025

Version number 1

Reviewed on 01/08/2025

1 Identification

- **Product identifier**
- **Trade name:** hardener
- **Recommended use of the chemical and restrictions on use:**
- **Application of the substance / the preparation:** Sealing waterproof and decorative
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** SHENZHEN JIANGHE NEW MATERIALS TECHNOLOGY CO.,LTD
- **Full address:**
1008,BUILDING 1,COFCO YUNJING PLAZA,HESHUIKOU COMMUNITY,MATAN STREET, GUANGMING DISTRICT,SHENZHEN
- **Phone number:** 15989551716
- **Email:** jxchenh@163.com
- **Other U.S. contact point:** Not available
- **Further information obtainable from:**
SHENZHEN JIANGHE NEW MATERIALS TECHNOLOGY CO.,LTD
- **Emergency telephone number:**
Poison Center
Tel: +1 800 222 1222
- **Reference Number:** CANEC25000411713,SZP25-000756

2 Hazard(s) identification

- **Classification of the substance or mixture**

Classification according to OSHA Hazard Communication Standard (29 CFR 1910.1200).



GHS05 Corrosion

Eye Damage 1

H318 Causes serious eye damage.



GHS07

Acute Toxicity - Oral 4 H302 Harmful if swallowed.

Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

- **Information concerning particular hazards for human and environment:**

The product has to be labeled due to the calculation procedure of OSHA Hazard Communication Standard (29 CFR 1910.1200).

- **Classification system:**

The classification is according to the latest edition of OSHA Hazard Communication Standard (29 CFR 1910.1200), and extended by company and literature data.

- **Label elements**

- **Labelling according to OSHA Hazard Communication Standard (29 CFR 1910.1200)**

- **Hazard pictograms**



GHS05 GHS07

- **Signal word** Danger

(Contd. on page 2)

USA

Safety Data Sheet

29 CFR 1910.1200

Printing date 01/08/2025

Version number 1

Reviewed on 01/08/2025

Trade name: hardener

(Contd. of page 1)

· Hazard-determining components of labeling:*Propylidynetrtrimethanol, propoxylated, reaction products with ammonia**Benzyl alcohol**Ethyl 4-[[methylphenylamino)methylene]amino]benzoate***· Hazard statements***H302+H312 Harmful if swallowed or in contact with skin.**H318 Causes serious eye damage.**H317 May cause an allergic skin reaction.***· Precautionary statements***P261 Avoid breathing dust/fume/gas/mist/vapors/spray**P264 Wash thoroughly after handling.**P270 Do not eat, drink or smoke when using this product.**P272 Contaminated work clothing must not be allowed out of the workplace.**P280 Wear protective gloves/protective clothing/eye protection/face protection.**P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.**P302+P352 If on skin: Wash with plenty of water.**P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**P310 Immediately call a poison center/doctor.**P321 Specific treatment (see on this label).**P330 Rinse mouth.**P362+P364 Take off contaminated clothing and wash it before reuse.**P333+P313 If skin irritation or rash occurs: Get medical advice/attention.**P363 Wash contaminated clothing before reuse.**P501 Dispose of contents/container in accordance with local/regional/national/international regulations.***· Hazards not otherwise classified (HNOC) No further relevant information available.**

3 Composition/information on ingredients

· Chemical characterization: Mixtures**· Description:***Mixture of the substances listed below with nonhazardous additions.**For the wording of the listed hazard statements refer to Section 16.***· Composition:**

CAS: 39423-51-3	<i>Propylidynetrtrimethanol, propoxylated, reaction products with ammonia</i>     	50-70%
CAS: 100-51-6	<i>Benzyl alcohol</i>   	29-49%
CAS: 57834-33-0	<i>Ethyl 4-[[methylphenylamino)methylene]amino]benzoate</i> 	1%

4 First-aid measures

· Description of first aid measures**· General description:***Immediately remove any clothing soiled by the product.**Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.***· After inhalation:** Supply fresh air; consult doctor in case of complaints.**· After skin contact:** Immediately rinse with water.

(Contd. on page 3)

USA

Safety Data Sheet

29 CFR 1910.1200

Printing date 01/08/2025

Version number 1

Reviewed on 01/08/2025

Trade name: hardener

(Contd. of page 2)

- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Immediately call a doctor.
- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

5 Fire-fighting measures

- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Special protective equipment and precautions for firefighters:**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures:**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to section 13.

7 Handling and storage

- **Precautions for safe handling:** For the general occupational hygienic measures refer to Section 8.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:**
Store away from foodstuffs.
Store away from water.
- **Further information about storage conditions:** Keep receptacle tightly sealed.

8 Exposure controls/personal protection

- **Components with limit values that require monitoring at the workplace:**

CAS:	100-51-6 Benzyl alcohol (29-49%)
WEEL (USA)	Long-term value: 10 ppm
- **Regulatory information WEEL (USA):** Guide to Occupational Exposure Values (AIHA WEELs)
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure.**
- **Appropriate engineering controls:**
Keep away from foodstuffs, beverages and feed.

(Contd. on page 4)

USA

Safety Data Sheet
29 CFR 1910.1200

Printing date 01/08/2025

Version number 1

Reviewed on 01/08/2025

Trade name: hardener

(Contd. of page 3)

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

See Section 7 for information about design of technical facilities.

· Individual protection measures, such as personal protective equipment

· Breathing equipment: Not required.

· Hand protection:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection:



Tightly sealed goggles

9 Physical and chemical properties

· General Information

· Appearance:

Form:

Liquid

Color:

Colourless

· Odor:

Odorless

· Odor threshold:

Not available

· pH-value:

Not available

· Change in condition

Melting point/Freezing point: *Not available*

Initial boiling point and boiling range: *Not available*

· Flash point:

Not available

· Flammability (solid, gas):

Not available

· Auto-Ignition temperature:

Not available

· Decomposition temperature:

Not available

· Lower and upper explosion limit

Lower:

Not available

Upper:

Not available

(Contd. on page 5)

USA

Safety Data Sheet
29 CFR 1910.1200

Printing date 01/08/2025

Version number 1

Reviewed on 01/08/2025

Trade name: hardener

(Contd. of page 4)

. Vapor pressure:	Not available
. Density:	Not available
. Relative density:	Not available
. Vapor density:	Not available
. Evaporation rate:	Not available
. Solubility in / Miscibility with Water:	Not available
. Partition coefficient (n-octanol/water):	Not available
. Viscosity:	
Dynamic:	Not available
Kinematic:	Not available
. Other information	No further relevant information available.

10 Stability and reactivity

- . Reactivity:** No further relevant information available.
- . Chemical stability:** No further relevant information available.
- . Possibility of hazardous reactions:** No dangerous reactions known.
- . Conditions to avoid:** No further relevant information available.
- . Incompatible materials:** No further relevant information available.
- . Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- . Acute toxicity:** Harmful if swallowed or in contact with skin.
- . LD/LC50 values that are relevant for classification:**

CAS: 100-51-6 Benzyl alcohol
Oral LD50 1,200 mg/kg (ATE)

- . Skin corrosion/irritation:** Irritating effect possible.
- . Serious eye damage/irritation:** Strong irritant with the danger of severe eye injury.
- . Respiratory or skin sensitization:** Sensitization possible through skin contact.
- . Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful
Irritant
- . Carcinogenic categories**
- . IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- . NTP (National Toxicology Program)**

None of the ingredients is listed.

- . OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

USA

(Contd. on page 6)

Safety Data Sheet
29 CFR 1910.1200

Printing date 01/08/2025

Version number 1

Reviewed on 01/08/2025

Trade name: hardener

(Contd. of page 5)

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· UN-Number	
· DOT, IMDG, IATA	UN3082
· UN proper shipping name	
· DOT	Environmentally hazardous substance, liquid, n.o.s. (Propylidynetrimethanol, propoxylated, reaction products with ammonia)
· IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Propylidynetrimethanol, propoxylated, reaction products with ammonia), MARINE POLLUTANT
· IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Propylidynetrimethanol, propoxylated, reaction products with ammonia)
· Transport hazard class(es)	
· DOT, IMDG, IATA	
	 
· Class	9
· Label	9
· Packing group	
· DOT, IMDG, IATA	III
· Environmental hazards:	
· Marine pollutant:	Yes Yes (DOT) Symbol (fish and tree)
· Special marking (IATA):	Symbol (fish and tree)
· Special precautions for user	Warning: Miscellaneous dangerous substances and articles

(Contd. on page 7)

USA

Safety Data Sheet
29 CFR 1910.1200

Printing date 01/08/2025

Version number 1

Reviewed on 01/08/2025

Trade name: hardener

(Contd. of page 6)

· EMS Number:	F-A,S-F
· Stowage Category	A
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 450 L On cargo aircraft only: 450 L
· Remarks:	Special marking with the symbol (fish and tree).
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PROPYLIDYNETRIMETHANOL, PROPOXYLATED, REACTION PRODUCTS WITH AMMONIA), 9, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· New Jersey Right-to-Know List:

None of the ingredients is listed.

· New Jersey Special Hazardous Substance List:

None of the ingredients is listed.

· Pennsylvania Right-to-Know List:

100-51-6 Benzyl alcohol

· Pennsylvania Special Hazardous Substance List:

None of the ingredients is listed.

(Contd. on page 8)

USA

Safety Data Sheet
29 CFR 1910.1200

Printing date 01/08/2025

Version number 1

Reviewed on 01/08/2025

Trade name: hardener

(Contd. of page 7)

· Cancerogenity categories**· EPA (Environmental Protection Agency)***None of the ingredients is listed.***· TLV (Threshold Limit Value)***None of the ingredients is listed.***· NIOSH-Ca (National Institute for Occupational Safety and Health)***None of the ingredients is listed.***16 Other information****· Relevant hazard statements***H302 Harmful if swallowed.**H312 Harmful in contact with skin.**H317 May cause an allergic skin reaction.**H318 Causes serious eye damage.**H319 Causes serious eye irritation.***********The contents and format of this SDS are in accordance with 29 CFR 1910.1200.***DISCLAIMER OF LIABILITY**

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

· Date of preparation / last revision 01/08/2025**· Abbreviations and acronyms:***IMDG: International Maritime Code for Dangerous Goods**DOT: US Department of Transportation**IATA: International Air Transport Association**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**NIOSH: National Institute for Occupational Safety**OSHA: Occupational Safety & Health**Acute Toxicity - Oral 4: Acute toxicity – Category 4**Eye Damage 1: Serious eye damage/eye irritation – Category 1**Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A**Sensitization - Skin 1: Skin sensitisation – Category 1**Sensitization - Skin 1B: Skin sensitisation – Category 1B***********End of document*

USA