
PORTABLE AC EV CHARGER



CONTENTS

► Safety Precautions	_01
▶ Product Overview	02
▶ Specifications & Packing List	_03
▶ Introduction to use & Precautions	04
▶ Storage & Safety Features	_05

IMPORTANT SAFETY INSTRUCTIONS SAVE THESE INSTRUCTIONS

A WARNING!

► How to use App

▶ When using electric products,basic precautions should always be followed,including the following.This manual contains important instructions for model Go-E22 that must be followed during installation, operation and maintenance of the unit.

SAVE THESE INSTRUCTIONS

- ▶ This manual contains Important safety and operating instructions
- 1.Read all the instructions before using this product
- 2. This device should be supervised when used around children.
- 3.Do not put fingers into the electric vehicle connector.
- 4.Do not use this product if the flexible power cord or EV cable is frayed,has broken insulation,or any other signs of damage.

SAFETY PRECAUTIONS

Thank you for your purchase. It is recommended to read this manual before use.

A CAUTION!

This symbol indicates what the user should pay attention to. Improper operations can lead to user security issues or a degree of hardware damage.

A WARNING!

This symbol indicates what the user should pay attention to. The parts inside the product are arisk of shock to persons

A CAUTION!

- ▶ Do not immerse the AC charging connection device in water
- ▶ It is forbidden to step on the charging cable, pull the cable, bend or knot the cable
- ▶ Do not drop the control box or press heavy objects on its surface
- \blacktriangleright It is strictly forbidden to place the equipment near objects that will produce high temperature during charging
- \blacktriangleright The operating ambient temperature of the equipment shall not exceed -30 °C~+50°C

A WARNING!


- \blacktriangleright Do not use the device when the charging line is damaged
- ▶ Only for electric vehicle charging
- \blacktriangleright This product must be well grounded when used
- ▶ Do not use external wires or adapters
- ▶ Never put your fingers into the charging plug
- ▶ This product does not contain user maintainable parts, Please do not attempt repair and maintenance by yourself
- \blacktriangleright If the device cannot be charged normally according to the operation manual, please contact the seller or replace it

-01-

PRODUCT OVERVIEW

Charging Status LED flashes red three (3)times

Charging Status LED flashes red four (4)times



Green LED	So	lid	Charging Complete			
	Breathing		Scheduled			
	Solid		Standby			
Blue LED	Flashing		Connected			
Red LED Flashing						
Ground fault Charging Status LED flashes red two (2)times		Overcurrent Charging Stati	us LED flashes red five (5)times			

Charging Status LED flashes red six (6)times

Leakage Charging Status LED flashes red eight (8)times

SPECIFICATIONS

Basic product parameters						
Rated Output	Power	3.5kW	7kW	11kW	22kW	
	Current	16A Max	32A Max	16A Max	32A Max	
	Phases	Sing l e Phase	Single Phase	Three Phase	Three Phase	
Rated input	Voltage	220-240V		380	380V	
	Frequency	50Hz				
Recommended	Ambient Temperature	-25°C to +45°C				
Operating Conditions	Relative Humidity	5%~95%				
Security Protection	Multiple Protection	Over/Under voltage protection & Temperature protection & Over current protection & Current leakage protection & Grounding protection				
	IP Rating	IP65				
	APP Control	Yes				
Other	Regulations	IEC/EN 62752 IEC 61851				
	Applicable scene	indoor/Outdoor				
	Cooling method	Natural cooling				
	Equipment dimension	237*103*53mm(L*W*H)				

PACKING LIST

AC EV Charger * 1	User Manual * 1

-03-

INTRODUCTION TO USE

Start Charging





LED Indicators

Charging


Connect the socket-outlet





















 \triangleleft Put on the rubber

PRECAUTIONS

Pull out the vehicle

- ▶ Please follow the steps in the pictures carefully
- ▶ The current switching and setting of the schedule time must be done before the vehicle connector is inserted into the vehicle inlet, otherwise it cannot be set during the charging process

-04-

STORAGE

- ▶ If the product is not used immediately after purchase, it should be stored in a dry and well-ventilated indoor place, or stored in a dry and well-ventilated indoor place during short-term or long-term storage. Do not store in a humid environment or a place exposed to sunlight.
- ▶ The equipment operates under normal operating conditions and usually does not require special maintenance during its service life. If you have any questions, please contact the manufacturer.

SAFETY FEATURES

LEAKAGE PROTECTION

- ▶ When the leakage protection is activated, the device needs to be unplugged and
- ▶ Improper connection of the equipment-grounding conductor can result in a risk of electric shock.Check with a qualified electrician or serviceman if you are in doubt as to whether the product is properly grounded. Do not modify the plug provided with the product. If it does not fit the outlet, have a proper outlet installed by a qualified

OVER-CURRENT PROTECTION

 \blacktriangleright When the current exceeds exceeds the maximum safety value, device needs to be unplugged and restarted.

OVER-VOLTAGE PROTECTION

▶ When the voltage exceeds a certain value, the protection is activated and restored The voltage recovers automatically after it is stabilized.

UNDER-VOLTAGE PROTECTION

▶ When the voltage falls below a certain value, the protection is activated and restored The voltage recovers automatically after it is stabilized.

TEMPERATURE PROTECTION

▶ When the temperature of the control box exceeds 85°C, the protection will be activated and restored automatically once the temperature has decreased to 70 $^{\circ}\text{C}.$


HOW TO USE THE APP





After opening the App, tap the plus sign in the upper right corner to automatically

Enter the Wi-Fi account and password, wait for the charging device to be successfully added to the Internet, and then you will be taken to the App's charging display



E-Mail: Contact@gocean.con

https://www.gocean.com

Manufacturer Shenzhen green ocean new energy Technology Co.,LTD

-05-

-06-