WE FOAM FOR WORLD

QUANZHOU WEFOAM TRADING CO.,LTD

Office ADD:Room 1101, Feili Center Building ,Donghai Street ,
Fengze District , Quanzhou , Fujian Province, China
Mobile Phone：+0086-13950111010
Web:http://www.wefoam.cn
E-mail:chris.z@wefoam.cn

WeFoam

Quanzhou Wefoam Trading Co.,Ltd.

Sansd (Jiangsu)Environmental Technology Co., Ltd.

Main Product:

Yoga Mats , Fitness Mats, XPE Wrestling Mats

China · Wefoam

OUR FACTORY ※

ABOUT WEFOAM

Quanzhou Wefoam Trading CO.,LTD is a wholly-owned trading subsidiary of Sansd Group which found in 1981. SANSD group is the world's leading EVA foam manufacturer, specializing in EVA mats,yoga mats ,slippers and EVA foam material which is widely used in shoes, luggage, children toys, sports and fitness field, home decoration , handicrafts ,marine ,packaging . `

Factory totally occupied area 150,000 square meters and has standard factory buildings of about 60000 square meters. Our firm owns 15 advanced production lines,50 units foaming machines,complete R& D equipment . We have BSCI,SEDEX and GRS , ISO 14001, ISO 9001 certificates. Our products fully complied with REACH , EN71, OEKO-TEX 100,CA65 standard.

Besides , we have advanced R& D team which enable us to provide unique customization for different requirements .

Our factory name Sansd which contains innovative,constantly persistent, developing and self promoting. It origin from Chinese saying that two origins from one ,three origins from two ,all originals from three . Our factory has the strong belief that constantly developing and persisting,innovating .

※ CERTIFICATION

TÜV SÜD

SYSTEM CERTIFICATION ISO 9001:2000 SGS

BUSINESS SOCIAL COMPLIANCE INITIATIVE BSCI Member of BSCI

Global Recycled Standard

ISO 9001

SMETA

OEKO TEX® STANDARD 100

ISO 14001

Disney FAMA

QUALIFICATION CERTIFICATE

SCOPE CERTIFICATE

intertek

Intertek declares that

Sansd (Jiangsu) Environmental Technology Co., Ltd

License Number: SG2068-G4

No 9 Zhiyuan Road, Economic Development Zone, Jurong City, Zhenjiang City, Jiangsu Province, China. 212400

has been inspected and assessed according to the:

GLOBAL RECYCLED STANDARD 4.0 (GRS 4.0)

and that products of the categories as mentioned below (and further specified in the annex) conform with this standard:

Product categories: Packaging (PO0033), Processed post-consumer materials (PO0055), Footwear (PO0056), Hard goods (PO0032), Processed pre-consumer materials (PO0061)

Processing steps / activities carried out under responsibility of the above-mentioned company (by the operations as detailed in the annex) for the certified products:

Trading (PR00030), Warehousing (PR00031), Molding (PR00058)

Scope Certificate Number: SG068-G4-2021-00430100

Initial Certification Date: 10 August 2021

Certificate Issue Date and Place: 10 August 2021 Lowell, MA, USA

Certificate Expiry Date: 09 August 2022

Calin Moldovean
President, Business Assurance
Intertek Testing Services NA, Inc.

GRS


SGS

TEST REPORT

No. : XMN2011911738PC
Date : Nov 15, 2021
Page: 1 of 21

CUSTOMER NAME: SANSD(FUJIAN) PLASTIC CO., LTD
ADDRESS: SANSD INDUSTRIAL BUILDING, JINGTOU CHENDI TOWN, JIN'AN DISTRICT, FUZHOU, CHINA

Sample Name : PROTECTIVE FLOOR MATS
Product Specification : 42.5*60.5*1.5cm
Product or Lot No. : 6120493
Report : PASS / Limited
Material and Mark : 6*3/4

Sample(s) received and upon request(s) were submitted and confirmed by the client. SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client.

SGS Ref. No. : 2MPA211105011SB, 2MPA9A211B0M001
Date of Receipt : Nov.02, 2021
Testing Start Date : Nov.02, 2021
Testing End Date : Nov.10, 2021
Test result(s) : (For further details, please refer to the following page(s).
Conclusion: Based on the results shown on this test report refer only to the sample(s) tested.

Signed for:
SGS GBTC Standards Technical Services Co., Ltd. Xiamen Branch
Testing Center

Jude Zhao
Authorized signatory

SGS

TEST REPORT

No. : 2MN2101001163PC
Date : Nov 11, 2021
Page: 8 of 16

Substances in the list of ECHA:

Test Method: SGS In-House method- SGS-CCL-TOP-080.02, Analyzed by GC-MS

Test Items	CAS NO.	Unit	MDL	RD1
Diamyl phthalate (DPP)	131-18-0	%(w/w)	0.050	ND
Dihexyl phthalate	84-75-3	%(w/w)	0.050	ND
Bis(2-methoxyethyl) phthalate	117-82-8	%(w/w)	0.050	ND
Diisopentylphthalate	605-50-5	%(w/w)	0.050	ND
1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich	71888-89-6	%(w/w)	0.050	ND
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	%(w/w)	0.050	ND
Diisobutyl phthalate (DCHP)	84-61-7	%(w/w)	0.050	ND
N-Pentyl isopentylphthalate	776297-69-9	%(w/w)	0.050	ND
1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters	68515-42-4	%(w/w)	0.050	ND
Diisohexyl phthalate	71850-09-4	%(w/w)	0.050	ND
1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters	-	%(w/w)	0.050	ND
1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with 0.3% of dihexyl phthalate	-			
1,2-Benzenedicarboxylic acid, diheptyl ester, branched and linear	68515-50-4	%(w/w)	0.050	ND

Notes:
1. The table above only shows detected substances, and substances that below RL are not reported.
2. RL = Reporting Limit (Test data will be shown if it ≥ RL).
3. ND = Not detected (lower than RL). NO is denoted on the compound.
4. The above test project/method was carried out by subcontractors.

Report No. : A12201707061022 Page 2 of 15

Executive Summary:

TEST REQUEST	CONCLUSION
1) ASTM F963-17 Standard Consumer Safety Specification for Toy Safety	
- Mechanical and Physical test	PASS
- Clause 4.2 Flammability of toys	PASS
- Clause 4.3.5 = Total Lead content in paint and similar surface coating materials	PASS
- Clause 4.3.5 = Total Lead content in substrate materials	PASS
- Clause 4.3.5 Heavy elements = Migration of certain elements	PASS
2) US Consumer Product Safety Improvement Act of 2008 (CPSIA) with amendment (H.R.2715)	
- 16 CFR 1501 Small parts	PASS
- 16 CFR 1303.05 Technical requirements for determining a sharp point	PASS
- 16 CFR 1303.05 Technical requirements for determining a sharp metal or glass edge	PASS
- Sec.103 Tracking Labels for Children's Products	PASS
- Lead in surface coatings and similar materials of children's products	PASS
- Lead in substrate materials of children's products	PASS
- Phthalates in children's toys and children articles	PASS
3) Consumer Product Safety Commission 16 CFR Ch.II	
- Mechanical & Physical test	PASS
- 1303.04 Flammability test on solid	PASS
- Part 1303 = Barrel Lead in paint and similar surface coating	PASS
- 16 CFR 1610 Flammability Stress Textile Materials	N/A

N/A = Not Applicable

********** For further details, please refer to the following pages) **********

GRS SGS REACH CA65

PROFESSIONAL EQUIPMENT AND PROCESS

1 Foaming

2 Semi products

3 Slicing

4 Die cutting

5 Embossing pattern

6 Lamination

7 Logo processing

8 Inspection

9 Packaging

CONTENTS

- TPE YOGA MAT 01-08
- CORK YOGA MAT 09-10
- SUEDE YOGA MAT 11-12
- NEW ARRIVAL 13-14
- FOLDING MAT 15-16
- XPE WRESTLING ROLLOUT MAT 17-18

TPE YOGA MAT

PRODUCT DISPLAY

BLUE+LIGHT GRAY

GREY+BLACK

KHAKI+BLACK

DARK BLUE+BLUE

PINK+LIGHT GREY

LIGHT GREEN

LIGHT GREEN+BLACK

BLUE+PINK

PINK+GREY

YELLOW+BLACK

PINK+DARK GREY

DEEP ROSE+PINK

PINK+ORANGE

LIGHT BLUE+DARK BLUE

PINK+BLACK

BLUE+DARK BLUE

ROSE+PINK

PINK+GREY



BLACK AND WHITE SPOTS

GREEN GRAY SPOTS

BLUE CAMOUFLAGE

CAMOUFLAGE

BLACK MAT WITH SCREEN PRINTING

PINK

PRODUCT FEATURES

Environmentally friendly

Persistent Rebound

Durable

Tear resistant



LIGHT WEIGHT

HIGH ELASTIC

MONOCHROME

BICOLOR



ANTI-SLIP

TEAR RESISTANT

TEXTURE

SIZE



Size **Thickness**

SIZE AND THICKNESS SUPPORT CUSTOMIZATION

	Size	Pcs/Ctn	Carton Dimension	Loading Quantity Pcs		
				20GP	40GP	40HC
TPE Available Sizes	183*61*0.4CM	12	63*32*42CM	3540	7788	9348
	183*61*0.5CM	12	63*35*46CM	2952	6504	7800
	183*61*0.6CM	12	63*38*50CM	2496	5508	6612
	183*61*0.8CM	12	60*45*63CM	1752	3876	4656
	183*61*1CM	12	67*51*63CM	1392	2700	3660
	185*81*0.4CM	12	84*32*42CM	2652	5844	7008
	185*81*0.6CM	12	84*39*51CM	1788	3948	4740
	185*81*0.8CM	9	84*46*46CM	1260	2781	3339
	122*183*0.6CM	6	125*26*39CM	1182	2598	3120
	122*183*0.8CM	6	124*32*48CM	786	1728	2076
	173*61*0.6CM	12	63*39*51CM	2388	5256	6312
	130*65*0.6CM	12	67*35*47CM	2712	5988	7176
	200*90*0.8CM	9	93*51*52CM	909	2007	2403

FLODING MAT

EASY TO CARRY WITH | LIGHT WEIGHT | FOLDABLE DESIGN | ECO-FRIENDLY

TPE FLODING MAT



TPE FLODING MAT

XPE FLODING MAT



CORK FLODING MAT

CORK YOGA MAT

CORK+TPE



CORK+RUBBER

Size	Pcs/Ctn	Carton Dimension	Loading quantity pcs		
			20GP	40GP	40HC
183*61*0.3cm	6	70*20*29cm	4104	9030	10836
183*61*0.4cm	6	70*22*32cm	3378	7440	8928
183*61*0.45cm	6	70*24*35cm	2832	6234	7482
183*61*0.5cm	6	70*26*38cm	2406	5298	6360
183*61*0.6cm	6	68*20*29cm	2070	4560	5472
183*68*0.3cm	6	70*20*29cm	3690	8124	9750
183*68*0.4cm	6	70*22*32cm	3042	6696	8034
183*68*0.45cm	6	70*24*35cm	2550	5610	6732
183*68*0.5cm	6	70*26*38cm	2166	4770	5724
183*68*0.6cm	6	70*28*41cm	1866	4104	4926
183*66*0.3cm	6	68*20*29cm	3798	8364	10038
183*66*0.4cm	6	68*22*32cm	3132	6888	8268
183*66*0.45cm	6	68*24*35cm	2622	5772	6930
183*66*0.5cm	6	68*26*38cm	2232	4908	5892
183*66*0.6cm	6	68*28*41cm	1920	4224	5070

STYLE

#FC5009

#FC5013

#FC007

#FC005

#FC5014

#FC5015

#FC004

#FC5004

SUEDE YOGA MAT

SUEDE RUBBER YOGA MAT

FOLDABLE

SUEDE + RUBBER

SUEDE + TPE

Size	Pcs/Ctn	Carton Dimension	Loading quantity pcs		
			20GP	40GP	40HC
183*61*0.3cm	6	70*20*29cm	4104	9030	10836
183*61*0.4cm	6	70*22*32cm	3378	7440	8928
183*61*0.45cm	6	70*24*35cm	2832	6234	7482
183*61*0.5cm	6	70*26*38cm	2406	5298	6360
183*61*0.6cm	6	68*20*29cm	2070	4560	5472
183*68*0.3cm	6	70*20*29cm	3690	8124	9750
183*68*0.4cm	6	70*22*32cm	3042	6696	8034
183*68*0.45cm	6	70*24*35cm	2550	5610	6732
183*68*0.5cm	6	70*26*38cm	2166	4770	5724
183*68*0.6cm	6	70*28*41cm	1866	4104	4926
183*66*0.3cm	6	68*20*29cm	3798	8364	10038
183*66*0.4cm	6	68*22*32cm	3132	6888	8268
183*66*0.45cm	6	68*24*35cm	2622	5772	6930
183*66*0.5cm	6	68*26*38cm	2232	4908	5892
183*66*0.6cm	6	68*28*41cm	1920	4224	5070

NEW ARRIVAL



TPE+RUBBER YOGA MAT



CHILDREN'S TPE YOGA MAT

FITNESS MAT

EVA MIAT

- EASY TO CLEAN
- 6 PIECES COVER AREA OF 122*182CM





EVA+RUBBER MAT



- INTERLOCKING DESIGN
- EASY TO INSTALL

TAEKWONDO SPORTS MAT



Size:1m*1m

Various Thicknesses

2cm/2.5cm/3cm/4cm

- INTERLOCKING DESIGN
- EASY TO INSTALL





- HIGH DENSITY
- DURABLE
- ANTI-SLIP
- HIGH ELASTIC



SSD-DZ001



SSD-DZ025



XPE WRESTLING ROLLOUT MAT



Easy To Clean

High Resilience



Tight VEelcro Connection

CUSTOMIZED PRINTING

- LOGO PATTERN

EASY TO INSTALL WHOLE PLAY GROUND

VARIOUS THICKNESSES

- 2CM/2.5CM/3CM/4CM/5CM