瑞安市木森机械有限公司
地址：瑞安市南滨街道林郑路12-A号
销售热线：13967780382
电话：0577-65591142
E-mail: Evawong@aliyun.com
WWW.MOSUNMACHINE.COM

RUIAN MOSUN MACHINERY CO.,LTD
Add:12-A Lingzheng Road Linyang, Nabin Street,
Ruian City, Zhejiang,China
Mobile: +86-13967780382
Tel: +86-577-65591142
E-mail: Evawong@aliyun.com
WWW.MOSUNMACHINE.COM

2024
PRODUCT
BROCHURE

PAPER CUP MACHINE / PAPER CUP FORMING MACHINE
PAPER CUP SLEEVE MACHINE / PAPER CUP INSPECTION MACHINE
PAPER BOWL MACHINE / PAPER BOWL FORMING MACHINE
PAPER BUCKET MACHINE
CUP TOP FLATTEN MACHINE

SERIES PRODUCT

The Perfecter Of Industry Processes

行业流程的完善者

卓越表现

我们的设备种类众多，可提供从独立机器到全面集成的定制生产线等各种解决方案，每种解决方案都可以为纸杯包装制造商提供精致的做工质量和高性能的设备。

Outstanding performance

We have many types of equipment, which can provide various solutions from independent machines to fully integrated customized production lines. Each solution can provide paper cup packaging manufacturers with exquisite workmanship quality and high-performance equipment.



成型 Forming

- MSMG-C800
  Paper Cup Forming Machine
  纸杯成型机
- MSMG-G800
  Paper Cup Forming Machine
  纸杯成型机
- MSMG-HC800
  High Speed Double Wall
  Paper Cup Forming Machine
  高速中空贴成型机
- MSMG-C600
  Paper Cup Forming Machine
  纸杯成型机
- MSMG-B600/600M/600L
  Paper Cup Forming Machine
  单盘纸碗机
- MSMG-B200
  Popcorn Cup / Paper Bucket
  Forming Machine
  纸桶成型机(爆米花桶)
- MSMG-HC Double Wall
  Paper Cup Forming Machine
  中空杯成型机

其它 Other

- MSMG-HC600
  Paper Cup With Handle Machine
  纸杯粘把一体机
- MSMG-DTF
  Cup Top Flatten Machine
  纸杯压口机
- MSMG-DC Paper Cup
  Inspection Machine
  纸杯检测机

MSMG-GB800/G800-S+

Paper Cup Machine / Servo Paper Cup Machine



PAPER CUPS
4-16
OZ

PRODUCTION CAPACITY
120-180
PCS/MIN

TECHNICAL SPECIFICATION

Model	MSMG-G800	MSMG-G800-S
Paper Cups Specifications	4- 16oz (100-450ml) (mold exchangeable) Top: 55- 100 mm Height: 60- 135mm Bottom: 55-75mm	4- 16oz (100-450ml) (mold exchangeable) Top: 55- 100 mm Height: 60- 135mm Bottom: 55-75mm
Paper Specification	150-350 GSM single/double PE/PLA coated paper	
Production Capacity	120-150 pcs/min	150-180 pcs/min
Voltage	220V/380V 50HZ 3Phases	
Average Power	12KW	16KW
Air Supply Requirement	Compressed air: 0.6-0.8Mpa, 0.4m^3/min	
Total Weight	3000 kg	3000 kg
Dimensions	2800X1350X1900mm	2800X1350X1900mm

MSMG-C600M/C600M-S+

Paper Cup Machine/
Servo Paper Cup Machine



PAPER CUPS
2.5-10
OZ

PRODUCTION CAPACITY
120-180
PCS/MIN

TECHNICAL SPECIFICATION

Model	MSMG-C600M	MSMG-C600M-S
Paper Cup Specification	2.5-10 oz (75-300ml) (mold exchangeable) Top: 55- 90 mm Height: 40- 100 mm Bottom: 38-72 mm	2.5-10 oz (75-300ml) (mold exchangeable) Top: 55- 90 mm Height: 40- 100 mm Bottom: 38-72 mm
Paper Specification	150-350 GSM single/double PE/PLA coated paper	
Production Capacity	110-140 pcs/min	140-170 pcs/min
Voltage	220V/380V 50HZ 3Phases	
Average Power	8 KW	16KW
Air Supply Requirement	Compressed air: 0.4Mpa， 0.4m³/min	
Total Weight	2400 kg	2400 kg
Dimensions	2350X1450X1700mm	2350X1450X1700mm

MSMG-C600S+

Paper Cup Machine

TECHNICAL SPECIFICATION

Model	MSMG-C600S
Paper Cup Specification	2-12oz (100-350ml) (mold exchangeable) Top: 55-90mm Height: 60-110mm Bottom: 40-65mm
Paper Specification	150-350 GSM single/double PE coated paper
Production Capacity	80-90 pcs/min
Voltage	220V/380V 50HZ 3Phases
Average Power	7.5KW
Air Supply Requirement	Air pressure:0.4Mpa Air out-put:0.4cbm/min
Total Weight	2500KG
Dimensions	2520x1350x1750mm



MSMG-HC600+

Paper Cup
With Handle Machine

TECHNICAL SPECIFICATION

Model	MSMG-HC600
Paper Cup Specification	4-16oz (100-450ml)(mold exchangeable) T: 55-90mm H: 60-110mm B: 40-65mm
Paper Specification	150-350 GSM single/double PE coated paper
Production Capacity	70-90pcs/min (for handle max is 80pcs/min)
Voltage	220V/380V 50HZ 3Phases
Average Power	7KW
Air Supply Requirement	Air pressure:0.5-0.8Mpa Air out-put:0.4cbm/min
Total Weight	2550KG
Dimensions	2900X1350X1850 mm



MSMG-GB800/GB800A/GT800 +

Paper Bowl Forming Machine



PAPER BOWLS
4-35 OZ

PRODUCTION CAPACITY
100-120 PCS/MIN

TECHNICAL SPECIFICATION

Model	MSMG-GB800	MSMG-GB800A	MSMG-GT800
Paper Cup Specification	8-35oz	20-50oz	35-130oz
	250-1000ml	500-1500ml	1000-3500ml
	T:80-150mm	T:150-185mm	T:150-220mm
	H:40-110mm	H:45-120mm	H:50-170mm
	B:60-128mm	B:125-165mm	B:128-180mm
Paper Specification	150-350 GSM single/double PE coated paper		
Production Capacity	100-120 pcs/min	80-95 pcs/min	65-80 pcs/min
Voltage	220V/380V 50HZ 3Phases		
Average Power	12KW	15KW	15KW
Air Supply Requirement	Air pressure:0.5-0.8Mpa Air out-put:0.4cbm/min		
Total Weight	3500KG	4000KG	4500KG
Dimensions	2800x1550x1800mm	3200x1600x1800mm	3500x1800x1800mm

MSMG-GB800-F +

Paper Cup Machine



PRODUCTION CAPACITY

50-60 PCS/MIN

TECHNICAL SPECIFICATION

Model	MSMG-GB800-F
Product range（square）	65X65≤T≤130X130mm H:40-85MM 50X50≤B≤120X120mm
Product range（rectangle）	75X65≤T≤170X120mm H: 40-85mm 65X50≤B≤150X100mm
Paper specification	150-350 GSM single/double PE/PLA coated paper
Production Capacity	50-60 pcs/min
Voltage	220V/380V 50HZ 3Phases
Average Power	13 KW
Air supply requirement	Compressed air: 0.4Mpa，0.4m^3/min
Total weight	4500 kg
Dimensions	3500×1700×2000mm

MSMG-HC800 +

Paper Cup Sleeve Machine



PAPER CUPS
4-16
OZ

PRODUCTION CAPACITY
90-120
PCS/MIN

TECHNICAL SPECIFICATION

Model	MSMG-HC800
Paper Cup Specification	4-16oz (100-450ml) (mold exchangeable) Top: 55-100mm Height: 60-135mm Bottom: 55-75mm
Paper Specification	150-350 GSM single/double PE coated paper
Production Capacity	90-120 pcs/min
Voltage	220V/380V 50HZ 3Phases
Average Power	8KW
Air Supply Requirement	Air pressure:0.4 Mpa Air out-put:0.3cbm/min
Total Weight	2500KG
Dimensions	2600x1100x1800mm

MSMG-B600/B600M/B600L+

Paper Bowl Machine



PAPER BOWLS
4-35
OZ

PRODUCTION CAPACITY
60-80
PCS/MIN

TECHNICAL SPECIFICATION

Model	MSMG-B600	MSMG-B600M	MSMG-B600L
Paper Bowl Specification	8-35oz	20-50oz	35-130oz
	250-1000ml	500-1500ml	1000-3500ml
	T:80-150mm	T:100-165mm	T:150-220mm
	H:40-110mm	H:40-110mm	H:50-170mm
	B:60-128mm	B:70-145mm	B:128-180mm
Paper Specification	150-350GSM single/double PE coated paper		
Production Capacity	60-80 pcs/min	50-60 pcs/min	40-50 pcs/min
Voltage	220V/380V 50HZ 3Phases		
Average Power	8.5KW	10KW	12KW
Air Supply requirement	Air pressure:0.5-0.8Mpa. Air Out-put:0.4cbm/minute		
Dimension	2500x1500x1800mm	2600x1650x1800mm	3000x1750x2100mm

MSMG-B200 +

Paper Bucket Machine

TECHNICAL SPECIFICATION

Model	MSMG-B200
Paper Cup Specification	30-170oz (1000-5000ml)(mold exchangeable) T:120-225mm H:90-215mm B:100-175mm
Paper Specification	190-500 GSM single/double PE coated paper
Production Capacity	30-40 pcs/min
Voltage	220V/380V 50HZ 3Phases
Average Power	12KW
Air Supply Requirement	Air pressure:1Mpa Air out-put:0.8cbm/min
Total Weight	3300KG
Dimensions	3600x1900x2100mm



MSMG-J600 +

Ice Cream Tube(Calippo) Forming Machine

TECHNICAL SPECIFICATION

Model	MSMG-J600
Tube Size	42φ-55φ , 120mm-200mm
Paper specification	150-250 GSM single/double PE/PLA coated paper
Production Capacity	60-80 pcs/min
Voltage	220V/380V 50HZ 3Phases
Average Power	10 KW
Air supply requirement	Compressed air: 0.45-0.6Mpa， 0.4m^3/min
Total weight	4500 kg
Dimensions	2800* 1500* 1700mm



MSMG-DTF+

Cup Top Flatten Machine

TECHNICAL SPECIFICATION

Model	MSMG-DTF
Paper Cup Specification	Max diameter 120mm
Production Capacity	80-100 pcs/min
Voltage	220V/380V 50HZ 3Phases
Average Power	3.5KW
Air Supply Requirement	Air pressure:0.3Mpa Air out-put:0.2cbm/min
Total Weight	650KG
Dimensions	1370x1250x1800mm

MSMG-DC+

Paper Cup Inspection Machine

TECHNICAL SPECIFICATION

Model	MSMG-DC
Production Capacity	200 pcs/min
Voltage	220V/380V 50HZ 3Phases
Average Power	3.7KW
Total Weight	1800KG
Dimensions	1700x1650x2150mm