



TORCH

拓 驰

YIWU TORCH ELECTRONIC CO., LTD.

YIWU TUOCHI IMPORT & EXPORT CO. LTD

**Add: NO.10 OF 3RD ST, WUHUA RD,YIWU 322000,
ZHEJIANG, CHINA**

**Add: NO.223, Tuanruan Industrial Zone, XIDIAN, NINGBO
315600, ZHEJIANG, CHINA**


E-mail: joyce@torchlightyiwu.com

Website: www.yiwutorch.com

Skype: [joycelee0615](https://www.skype.com/people/joycelee0615)

WhatsApp: 0086 152 6796 1520

Wechat: 0086 152 6796 1520



TL-8399



TL-8400



TL-8362



TL-3090

Material:Aluminum

Size:20*20*95mm

Bulb:1*LED

Mode:ON-OFF

Batter:1*AA

Feature:365 UV or White Light



TL-9494, TL-9528

Material:Aluminum

Size:20*24*157, 21*17*144/150mm

Bulb:XPE+COB

2 Modes:XPE Spotlight-Side COB

Type-C USB charging

Magnet, Rotate clip



TL-8410

10000 Lumens

Material:Aluminium alloy

Size:71.5*54*282/319mm

Bulb:P360+2*red SMD+2*blue

Modes:laser:high-middle-low-strobe-sos

SMD:red-blue-red&blue strobe

Battery:8*16850

Type-C USB charging

Feature:power bank,digital power display, zoom, dual switch, belt



TL-8137

Material: Aluminum

Size: 42*34*167/185mm

Bulb: XHP50

5 Modes: high-mid-low-strobe-sos

Battery: 1*26650/1*18650/3*AAA

Type-C USB charging

Feature: Zoomable; Power Display



TL-8138

Material: Aluminium

Size: 60*34.5*250/275mm

Bulb: XHP70+COB

Mode: High-Low-Strobe

Battery: 2*26650/2*18650

Type-C USB charging

Feature: Zoomable; Power Display



TL-8278/TL-8287

Material: Aluminium

Size: 27*75mm/27*110mm

Bulb: 3*XHP35

Mode: high-middle-low-Strobe

long press: strobe

Battery: 1*18350/1*18650

Type-C USB Charging

Feature: Clip; Magnet



TL-8308

Material:Aluminium

Size:29*29*118mm

Bulb:XPE+SMD

Mode,XPE:high-low-strobe

SMD:white-red-red strobe

Battery:built in Li-ion

Type-C USB charging

Feature:Power display



TL-8359

Material: Aluminium

Size: 36*30*132/153mm

Bulb:laser+12white smd+6red smd

6 Modes: laser high-low-strobe-

white smd-red smd-red strobe

Battery: 1*18650

Type-C USB charging, Zoom



TL-8390

Material:Aluminium

Size:51*35*179/200mm

Bulb:laser

Modes:white high-low-strobe-warm-both

Battery:3*AAA/1*18650/1*26650

Type-C USB charging, zoom, digital power display, power bank, dual lights



TL-8408

Material: Aluminium alloy+Plastic
 Size: 55*40*166mm
 Bulb: XPE+COB+13*Warm SMD
 Mode: XPE: high-low-strobe
 Side: smd-cob-both
 Battery: built in 1*18650 1200mah
 Type-C USB+Solar charging
 Feature: Power display, Dual switch




TL-8380L

Material: Aluminium alloy
 Size: 58*43*213/238mm
 Bulb: Laser+COB
 Mode: laser high-low-strobe- cob
 Weight: 536g
 Battery: built in 6*18650 7200mah
 Type-C USB charging
 Digital power display, Power bank



TL-8270

Material: Aluminium alloy
 Size: 63*55*221/251mm
 Bulb: laser+cob
 Modes: laser: high-middle-low-strobe-sos
 long switch: cob white high-low-warm high-low-red-red strobe
 Battery: built in 8000mah
 Type-C USB charging, Zoom



TL-5217

Material:Plastic

Size:62*33*146mm

Bulb:3*XHP70+2*side COB

Mode:left-right-both-both strobe-

side red-red strobe-rgb cycling

Battery:built in

Type-C USB charging

Feature:Flashlight/**Bike** light
power bank,digital power display



TL-D8606

Diving 30M

Material:Aluminum alloy

Size:40*34*170mm

Bulb:XHP50

Modes:ON-OFF

Battery:Built in 21700

Type-C USB charging,

IP68 waterproof , Diving 30M



TL-8412

Material:Aluminum alloy

Size:60*50*193/225mm

Bulb:Laser(white+warm+red)+COB

Modes:white-warm-red-all-all strobe

double press:white high-low-

red&blue strobe-rgb cycling

Battery:Built in 3*18650

Type-C USB charging, Zoom,

Battery status





TL-CAP-1



TL-CAP-3



Switch

Switch+Sensor



TL-7371C-1

TL-7371-1

TL-7371B-1



TL-7384-1

TL-7384-2

TL-7414

Material: ABS Plastic+PS
 Size: 132*86*240mm
 Bulb: SMD+Tungsten+3W LED
 Color: Yellow/Blue or OEM
 5 Modes: LED high-strobe-COB-
 Tungsten-COB+Tungsten
 Battery: Built-in 2*18650 2400mAh
 Type-C USB+Solar charging



TL-7415

Material:ABS Plastic+PC
 Size:72*64*52mm
 Bulb: Lumen+10*white SMD+4*red
 SMD+4*blue SMD
 Modes: 11th gear
 Battery: Built-in 2*18650 2400mAh
 Type-C USB charging,
 Hand motion sensor,Power display



TL-7404

Material:ABS Plastic+PC
 Size:68*39*33mm
 Bulb: Lumen+SMD
 Mode:lumen high-middle-low-white
 smd-both-red smd-red strobe
 Battery: built in
 Type-C USB charging,
 Hand motion sensor



TL-7411

Material: ABS Plastic+PS

Size: 84*46*30mm

Bulb: Lumen+SMD

Modes: white-warm-both-both strobe
-red-red strobe(long switch sensor)

Battery: Built-in

Type-C USB charging, Hand motion
sensor



TL-7413

Material: ABS Plastic+PS

Size: 170*65*289mm

Bulb: COB+Tungsten+3W LED

5 Modes: LED high-strobe-COB-

Tungsten-COB+Tungsten

Battery: 2*18650 2400mAh included

Type-C USB+Solar charging



TL-7236

Material: ABS Plastic+PS

Size: 58*31*30mm

Bulb: XPE

Mode: high-middle-low/sensor on/off

Battery: Built-in

Type-C USB



TL-7405-1/2/3/4

Material: Aluminium

Bulb: Laser

Mode: high -low-strobe

Battery: 2*18650

Type-C USB charging

Feature: zoom, Phosphor strip



TL-7405-1




TL-7405-2



TL-7405-3



TL-7405-4



TL-7427



TL-9003-4

Material:ABS Plastic

Size:86*92*130/188mm

Bulb:3*COB

Mode:ON/OFF

Battery:3*AA

Hook,Fan



TL-9234

Material: ABS Plastic

Size:75*132mm

Bulb:COB

Modes:uv:on-off

main:high-low

Battery:3*AAA/1*18650

Type-C USB charging



TL-9224R

Material:ABS Plastic

Size:200*82*82mm

Bulb:2*tungsten+28*SMD+UV

Mode:Warm light+white light+
mosquito control

Battery:built in Li-ion

Type-C USB+Solar charging



TL-9327M/S

Material: ABS Plastic

Size: M: 95*95*153mm

S: 118*118*170mm

Bulb: 3*COB

Mode: on/off

Battery: 3*AAA/1*18650

Hook



TL-9106R

Material: ABS Plastic

Size: 94*27*25mm

Bulb: COB

Modes: high-low-strobe

Battery: built in

Type-C USB charging

Whistle LED keychain



TL-9142

Material: ABS Plastic

Size: 21*114*240.5mm


Bulb: 3*COB

Mode: on-off

Battery: 2*AA

3*cob magnifier light

3X magnifier





TL-9624

Material:PC+ABS Plastic
 Size:90*90*50mm
 Bulb:8m LED Light Strip+30SMD
 Mode:strip on-flash-breathing
 flash -strip+30LED on-30LED
 on/off
 Battery:Built-in Li-ion
 Type-C USB charging



TL-9624S

Material: PC+ABS Plastic
 Size:11.5*11.5*3.5mm
 Bulb:36* SMD+10m light strip
 5 Modes:strip warm-RGB-warm
 &RGB flash, lamp warm high-low
 Battery:Built-in Li-ion
 Type-C USB+Solar charging



TL-9624M

Material: PC+ABS Plastic
 Size:11.5*11.5*3.5mm
 Bulb:SMD+10m light strip+LED
 5 Modes:LED:High-Low-Strobe
 10m light strip:Three modes
 SMD:Warm High-Warm Low
 Battery:Built-in Li-ion
 Type-C USB charging,
 Strong magnet



TL-9382-1/2

Material:ABS Plastic

Size:101*154*74mm

130*199*97mm

155*70*100mm

Bulb:4*white lumen+4*warm lumen

+2*cob+32*white smd

Mode:1:warm lumen-cob

2:white lumen-smd

Battery:built in Li-ion

Type-C USB+Solar charging,

Power bank



TL-9382-2



TL-9382-1



TL-9660

Material:ABS Plastic
 Size:154*68*202mm
 Bulb:XPE+5*COB/SMD
 Mode:XPE:high-low
 COB/SMD:white-red-red strobe
 Battery:2*18650(include)
 Type-C USB+Solar charging
 Power bank
 Ruler, knife, screwdrivers, tongs



TL-9661

Material:ABS Plastic
 Size:208*128*99mm
 Bulb:T6+COB+red and blue smd
 Mode:T6 high-low-cob high-low-red&blue smd strobe
 Battery:built-in Li-ion
 Type-C USB charging
 Power display, with tools



TL-9710

Material:ABS Plastic
 Size:125*80*240mm
 Bulb:XPE+COB
 Mode:XPE:high-low-strobe
 cob:white high-low-red&blue strobe
 Battery:2*18650
 Type-C USB charging,Power bank
 Power display,Tool as picture
 Hand crank charging
 Solar charging,Dual switch





TL-3308



TL-3309



TL-3310

TL-3233

Material:ABS Plastic

Size:solar panel 148*84mm

Bulb:234*SMD

Mode:1.Sensor ON-OFF

2.Sensor Dim light

3.Low light

Battery:built in Li-ion

Solar charging, Remote control



TL-3283

Material:ABS Plastic

Size:185*97*101mm

Bulb:58*SMD

Mode:1,sensor on/off(low-high)

2,sensor on/off(high mode)

3,no sensor low mode

Battery:built in Li-ion

Type-C USB+Solar charging, Clip



TL-9127

Material: ABS Plastic

Size:95*123*47mm

Bulb:20*SMD

Mode:1.Sensor ON-OFF

2.Sensor Dim light

3.Low light

Battery:built in Li-ion

Solar charging



TL-3296

Material:ABS Plastic

Size:290*130*39mm

Bulb:162*2835+RGB Light strip(15m)

Mode:1.main light PIR sensor on/off,
strip light steady on for 8H

2.main light PIR sensor on/off,
strip light flash for 8H

3.main light 20% steady on for 8H

Battery:3*18650(4500mah)

Type-C USB+Solar charging



TL-VC002

Material:Auminium

Mode:ON-OFF

Battery: built in battery

Type-C USB charging

Feature:4in one,suck,pump
blow,light,wireless vacuum
cleaner



TL-8364B-3



TL-3270-1

Material:ABS Plastic+PP

Size:110*65*155mm

Bulb:LED+1*365nm+2*395nm

2 Light Modes:ON-AUTO low-high

1 UV Light Mode:Mosquito control

Type-C USB Input:5V - 1A

Solar panel:5.5V, 86*33mm



TL-3270-2

Material:ABS Plastic+PP

Device Size:110*55*140mm

Stick Size:24*245mm

Bulb LED+1*365nm+2*395nm

1 Red Light:AUTO ON-OFF

1 UV Light:Mosquito control

Sonar:3V 400Hz. Sound Sensor

Type-C USB Input:5V - 1A

Sonar Repellent range:12m for mouse





Mole



Gopher



Snake



Armadillo



Groundhog



Bat

TL-3269-2

Material:ABS Plastic+PP

Device Size:60*60*26mm

Stick Size:24*245mm


Mode:on/off

Sonar:3V 400Hz. Sound 3s
per 16s

Sonar Repellent range:12m
for mouse, cat, snake, bat...

Battery:built in 300 mAh

Solar charging





Mole



Gopher



Snake



Armadillo



Groundhog



Bat

TL-3269-1

Material:ABS Plastic+PP

Device Size:60*60*26mm




Stick Size:24*245mm

Battery:Built-in 300mAh

Sonar:3V 400Hz. Sound 3s per 16s

Sonar Repellent range:12m for mouse

Solar charging





TL-3306

Halloween LED



TL-3307