



拓 驰

YIWU TORCH ELECTRONIC CO., LTD.

YIWU TUOCHI IMPORT & EXPORT CO. LTD

Add: NO.10 OF 3RD ST, WUHUA RD, YIWU 322000, ZHEJIANG, CHINA

Add: NO.223, Tuanruan Industrial Zone, XIDIAN, NINGBO 315600, ZHEJIANG, CHINA

Tel: 0579 8537 2520

Fax: 0579 8537 5121

E-mail: joyce@torchlightyiwu.com

Website: www.yiwutorch.com

Skype: joycelee0615

WhatsApp: 0086 152 6796 1520

Wechat: 0086 152 6796 1520

TL-3090

Material:Aluminum

Size:20*20*95mm

Bulb:1*LED

Mode:ON-OFF

Batter:1*AA

Feature:365 UV or White Light



TL-9494

Material:Aluminum


Size:20*24*157mm

Bulb:XPE+COB

2 Modes:XPE Spotlight-Side COB

Type-C USB charging

Magnet, Rotate clip



TL-8310-2

Material:ABS Plastic

Size:160*42*32mm

Bulb:white laser

3 Modes:high-low-strobe

Battery:built in Li-ion

Type-C USB charging

Feature:Zoomable; Power Display



TL-8137

Material:Aluminum

Size:42*34*167/185mm

Bulb:XHP50

5 Modes:high-mid-low-strobe-sos

Battery:1*26650/1*18650/3*AAA

Type-C USB charging

Feature:Zoomable; Power Display



TL-8138

Material:Aluminium

Size:60*34. 5*250/275mm

Bulb:XHP70+COB

Mode:High-Low-Strobe

Battery:2*26650/2*18650

Type-C USB charging

Feature:Zoomable; Power Display



TL-8278/TL-8287

Material:Aluminium

Size:27*75mm/27*110mm

Bulb:3*XHP35

Mode:high-middle-low-Strobe

long press:strobe

Battery:1*18350/1*18650

Type-C USB Charging

Feature:Clip; Magnet



TL-8308

Material:Aluminium
 Size:29*29*118mm
 Bulb:XPE+SMD
 Mode,XPE:high-low-strobe
 SMD:white-red-red strobe
 Battery:built in Li-ion
 Type-C USB charging
 Feature:Power display



TL-8329

Material:ABS Plastic
 Size:41*29*168/183mm
 Bulb:laser+smd
 10 Modes:laser white high-low-
 strobe-warm high-low-white+warm
 long switch:smd white high-low-red
 -red and blue strobe
 Battery:Built in 18650 1200mAh
 Type-C USB charging, Zoom



TL-8363

Material:Aluminium+ABS Plastic
 Size:48*39*197/215mm
 Bulb:laser+smd
 10 Modes:laser:high-low-strobe
 smd:white-red & blue strobe
 Battery:Built in
 Type-C USB charging, Zoom,dual
 switch,power bank,phosphor strip



TL-8359

Material: Aluminium

Size: 36*30*132/153mm

Bulb:laser+12white smd+6red smd

6 Modes: laser high-low-strobe-

white smd-red smd-red strobe

Battery: 1*18650

Type-C USB charging, Zoom



TL-8361/8361L

Material:Aluminium

Size:51*44*160/182mm
51*44*208/231mm

Bulb:Laser+COB

Mode:high-low-strobe-cob

Battery:bult in 3*18650 battery
bult in 6*18650 battery

Type-C USB charging

Feature:Zoom,Phosphor strip

Power bank,Digital power display



TL-8362

Material:Aluminium

Size:58*88*181/214mm

Bulb:Laser+COB

Modes:high-low-strobe-cob

Battery:bult in

Type-C USB charging

Feature:Zoom,digital power display,
power bank



TL-8364A-1/2/3/4

Material: Aluminium

Size: 40*34*170/185mm

40*34*170/185mm

52*34*190/214mm

50*38*206/228mm

Bulb: Laser+COB

Mode: laser: high-middle-low-strobe-

so- cob: warm high-low-red-red

strobe

Battery: 3*AAA/1*18650/1*26650

Type-C USB charging

Feature: zoom, power bank, magnet,
digital power display, dual switch



TL-8364A-1



TL-8364A-2



TL-8364A-3



TL-8364A-4



TL-8364B-1/2/3/4

Material: Aluminium

Size: 42*34*170/182mm

42*34*170/182mm

52*34*190/213mm

52*34*190/213mm

Bulb: Laser+COB

Mode: laser: high-middle-low-strobe-

so- cob: warm high-low-red-red

strobe

Battery: 3*AAA/1*18650/1*26650

built in battery

Type-C USB charging

Feature: zoom, power bank, magnet,
digital power display, dual switch



TL-8364B-1



TL-8364B-2



TL-8364B-3



TL-8364B-4





TL-888

Size:
50*30*295mm
Battery:3*C



TL-777

Size:
50*30*245mm
Battery:2*C



TL-3803

Size:
48*25*280mm
Battery:3*SC



TL-3854

Size:
48*25*230mm
Battery:2*SC



TL-2022

Size:
31*18*196mm
Battery:2*14500



TL-2021

Size:
31*18*146mm
Battery:1*14500



TL-CAP-1



TL-CAP-3



Switch

Switch+Sensor

TL-7341

Material:ABS Plastic
 Size:110*110*30mm
 Bulb:LED+SMD
 Mode:LED High-Low
 SMD White-Red-Red Strobe
 Battery:built-in Li-ion
 Type-C USB charging
 Sensor Function



TL-7349

Material:ABS Plastic
 Size:39*66*42mm
 Bulb:XPE+SMD
 5 Modes: XPE-SMD;XPE+
 SMD white-Red-Red&Blue Flash
 Battery: Built-in Li-ion
 Type-C USB charging
 Magnet, Cap retainer, Collar clip
 Sensor Function



TL-7121

Material:ABS Plastic
 Size:93*47*36mm
 Bulb:2*T6+4*XPE+2*COB
 Mode:left switch:
 COB high-low-red-red strobe
 Right switch:T6-XPE-T6&XPE-strobe
 Battery:2*18650
 Type-C USB charging
 Tail warning light





TL-7371C-1

TL-7371-1

TL-7371B-1



TL-7384-1



TL-7384-2

TL-9003-4

Material:ABS Plastic

Size:86*92*130/188mm

Bulb:3*COB

Mode:ON/OFF

Battery:3*AA

Hook,Fan



TL-9234

Material: ABS Plastic

Size:75*132mm

Bulb:COB

Modes:uv:on-off

main:high-low

Battery:3*AAA/1*18650

Type-C USB charging



TL-9224R

Material:ABS Plastic

Size:200*82*82mm

Bulb:2*tungsten+28*SMD+UV

Mode:Warm light+white light+
mosquito control

Battery:built in Li-ion

Type-C USB+Solar charging



TL-9327M/S

Material:ABS Plastic

Size:M:95*95*153mm

S:118*118*170mm

Bulb:3*COB

Mode:on/off

Battery:3*AAA/1*18650

Hook



TL-9346

Material:ABS Plastic+iron

Size:110*110*172/214mm

Bulb:white smd+warm smd

Mode:rotation switch(warm-white)

Battery:built in&3*AA

Type-C USB charging



TL-9702S/M/L

Material: ABS Plastic

Size: S:68*68*150mm/M:68*68*203mm/S:68*68*150mm

Bulb:lumen high strobe-led high-low-red-red&green strobe

Battery: built in

Type-C USB+Solar charging, hook,power bank



TL-9624

Material:PC+ABS Plastic

Size:90*90*50mm

Bulb:8m LED Light Strip+30SMD

Mode:strip on-flash-breathing

flash -strip+30LED on-30LED

on/off

Battery:Built-in Li-ion

Type-C USB charging



TL-9624S

Material: PC+ABS Plastic

Size:11.5*11.5*3.5mm


Bulb:36* SMD+10m light strip

5 Modes:strip warm-RGB-warm

&RGB flash, lamp warm high-low

Battery:Built-in Li-ion

Type-C USB+Solar charging



TL-9684

Material:ABS Plastic

Size:101*101*166mm

Bulb:3*tungsten+10m string+
16*smd

Mode:Induction mode-low light-

strong light-color light-color light

flash-warm light+color light-warm

light+color light flash

Battery:built in Li-ion

Type-C USB+Solar charging



TL-9660

Material:ABS Plastic
 Size:154*68*202mm
 Bulb:XPE+5*COB/SMD
 Mode:XPE:high-low
 COB/SMD:white-red-red strobe
 Battery:2*18650(include)
 Type-C USB+Solar charging
 Power bank
 Ruler, knife, screwdrivers, tongs



TL-9661

Material:ABS Plastic
 Size:208*128*99mm
 Bulb:T6+COB+red and blue smd
 Mode:T6 high-low-cob high-low-
 red&blue smd strobe
 Battery:built-in Li-ion
 Type-C USB charging
 Power display, with tools



TL-9606-2/3/4

Material:ABS Plastic
 Size:122*62*135mm
 Bulb:cob/smd
 Mode:white smd:high-low-strobe
 side switch:red-red and blue
 strobe
 Battery:built in
 Type-C USB charging,magnet,
 hook,stand,power bank
 power display,dual switch





TL-9382-1/2/S-1/2

Material:ABS Plastic

Size:101*154*74mm

130*199*97mm

155*70*100mm

155*70*100mm

Bulb:4*white lumen+4*warm lumen

+2*cob+32*white smd

Mode:1:warm lumen-cob

2:white lumen-smd

Battery:built in Li-ion

Type-C USB+Solar charging,

Power bank



TL-9382-1

TL-9382-2



TL-9382S-1

TL-9382S-2



TL-9699L/S

Material: ABS Plastic+PS

Size: 124*146mm

Bulb:LED+Tungsten

4 Modes: LED-Tungsten-LED+

Tungsten-Storage

Battery: 2*18650 2400mAh

1*18650 1200mAh

Type-C USB+Solar charging



TL-9703L



TL-9703S



TL-9701S/L

Material: ABS Plastic+PP

Size: 120*150*130mm

Bulb: 2*XPE+24*SMD+6* RGB LED

6 Modes: Side XPE -Strobe-Bottom

LED 100%-50%-Dimmer RGB-Fix

RGB color u want

Battery: 1*18650 1200mAh

2*18650 2400mAh

Type-C USB+Solar charging



TL-9701L



TL-9701S



TL-9696S-1/2

Material: ABS Plastic+PS

Size: 170*65*225mm

Bulb: COB+Tungsten+3W LED

5 Modes: LED high-strobe-COB-

Tungsten-COB+Tungsten

Battery: Built-in 3*AA 2400mAh

Type-C USB+Solar charging



TL-9696L-1/2

Material: ABS Plastic+PS

Size: 170*65*289mm


Bulb: COB+Tungsten+3W LED

5 Modes: LED high-strobe-COB-

Tungsten-COB+Tungsten

Battery: 2*18650 2400mAh included

Type-C USB+Solar charging



TL-9696LI-1/2

Material: ABS Plastic+PS

Size: 170*65*289mm

Bulb: COB+Tungsten+3W LED

5 Modes: LED high-strobe-COB-

Tungsten-COB+Tungsten

Battery: Built-in 2*18650 2400mAh

Type-C USB+Solar charging



TL-9697-1/2

Material: ABS Plastic+PS

Size: 132*86*240mm

Bulb: SMD+Tungsten+3W LED

Color: Yellow/Blue or OEM

5 Modes: LED high-strobe-COB-

Tungsten-COB+Tungsten

Battery: Built-in 2*18650 2400mAh

Type-C USB+Solar charging



TL-9698-1/2

Material: ABS Plastic+PC

Size: 200*136*75mm

Bulb: LED+4*Tungsten +3*COB

3 Mode: XTE- Tungsten-COB

Battery: Built-in 2*18650 2400mAh

Type-C USB+Solar charging



TL-9667U-1/2

Material: ABS Plastic+PC

Size: 203x60x160/255x60x160mm

Bulb: 2*LED+2/3*Tungsten

5 Mode: White Light-Warm Light-

White+Warm Light-Strobe-Tungsten

Battery: 2*18650 2400mAh included

Type-C USB+Solar charging



TL-9703-1/2/3

Material: ABS Plastic

Size: 200*79*315/1630mm

Bulb: TL-9703-1:SMD+COB

TL-9703-2:SMD+COB

TL-9703-3:COB

5 Modes: smd white high-low-smd


warm-cob white-red strobe

Battery: built in

Type-C USB+Solar charging

power bank,power display,hook,

teles copic bracket



TL-9703-1



TL-9703-1



TL-9703-1



TL-3292S/L

Material: ABS Plastic

Size: 201*176*49/240*216*49mm

Bulb: LED(warm)

Modes: dust to dawn sensor

Battery: built in

Type-C USB+Solar charging



TL-9382-1



TL-9382S-1



TL-3233

Material:ABS Plastic

Size:solar panel 148*84mm

Bulb:234*SMD

Mode:1.Sensor ON-OFF

2.Sensor Dim light

3.Low light

Battery:built in Li-ion

Solar charging, Remote control



TL-3283

Material:ABS Plastic

Size:185*97*101mm

Bulb:58*SMD

Mode:1,sensor on/off(low-high)

2,sensor on/off(high mode)

3,no sensor low mode

Battery:built in Li-ion

Type-C USB+Solar charging, Clip



TL-9127

Material: ABS Plastic

Size:95*123*47mm

Bulb:20*SMD

Mode:1.Sensor ON-OFF

2.Sensor Dim light

3.Low light

Battery:built in Li-ion

Solar charging





TL-3270-1

Material:ABS Plastic+PP

Size:110*65*155mm

Bulb:LED+1*365nm+2*395nm

2 Light Modes:ON-AUTO low-high

1 UV Light Mode:Mosquito control

Type-C USB Input:5V - 1A

Solar panel:5.5V, 86*33mm



TL-3270-2

Material:ABS Plastic+PP

Device Size:110*55*140mm

Stick Size:24*245mm

Bulb LED+1*365nm+2*395nm

1 Red Light:AUTO ON-OFF


1 UV Light:Mosquito control

Sonar:3V 400Hz. Sound Sensor

Type-C USB Input:5V - 1A

Sonar Repellent range:12m for mouse





TL-3269-2

Material:ABS Plastic+PP

Device Size:60*60*26mm

Stick Size:24*245mm


Mode:on/off

Sonar:3V 400Hz. Sound 3s per 16s

Sonar Repellent range:12m for mouse, cat, snake, bat...

Battery:built in 300 mAh

Solar charging





TL-3269-1

Material:ABS Plastic+PP

Device Size:60*60*26mm



Stick Size:24*245mm

Battery:Built-in 300mAh


Sonar:3V 400Hz. Sound 3s per 16s

Sonar Repellent range:12m for mouse


Solar charging



Quickly relieve muscle soreness
and waken up the body's vitality.



Muscles after exercise
(Accumulation of Lactic Acid)



After using the massage gun
(Lactic acid decomposition)

TL-MG1

Material: Aluminium+PC

Size: 147*150mm

Mode: 6 levels

Speed: 1600-3200 rpm

Battery: Built-in Li-ion

USB-C rechargeable

With 4 replacement massage heads



TL-MG6



TL-MG7

