

Colorimetric Parameters

Chromaticity Coordinate: x=0.3858 y=0.3878/u'=0.2242 v'=0.5072
 CCT=3940K(Duv=0.0036) Dominant WL:Ld =577.6nm Purity=32.2%
 Peak WL:Lp=634.6nm FWHM=226.7nm
 Render Index:Ra=97.9
 R1 =98.3 R2 =98.5 R3 =98.3 R4 =96.9 R5 =98.5 R6 =98.7 R7 =97.1
 R8 =97.3 R9 =96.2 R10=97.6 R11=97.6 R12=94.1 R13=97.9 R14=98.6 R15=97.8

Photometric & Radiometric Parameters

Flux=3394 lm Eff.:85.89 lm/W Fe=12.48 W


Electrical parameters

V=230.13 V I=0.1784 A P=39.52 W PF=0.9623 F=49.99 Hz

Status: Integral T = 249 ms Ip = 52752 (80%)
 Test Mode: Fast Test; Sensitivity = High; Tecool: ON

Model:
 Test By:
 Temperature:25.3Deg
 Manufacturer:
 Assessor:damin

Number:595*595-42W-1
 Date:2022-05-26 09:22:57
 Humidity:65.0%
 Remarks:
 Brand:SN:



Colorimetric Parameters

Chromaticity Coordinate: $x=0.3858$ $y=0.3877$ $u'=0.2242$ $v'=0.5071$
 CCT=3940K (Duv=0.0035) Dominant WL:Ld =577.6nm Purity=32.1%
 Peak WL:Lp=633.5nm FWHM=226.7nm
 Render Index:Ra=97.9
 R1 =98.3 R2 =98.5 R3 =98.3 R4 =96.8 R5 =98.5 R6 =98.7 R7 =97.1
 R8 =97.3 R9 =96.3 R10=97.6 R11=97.6 R12=94.1 R13=97.9 R14=98.7 R15=97.8

Photometric & Radiometric Parameters

Flux=3384 lm Eff.:85.89 lm/W Fe=12.45 W


Electrical parameters

V=230.14 V I=0.1779 A P=39.40 W PF=0.9622 F=49.99 Hz

Status: Integral T = 249 ms Ip = 52570 (80%)
 Test Mode: Fast Test; Sensitivity = High; Tecool: ON

Model:
 Test By:
 Temperature:25.3Deg
 Manufacturer:
 Assessor:damin

Number:595*595-42W-2
 Date:2022-05-26 09:24:19
 Humidity:65.0%
 Remarks:
 Brand:SN:



Colorimetric Parameters

Chromaticity Coordinate: $x=0.3861$ $y=0.3885/u'=0.2241$ $v'=0.5075$
 CCT=3937K(Duv=0.0038) Dominant WL:Ld =577.5nm Purity=32.5%
 Peak WL:Lp=633.5nm FWHM=226.9nm
 Render Index:Ra=98.1
 R1 =98.6 R2 =98.6 R3 =98.2 R4 =97.0 R5 =98.7 R6 =99.1 R7 =97.1
 R8 =97.5 R9 =97.0 R10=97.9 R11=97.8 R12=93.8 R13=98.1 R14=98.6 R15=98.0

Photometric & Radiometric Parameters

Flux=3416 lm Eff.:86.47 lm/W Fe=12.53 W

Electrical parameters

V=230.05 V I=0.1784 A P=39.50 W PF=0.9623 F=49.99 Hz

Status: Integral T = 249 ms Ip = 52943 (81%)
 Test Mode: Fast Test; Sensitivity = High; Tecool: ON

Model:
 Test By:
 Temperature:25.3Deg
 Manufacturer:
 Assessor:damin

Number:595*595-42W-3
 Date:2022-05-26 09:28:24
 Humidity:65.0%
 Remarks:
 Brand:SN: