



日东智能装备  
RI DONG TECHNOLOGY

精雕细琢  
独具匠心

Crafted  
Have great originality




Curtain automation equipment leader

# 窗帘自动化设备 领航者

## 公司简介 Company profile

东莞市日东智能装备有限公司是一家集研发、生产、销售、服务为一体的现代化科技企业，公司多年以来一直致力于窗帘设备的研发与生产，经过多年的技术开发与生产实践，推出了一系列的窗帘设备。布艺窗帘设备方面主要有窗帘自动打褶机、多功能包边机、电脑窗帘锁缝机、电脑窗帘暗缝机、窗帘裁高机、窗帘定型机等产品。卷帘设备方面主要有超声波裁切机、全自动超声波裁切机、自动折边焊接机、超声波分条机、卷帘下轨平缝机等产品。

过硬的产品质量及优质的服务为日东赢得了与众多知名企业的合作机会，产品除了畅销全国，而且还远销众多欧美及东南亚国家。公司本首“诚信经营、质量过硬、顾客至上”的经营理念，真诚期待与海内外的朋友的合作，携手共进，共创美好明天！



Ridong Intelligent Equipment is a modern science and technology enterprise who has R&D, production, sales and service. Our company has been committed to the curtain equipment research and development and production over the years. After many years of technology development and production practice, launched a series of curtain equipment. We have been had Automatic curtain pinch pleating machine, Computer curtain hemming machine, Computer tape attaching machine, Computer curtain blind stitch sewing machine, Final height cutting machine, curtain setting machine and etc. Roller blinds equipment, We have been had Ultrasonic cutting machine, Full automatic ultrasonic cutting machine, Automatic edgefold machine, Ultrasonic slitting machine, Roller blinds under the rail sewing machine, etc.

Excellent quality and premium service make Ridong company get cooperation with more well-known enterprises. Our machine sold well in china, and has been exported to all over the world. Ridong company abides by "honesty, excellent quality, customer first" business philosophy, we sincerely look forward to cooperating with friends from home and abroad, make progress together, come growth with us.

日东机械，为您倾心打造卓越窗帘工艺！

Ridong Machinery is dedicated to creating excellent curtain technology for you!




# 企业文化

corporate culture

日东智能装备，用心致力打造超价值设备解决方案，为客户带来更多的价值。目前，拥有自主专利13余项，6大系列、50多种规格的产品，远销80多个国家和地区。

Ridong Intelligent Equipment is dedicated to creating solutions for ultra-high value equipment, which will bring more value to customers. At present, it has more than 13 independent patents, 6 series and more than 50 specifications of products, which are exported to more than 80 countries and regions.



## 理念

公司本着“诚信经营、质量过硬、顾客至上”的经营理念；奉行“质量求生存”“诚信求发展”的宗旨，大胆开拓，勇于创新；客户的需求就是我们的追求。

## Idea

Company in line with "honest management, quality"Excellent, Customer First ManagerPursuing "Quality for Survival"The aim of "Sincerity for Development" is big. Be bold and innovative; Customer'sDemand is our pursuit.

## 核心

日东智能装备是国内领先的窗帘生产设备提供商，一直专注窗帘设备工艺改良与技术革新，经过多年的开发与生产实践，公司现拥有包括卷帘设备、布艺窗帘设备的全系列窗帘生产设备，多项技术获得国家专利，在市场上荣获众多客户的一致认同

## core

Dongguan Ridong Intelligent Equipment Co., Ltd. is a leading manufacturer of curtain equipment in China. It has been focusing on the improvement of curtain equipment technology and technological innovation. After years of development and production practice, the company now has a full range of curtain production equipment including roller blind equipment and fabric curtain equipment. The technology has obtained national patents and has been widely recognized by many customers in the market.



# 户外遮阳设备

Outdoor Sunshade Machine



双针拼接折缝机  
Awning Sewing Machine



折叠天幕焊接机  
Awning Welding Machine



防风卷帘拉链焊接机  
Zip Blinds Zipper Welding Machine



多功能防风卷帘焊接机  
Multifunctional Zip Blinds Welding Machine



防风卷帘焊接机  
Zip Blinds Fabric Welding Machine




纱窗焊接机  
Insect Screen Welding Machine



全自动裁床  
Fully Automatic Cutting Table

## 双针拼接折缝机 RD-ZGPJ800 Awning Sewing Machine



### 技术参数 Technical parameter

双针距离 Double needle distance	电源 Power	额定功率 Rated power	机器尺寸(L*W*H) Machine Size	机器重量 Machine weight
15.9MM	20VAC 50Hz	3.0KW	8600*1000*1200MM	300KG

### 产品介绍 Product Information

该机用于遮阳面料缝制,通过更换不同的拉筒模具实现拼接,折边缝纫功能。

机头采用三同步送布机械,吃厚及送布能力强,送料平稳。

带红外感应系统,可自动倒针,自动剪线。

采用大型旋梭,线芯容量大,减少换底线次数。

台面采用输送带,前后各4M,自动输送布料。

该机普通学徒即可操作,车缝线迹标准美观,大大提高生产效率

- ◆ The machine is used for sunshade fabric sewing, by changing different mold to achieve stitching, folding sewing.
- ◆ The machine head adopts three synchronous fabrics feeding machinery, thick and strong fabrics feeding ability, stable feeding.
- ◆ With infrared induction system, automatic needle reversal, automatic thread cutting.
- ◆ Using large bobbin, large core capacity, reduce the frequency of bobbin change.
- ◆ The table adopts conveyor belt, 4M length on the both sides, automatically conveying fabric.
- ◆ The machine can be operated by ordinary people, and standard and beautiful stitching, greatly improving production efficiency

## 折叠天幕焊接机 RD-ZGHJ1200 Awning Welding Machine



### 技术参数 Technical parameter



焊接宽度 Welding wide	工作温度 Working temperature	电源参数 Power parameter	额定功率 Rated power	焊接速度 Welding speed	机器尺寸(L*W*H) Machine Soze	机器重量 Machine weight
15-20MM	150度-550度	380V	2.5KW	10-13 秒/米	12000*1180*1735MM	350KG

### 产品介绍 Product Information

- ◆ 本机可用于折叠天幕,遮阳篷,PVC膜,广告布等产品的焊接使用,可焊接胶条,挡水条,可拼接。
- ◆ 单次最大焊接门幅10米。
- ◆ 可根据不同面料调节焊接温度,焊接牢固可靠,强度高,抗撕裂性能佳,焊痕美观。
- ◆ 采用齿轮齿条带动,机头运行平稳,焊接速度快,生产效率高,操作简单方便。

- ◆ This machine can be used for folding awning, PVC film, advertising cloth and other products welding use. Welded rubber strip, splicing.
- ◆ The maximum welding width of a single door is 10 meters.
- ◆ The welding temperature can be adjusted according to different fabrics, and the welding is firm and reliable. High strength, good tear resistance, beautiful welding marks.
- ◆ Driven by pinion and rack, the machine head runs smoothly and the welding speed is fast. High production efficiency, easy to operate.

# 防风卷帘拉链焊接机 RD-HJJ400L Zip Blinds Zipper Welding Machine








## 技术参数 Technical parameter

最大焊接宽度 Popular welding size	焊痕宽度 Welding mark	电源 Power	额定功率 Rated power	机器尺寸(L*W*H) Machine Size	机器重量 Machine weight
3.0-6.0M	8.0/12.0 MM	220/110VAC 50/60Hz	4.3KW	3660*702*1650MM	930KG

## 产品介绍 Product Information

- ◆ 采用国际上先进的热焊技术,温度可自由调节。
  - ◆ 一次性可焊接3—6米长度,解决了多次焊接的难题,且焊痕平整均匀,大大提高生产效率,做出的产品美观,上档次。
  - ◆ 焊接速度快,生产效率高,每分钟可焊接2次。
  - ◆ 具有焊接扁平PVC胶条及圆柱PVC胶条的功能。
  - ◆ 具有焊接拉链的功能,可用于生产防风卷帘。
  - ◆ 焊缝牢固可靠,强度高,抗撕裂性能佳,尤其适合焊接含PVC的阳光面料、PE料等布料。
  - ◆ 机器采用文本屏控制,操作简单,性能稳定。
- ◆ Using the most advanced thermal welding technology, the temperature can be adjusted.
  - ◆ Max welding the fabrics to 6 meters at one time, welding mark is even and smooth, appearance beautiful. It greatly improves productivity and upgrades a higher ranks.
  - ◆ This machine works with high speed, it could make two pcs of products in one minute.
  - ◆ Could weld rubbers trips and plastic strips on fabrics.
  - ◆ Could weld zippers on fabrics to make windproof blinds.
  - ◆ This machine is most suitable for fabrics with PVC and PE, the welding area is very strong and tearing.
  - ◆ Using text screen control mode, easy operating and working steadily.

# 多功能防风卷帘焊接机 RD-HJJ400D Multifunctional Zip Blinds Welding Machine







## 技术参数 Technical parameter

最大焊接宽度 Popular welding size	焊痕宽度 Welding mark	电源 Power	额定功率 Rated power	机器尺寸(L*W*H) Machine Size	机器重量 Machine weight
3.0-6.0M	8.0/12.0 MM	220/110VAC 50/60Hz	8.0KW	3660*1480*1750MM	1200KG

## 产品介绍 Product Information

- ◆ 采用国际上先进的热焊技术,温度可自由调节。
  - ◆ 一次性可焊3-6米长度,解决了多次焊接的难题,且焊痕平整均匀,大大提高生产效率,做出的产品美观,上档次。
  - ◆ 焊接速度快,生产效率高,每分钟可焊接2次。
  - ◆ 机器具有自动折边焊接、对接焊接、烫边焊接等功能。
  - ◆ 机器PLC及触摸屏控制,操作简单。
  - ◆ 具有焊接扁平PVC胶条及圆柱PVC胶条的功能。
  - ◆ 具有焊接拉链的功能,可用于生产防风卷帘。
  - ◆ 焊缝牢固可靠,强度高,抗撕裂性能佳,尤其适合焊接含PVC的阳光面料、PE料等布料。
  - ◆ 机器采用文本屏控制,操作简单,性能稳定。
- ◆ Using the most advanced thermal welding technology, the temperature can be adjusted.
  - ◆ Max welding the fabrics 3 to 6 meters at one time, welding mark is even and smooth, appearance beautiful. It greatly improves productivity and upgrades a higher ranks.
  - ◆ This machine works with high speed, it could make two pcs of products in one minute.
  - ◆ This machine has function of auto fold welding, butt welding and edge welding etc.
  - ◆ Could weld rubbers strips and plastic strips on fabrics.
  - ◆ Could weld zippers on fabrics to make windproof blinds.
  - ◆ This machine is most suitable for fabrics with PVC and PE, the welding area is very strong and tearing.
  - ◆ Using text screen control mode, easy operating and working steadily.

# 防风卷帘焊接机 RD-HJJ400F Zip Blinds Fabric Welding Machine




## 技术参数 Technical parameter

最大焊接宽度 Popular welding size	焊痕宽度 Welding mark	电源 Power	额定功率 Rated power	机器尺寸 (L*W*H) Machine Size	机器重量 Machine weight
3.0-6.0M	8.0/12.0 MM	220/110VAC 50/60Hz	4.3KW	3660*702*1650MM	930KG

## 产品介绍 Product Information

- ◆ 采用国际上先进的热焊技术，温度可自由调节。
- ◆ 一次性可焊接3-6米长度，解决了多次焊接的难题，且焊痕平整均匀，大大提高生产效率，做出的产品美观，上档次。
- ◆ 机器具有自动折边功能，且折边宽度可调节。
- ◆ 焊接速度快，效率高，每分钟可焊接两次。
- ◆ 使用该机器可做卷帘底槽自动折边焊接、对接焊接、烫边焊接等多种工艺，可用于生产卷帘及天篷帘。
- ◆ 焊缝牢固可靠，强度高，抗撕裂性能佳，尤其适合焊接含PVC的阳光面料、PE料等布料。
- ◆ 机器采用文本屏控制，操作简单，性能稳定。
- ◆ Using the most advanced thermal welding technology, the temperature can be adjusted.
- ◆ Max welding the fabrics to 6 meters at one time, welding mark is even and smooth, appearance beautiful. it greatly improves productivity and upgrades blinds ranks.
- ◆ This machine has function of making hem pocket automatic, pocket size is adjustable.
- ◆ This machine works with high speed, it could make two pcs of products in one minute.
- ◆ Could use this machine make fold welding, butt welding and edge welding, suitable for roller blinds, awnings etc
- ◆ This machine is most suitable for fabrics with PVC and PE, the welding area is very strong and anti tearing.
- ◆ Using text screen control mode, easy operating and working steadily.

# 纱窗焊接机 RD-SCHJJ-W12-1 Insect screen welding machine



## 技术参数 Technical parameter

有效焊接长度 Effective welding length	额定电压 Welding mark	额定功率 Rated power	需用气压 Rated power	机器尺寸 (L*W*H) Machine Size	机器重量 Machine weight
3.0-6.0M(可定制)	AC380V/50Hz	12KW	5-8MPa	4700*830*1300mm (4米) 3700*830*1300mm (3米) 2300*830*1300mm (1.6米)	1200KG(约1000KG)

## 产品介绍 Product Information

- ◆ 此机器用于纱窗拉链和胶条的焊接。
- ◆ 采用脉冲式焊接技术,高效稳定。
- ◆ 自带定型冷却系统。
- ◆ 拉链胶条模具可以自动切换。
- ◆ 布料带自动定位板。
- ◆ This machine is used for welding screen zippers and adhesive strips.
- ◆ The pulsed welding technology is adopted, which is efficient and stable.
- ◆ Equipped with a fixed cooling system.
- ◆ The zipper strip mold can be automatically switched.
- ◆ Automatic positioning plate for fabric belt.

# 全自动裁床 RD-CCQJ300 Fully Automatic Cutting Table



## 技术参数 Technical parameter

切割速度 Cutting speed	平移速度 translational velocity	电源 Voltage	额定功率 Rated power	有效工作尺寸 (L*W*H) Machine Size	机器重量 Machine weight
100-3000MM/s	100-3000MM/s	380V 50/60Hz	2.5KW	3000*6000MM(可定制)	1800KG

## 产品介绍 Product Information

- ◆ 采用日本伺服电机、驱动,台湾优质导轨,德国齿条等进口零件。
- ◆ 切割厚度0.1-25mm,切割精度±0.1mm。
- ◆ 刀具:拖刀、半切刀、圆冲、画线笔、振动刀、气动刀、斜切刀、高品质圆刀。
- ◆ 固定材料方式:真空泵吸附;传输接口:网口、USB口,可脱机操作。
- ◆ 安全装置:红外感应防撞装置、急停按钮装置。
- ◆ 设备为双驱双摸,速度快稳定性高,适应24小时不间断工作。
- ◆ Adopt Japanese servo motor and drive, Taiwan high quality guide rail, German rack and so on Imported parts.
- ◆ Cutting thickness 0.1-25mm, cutting accuracy ±0.1mm.
- ◆ Knives: drag knives, half-cutting knives, round punches, drawing pens, vibrating knives, pneumatic knives, mitre knives, high quality round knives.
- ◆ Material fixing method: vacuum pump adsorption; transmission interface: network port, USB port Can be operated offline.
- ◆ Safety devices: Infrared sensor anti-collision device, emergency stop button device.
- ◆ The equipment is double-driven and double-touched, fast and stable, suitable for 24-hour operation 24 hours a day.

日东机械, 为您倾心打造卓越窗帘工艺!

Ridong Machinery is dedicated to creating excellent curtain technology for you!

Curtain automation equipment leader

窗帘自动化设备

领航者