



日东智能装备
RI DONG TECHNOLOGY

精雕细琢
独具匠心

Crafted
Have great originality




Curtain automation equipment leader

窗帘自动化设备 领航者

公司简介 Company profile

东莞市日东智能装备有限公司是一家集研发、生产、销售、服务为一体的现代化科技企业，公司多年以来一直致力于窗帘设备的研发与生产，经过多年的技术开发与生产实践，推出了一系列的窗帘设备。布艺窗帘设备方面主要有窗帘自动打褶机、多功能包边机、电脑窗帘锁缝机、电脑窗帘暗缝机、窗帘裁高机、窗帘定型机等产品。卷帘设备方面主要有超声波裁切机、全自动超声波裁切机、自动折边焊接机、超声波分条机、卷帘下轨平缝机等产品。

过硬的产品质量及优质的服务为日东赢得了与众多知名企业的合作机会，产品除了畅销全国，而且还远销众多欧美及东南亚国家。公司本首“诚信经营、质量过硬、顾客至上”的经营理念，真诚期待与海内外的朋友的合作，携手共进，共创美好明天！



Ridong Intelligent Equipment is a modern science and technology enterprise who has R&D, production, sales and service. Our company has been committed to the curtain equipment research and development and production over the years. After many years of technology development and production practice, launched a series of curtain equipment. We have been had Automatic curtain pinch pleating machine, Computer curtain hemming machine, Computer tape attaching machine, Computer curtain blind stitch sewing machine, Final height cutting machine, curtain setting machine and etc. Roller blinds equipment, We have been had Ultrasonic cutting machine, Full automatic ultrasonic cutting machine, Automatic edgefold machine, Ultrasonic slitting machine, Roller blinds under the rail sewing machine, etc.

Excellent quality and premium service make Ridong company get cooperation with more well-known enterprises. Our machine sold well in china, and has been exported to all over the world. Ridong company abides by "honesty, excellent quality, customer first" business philosophy, we sincerely look forward to cooperating with friends from home and abroad, make progress together, come growth with us.

日东机械，为您倾心打造卓越窗帘工艺！

Ridong Machinery is dedicated to creating excellent curtain technology for you!




企业文化

corporate culture

日东智能装备，用心致力打造超价值设备解决方案，为客户带来更多的价值。目前，拥有自主专利13余项，6大系列、50多种规格的产品，远销80多个国家和地区。

Ridong Intelligent Equipment is dedicated to creating solutions for ultra-high value equipment, which will bring more value to customers. At present, it has more than 13 independent patents, 6 series and more than 50 specifications of products, which are exported to more than 80 countries and regions.



理念

公司本着“诚信经营、质量过硬、顾客至上”的经营理念；奉行“质量求生存”“诚信求发展”的宗旨，大胆开拓，勇于创新；客户的需求就是我们的追求。

Idea

Company in line with "honest management, quality"Excellent, Customer First ManagerPursuing "Quality for Survival"The aim of "Sincerity for Development" is big. Be bold and innovative; Customer'sDemand is our pursuit.

核心

日东智能装备是国内领先的窗帘生产设备提供商，一直专注窗帘设备工艺改良与技术革新，经过多年的开发与生产实践，公司现拥有包括卷帘设备、布艺窗帘设备的全系列窗帘生产设备，多项技术获得国家专利，在市场上荣获众多客户的一致认同

core

Dongguan Ridong Intelligent Equipment Co., Ltd. is a leading manufacturer of curtain equipment in China. It has been focusing on the improvement of curtain equipment technology and technological innovation. After years of development and production practice, the company now has a full range of curtain production equipment including roller blind equipment and fabric curtain equipment. The technology has obtained national patents and has been widely recognized by many customers in the market.



▶ 卷帘设备

Roller Blinds Machine



26 多功能双刀裁切机
Multifunctional Double Knife Cutting Machine



28 压力刀裁切机
Air Crush Cutting Machine



30 卷帘自动折边焊接机
Roller Blinds Fabric Welding Machine



32 全自动裁床
Fully Automatic Cutting Table



34 升降检验机
Inspection Hoist



36 超声波分条机
Ultrasonic Slitting Machine



27 超声波裁切机
Ultrasonic Roller Blinds Cutting Machine



29 冷刀裁切机
Air Crush Cutting Machine



31 多功能卷帘焊接机
Multifunctional Roller Blinds Welding Machine



33 全自动超声波裁床
Fully Automatic Ultrasonic Cutting Table




35 铝材切割机
Aluminum Cutting Machine



37 全自动超声波裁切机
Fully Automatic Ultrasonic Cutting Machine

多功能双刀裁切机 RD-CQJ320D Multifunctional Double Knife Cutting Machine





技术参数 Technical parameter

裁切宽幅 Max cutting width	电源 Power	额定功率 Rated power	工作气压 Air pressure	机器尺寸 (L*W*H) Machine Size	机器重量 Machine weight
2.5M/3.2M/4.2M	220/110VAC 50/60Hz	2.2KW	3-6KG/CM ²	4200*950*1100MM	780KG

产品介绍 Product Information

- ◆ 多功能双刀模式，可以根据不同面料切换工位，为您节省更多成本。
- ◆ 刀位1采用德国技术超声波系统，台湾优质导轨，性能稳定，质量可靠。
- ◆ 刀位2采用压力刀裁切方式，刀具采用进口钢材制作，经久耐用。
- ◆ 该机器适合裁切卷帘面料，裁切的布料封边牢固，切边柔软，不掉毛不散边。
- ◆ 机器采用电动送料，可设定送料长度，可遥控，省时省力。
- ◆ 全铝型材及不锈钢机架，外观美观大方。
- ◆ 刀具采用日本进口钢材，经久耐用。
- ◆ 可自动检测裁切宽度，切完布后自动回刀，提高生产效率。
- ◆ 适合裁切卷帘，柔纱帘，斑马帘，香格里拉帘等多种窗帘面料。
- ◆ Two cutting system in one machine, you can according to different fabrics to select the cutting mode, most fabric can cutting in one machine save more cost for you.
- ◆ Ultrasonic cutting mode adopts German system, and Taiwan high quality guide rail, stable performance, reliable quality.
- ◆ Air Crush Cutting mode, the knives are made of imported steel and are durable.
- ◆ Machine is suitable for cutting roll curtain fabrics. The cut fabric has firm sealing edges and soft cutting edges, without shedding or losing edges.
- ◆ The machine adopts electric feeding, the feeding length can be set, the remote control can save time and effort.
- ◆ All aluminum and stainless steel frame, beautiful appearance.
- ◆ The knives are made of Japanese steel is durable.
- ◆ Ultrasonic cutting can automatically detect the cutting width, and automatically return the knife after cutting the cloth to improve the production efficiency.
- ◆ Suitable for cutting roll curtain, soft gauze curtain, zebra curtain, shangri-la curtain and other curtain fabrics.

超声波裁切机 RD-CQJ320 Ultrasonic Roller Blinds Cutting Machine



技术参数 Technical parameter

裁切宽幅 Max cutting width	电源 Power	额定功率 Rated power	工作气压 Air pressure	机器尺寸 (L*W*H) Machine Size	机器重量 Machine weight
3.2/4.2M	220/110VAC 50/60Hz	2.0KW	3-6KG/CM ²	3930*940*1100MM	750KG


产品介绍 Product Information

- ◆ 采用德国技术超声波系统，台湾高品质导轨，性能稳定，质量可靠。
- ◆ 该机器适合裁切卷帘面料，裁切的布料封边牢固，绸边柔软，不掉毛不散边。
- ◆ 机器采用两根包胶辊送料，可设定送料长度，具有电动送料功能，无需手工拉料，省时省力。
- ◆ 全铝型材及不锈钢机架，外观美观大方。
- ◆ 刀具采用日本进口钢材，经久耐用。
- ◆ 可自动检测裁切宽度，切完布后自动回刀，提高生产效率；裁切速度为0.5-0.9米/秒。
- ◆ 机器配置有遥控器，可进行移动式操作。
- ◆ Using ultrasonic system from Germany; Good quality rails from Taiwan, it's stable and reliable.
- ◆ It is suitable for cutting roller blinds fabrics (any one layer fabrics, zebra blinds could be folded cutting), seal edge automatically, no rough selvage, edge smooth and firm.
- ◆ Using two pcs of rubber feeding rolls with electric feeding function, set length freely, saving time and effort.
- ◆ All aluminum and stainless steel frame, elegant appearance. Knife adopts material from Japan, very durable.
- ◆ Automatically detects the cutting width, knife auto rotating back after cut. It highly improves productivity, cutting speed is 0.5 to 0.9 meters per second.
- ◆ Machine set with remote control which has cutting, feeding and returning functions, could operate machine by walking around.

日东机械，为您倾心打造卓越窗帘工艺！

Ridong Machinery is dedicated to creating excellent curtain technology for you!

压力刀裁切机 RD-CQJ320Y Air Crush Cutting Machine




技术参数 Technical parameter

最大裁切宽度 Max slitting width	工作气压 Work pressure	电源 Power	额定功率 Rated power	机器尺寸 (L*W*H) Machine Size	机器重量 Machine weight
3.2M(可定做)	0.3-0.5MPa	220/110VAC 50/60Hz	1.5KW	3980*800*1100MM	600KG

产品介绍 Product Information

- ◆ 采用压力刀裁切方式，刀具采用进口钢材制作，经久耐用。
- ◆ 该机器适合裁切柔纱帘、斑马帘、香格里拉帘等多层的窗帘面料；切口光滑平整，不掉纱线。
- ◆ 采用两根包胶辊放料，拉料轻松。
- ◆ 有红外线保护装置，使用放心可靠。
- ◆ 切割速度采用变频无级调速，使裁切过程平滑顺畅。
- ◆ 可设置裁切宽度，切完布后自动回刀，提高生产效率。
- ◆ Using pressure knife cutting, knife material imported from abroad, durable.
- ◆ This machine is suitable for cutting soft sheer blinds, zebra blinds, shangri-la blinds etc. Multilayer of fabrics, edge smooth no thread comes out.
- ◆ Two feeding rollers are stainless steel, very easily rolls out fabrics to the table.
- ◆ Using infrared protection device, safe operating.
- ◆ Cutting speed adjustable
- ◆ Freely set cutting width, knife returns back after cutting which highly improves productivity.

冷刀裁切机 RD-CQL320L Air Crush Cutting Machine





技术参数 Technical parameter

裁切宽度 Cutting width	电源 Power	额定功率 Rated power	工作气压 Air pressure	机器尺寸 (L*W*H) Machine Size	机器重量 Machine weight
3.2M(可定做)	220/110VAC 50/60Hz	1.5KW	0.3-0.5MPa	3500*800*1150MM	480KG

产品介绍 Product Information

- ◆ 此机器适合裁切卷帘面料、斑马帘面料，尤其对于全遮光斑马帘面料更能体现出其裁切的优越性
- ◆ 采用电动进口双向美工刀片的裁切方式，裁切的面料切口平整光滑、无毛刺
- ◆ 可双向裁切，大大提高生产效率
- ◆ 刀具采用日本进口刀片，经久耐用
- ◆ 采用两根包辊放料方式
- ◆ 采用按键式操作，操作简单，一学即会
- ◆ This machine is suitable for cutting PVC fabric and zebra fabric, especially for the full shading zebra fabric, which can better reflect its cutting advantages.
- ◆ Using the electric import two-way knife cutting, the fabric is smooth without burr.
- ◆ Can be cut in both directions, greatly improving production.
- ◆ The knife is imported from Japan and is durable.
- ◆ Using two rolls feeding.
- ◆ Using button-type operation, easy to operate.

卷帘自动折边焊接机 RD-HJJ300 Roller Blinds Fabric Welding Machine





技术参数 Technical parameter

最大焊接宽度 Popular welding size	焊痕宽度 Welding mark	电源 Power	额定功率 Rated power	机器尺寸 (L*W*H) Machine Size	机器重量 Machine weight
3.0-6.0M	8.0/12.0 MM	220/110VAC 50/60Hz	4.3KW	3660*702*1650MM	930KG

产品介绍 Product Information

- ◆ 采用国际上先进的热焊技术，温度可自由调节。
- ◆ 一次性可焊接3-6米长度，解决了多次焊接的难题，且焊痕平整均匀，大大提高生产效率，做出的产品美观，上档次。
- ◆ 机器具有自动折边功能，且折边宽度可调节。
- ◆ 焊接速度快，效率高，每分钟可焊接两次。
- ◆ 使用该机器可做卷帘底槽自动折边焊接、对接焊接、烫边焊接等多种工艺，可用于生产卷帘及天篷帘。
- ◆ 焊缝牢固可靠，强度高，抗撕裂性能佳，尤其适合焊接含PVC的阳光面料、PE料等布料。
- ◆ 机器采用文本屏控制，操作简单，性能稳定。
- ◆ Using the most advanced thermal welding technology, the temperature can be adjusted.
- ◆ Max welding the fabrics to 6 meters at one time, welding mark is even and smooth, appearance beautiful. It greatly improves productivity and upgrades blinds ranks.
- ◆ This machine has function of making hem pocket automatic, pocket size is adjustable.
- ◆ This machine works with high speed, it could make two pcs of products in one minute.
- ◆ Could use this machine make fold welding, butt welding and edge welding, suitable for roller blinds, awnings etc
- ◆ This machine is most suitable for fabrics with PVC and PE, the welding area is very strong and anti tearing.
- ◆ Using text screen control mode, easy operating and working steadily.

多功能卷帘焊接机 RD-HJJ300D Multifunctional Roller Blinds Welding Machine



技术参数 Technical parameter

最大焊接宽度 Popular welding size	焊痕宽度 Welding mark	电源 Power	额定功率 Rated power	机器尺寸 (L*W*H) Machine Size	机器重量 Machine weight
3.0-6.0M	8.0/12.0 MM	220/110VAC 50/60Hz	8.0KW	3660*1480*1750MM	1200KG

产品介绍 Product Information

- ◆ 采用国际上先进的热焊技术，温度可自由调节。
- ◆ 一次性可焊3-6米长度，解决了多次焊接的难题，且焊痕平整均匀，大大提高生产效率，做出的产品美观，上档次。
- ◆ 焊接速度快，生产效率高，每分钟可焊接2次。
- ◆ 机器具有自动折边焊接、对接焊接、烫边焊接等功能。
- ◆ 机器PLC及触摸屏控制，操作简单。
- ◆ 具有焊接扁平PVC胶条及圆柱PVC胶条的功能。
- ◆ 具有焊接拉链的功能，可用于生产防风卷帘。
- ◆ 焊缝牢固可靠，强度高，抗撕裂性能佳，尤其适合焊接含PVC的阳光面料、PE料等布料。
- ◆ 机器采用文本屏控制，操作简单，性能稳定。
- ◆ Using the most advanced thermal welding technology, the temperature can be adjusted.
- ◆ Max welding the fabrics 3 to 6 meters at one time, welding mark is even and smooth, appearance beautiful. It greatly improves productivity and upgrades a higher ranks.
- ◆ This machine works with high speed, it could make two pcs of products in one minute.
- ◆ This machine has function of auto fold welding, butt welding and edge welding etc.
- ◆ Could weld rubbers strips and plastic strips on fabrics.
- ◆ Could weld zippers on fabrics to make windproof blinds.
- ◆ This machine is most suitable for fabrics with PVC and PE, the welding area is very strong and tearing.
- ◆ Using text screen control mode, easy operating and working steadily.

日东机械，为您倾心打造卓越窗帘工艺！

Ridong Machinery is dedicated to creating excellent curtain technology for you!

全自动裁床 RD-CCQJ300 Fully Automatic Cutting Table



技术参数 Technical parameter

切割速度 Cutting speed	平移速度 translational velocity	电源 Voltage	额定功率 Rated power	有效工作尺寸 (L*W*H) Machine Size	机器重量 Machine weight
100-3000MM/s	100-3000MM/s	380V 50/60Hz	2.5KW	3000*6000MM(可定制)	1800KG

产品介绍 Product Information

- ◆ 采用日本伺服电机、驱动,台湾优质导轨,德国齿条等进口零件。
- ◆ 切割厚度0.1-25mm,切割精度±0.1mm。
- ◆ 刀具:拖刀、半切刀、圆冲、画线笔、振动刀、气动刀、斜切刀、高品质圆刀。
- ◆ 固定材料方式:真空泵吸附;传输接口:网口、USB口,可脱机操作。
- ◆ 安全装置:红外感应防撞装置、急停按钮装置。
- ◆ 设备为双驱双摸,速度快稳定性高,适应24小时不间断工作。
- ◆ Adopt Japanese servo motor and drive, Taiwan high quality guide rail, German rack and so on Imported parts.
- ◆ Cutting thickness 0.1-25mm, cutting accuracy ±0.1mm.
- ◆ Knives: drag knives, half-cutting knives, round punches, drawing pens, vibrating knives, pneumatic knives, mitre knives, high quality round knives.
- ◆ Material fixing method: vacuum pump adsorption; transmission interface: network port, USB port Can be operated offline.
- ◆ Safety devices: Infrared sensor anti-collision device, emergency stop button device.
- ◆ The equipment is double-driven and double-touched, fast and stable, suitable for 24-hour operation 24 hours a day.

全自动超声波裁床 Fully Automatic Ultrasonic Cutting Table



技术参数 Technical parameter

有效工作尺寸 Effective working size	切割/平移速度 Cutting/moving speed	电源 Voltage	额定功率 Rated power	机器尺寸 (L*W*H) Machine Soze	机器重量 Machine weight
3200x6000MM	100-3000MM/S	220V 50/60HZ	5.0KW	9000*4000MM(可定制)	1800KG

产品介绍 Product Information

- ◆ 自动收卷和布料牵引系统,用于自动装载和更换布卷,并配有布卷存储系统用,带触摸屏操作界面
- ◆ 该机器适合裁切卷帘面料,裁切的布料封边牢固,绸边柔软,不掉毛不散边。
- ◆ 固定材料方式:真空泵吸附;传输接口:网口、USB口:可脱机操作。
- ◆ 安全装置:红外感应防撞装置、急停按钮装置。
- ◆ automatic winding off and fabric pulling system for automatic loading and changing rolls with a fabric roll storage system
- ◆ It is suitable for cutting roller blinds fabrics (any one layer fabrics, zebra blinds Could be folded cutting), seal edge automatically, no rough selvage, edge smooth and firm.
- ◆ Material fixing method: vacuum pump adsorption; transmission interface: network port, USB port Can be operated offline.
- ◆ Safety devices: Infrared sensor anti-collision device, emergency stop button device.

日东机械, 为您倾心打造卓越窗帘工艺!

Ridong Machinery is dedicated to creating excellent curtain technology for you!

升降机 RD-SJJ300 Inspection Hoist



技术参数 Technical parameter


最大高度 Max size	电源 Power	额定功率 Rated power	机器尺寸 (L*W*H) Machine Size	机器重量 Machine weight
3.0/3.5/4.0M	220/110VAC 50/60Hz	100W	800*800*3100MM	160KG

产品介绍 Product Information

◆ 本设备主要是为了方便检查窗帘质量而开发。该设备机械结构简洁，操作简单。每台机只需一名操作人员就可以检查窗帘的每个细节，其中包括布料长度、宽度、污染等等。该设备能检查窗帘高度到达4米多，自由升降，省力又省时。

◆ This device is intently developed for the convenience of checking the quality of curtains, roller blinds etc. Structure simple, easy to operate. Fully inspect every details by only one operator, including length, width and pollution. Height can be checked up to 4 meters max. Free lift, save effort and time.

铝材切割机 RD-CLJ30 Aluminum Cutting Machine






技术参数 Technical parameter

最大切割宽度 Max cutting width	最大切割厚度 Max cutting thickness	电力参数 Voltage	额定功率 Rated power	机器尺寸 (L*W*H) Machine Size	机器重量 Machine weight
300M	130MM	380V 50/60Hz	2.5KW	6000*600*1150MM	300KG

产品介绍 Product Information

- ◆ 适合裁切铝质材料。
- ◆ 采用高速旋转合金锯片，锯片经久耐用。
- ◆ 该设备切出来的铝材切口平整光滑无毛刺。
- ◆ 锯片设计采用内置气压式，工件采用气压压紧，性能好。
- ◆ 前后各有三米带滚平台，并有定位装置，操作简单方便。
- ◆ Suitable for cutting aluminum material
- ◆ Adopts durable aluminum alloy blade with high-speed rotation.
- ◆ Smooth cutting notch without burr.
- ◆ Aluminum alloy blade is designed with built-in pneumatic. Work piece clamped by pressure, good safety.
- ◆ Each rolling platform with position device of three meters long at both sides, easy to operate.

超声波分条机 RD-FTJ300-6 Ultrasonic Slitting Machine




技术参数 Technical parameter

最大裁切宽幅 Max slitting width	分条小宽幅 Minimum slitting width	电源 Power	额定功率 Rated power	机器尺寸(L*W*H) Machine Size	机器重量 Machine weight
2.0/2.5/3.0M	89MM	380/220VAC 50/60Hz	8.0KW	3630*1700*1300MM	1500KG

产品介绍 Product Information

- ◆ 采用德国技术超声波系统,日本进口SMC气缸,台湾质优导轨,性能稳定。
- ◆ 此机器适合裁切卷帘、垂直帘、天蓬帘、柔纱帘等面料。
- ◆ 裁切的面料有自动封边效果,不散边,不毛边。
- ◆ 生产效率高,分切速度为0—40米/秒(视布料厚薄情况而定)。
- ◆ 机器PLC及触摸屏控制,操作简单。
- ◆ 分条宽幅可调节,刀具采用精密导轨及滑块固定,使刀具调节轻松简单。
- ◆ 采用变频器和调速电机调速。
- ◆ 采用气胀轴收、放料。
- ◆ 机器带张力装置及纠偏系统,保证切边平整。
- ◆ Using ultrasonic system from Germany; SMC cylinder imported from Japan; Good quality rails from Taiwan, stable and reliable.
- ◆ This machine is suitable for slitting and cutting for roller blinds, vertical blinds, zebra blinds, soft sheer blinds etc.
- ◆ Fabrics edge automatically sealed after cut, edge smooth and firm, no rough thread comes out.
- ◆ This machine has high efficiency, cutting speed is 0-40 meters per second (accord fabrics thickness).
- ◆ Adopt PLC and touch screen as control center, easy operating.
- ◆ Cutting width adjustable. Using precision rails and slider to fix knives to make it movable easily on the machine.
- ◆ Using frequency transformer and adjustable speed motor to control slitting speed.
- ◆ Using air shaft feeding and receiving fabrics.
- ◆ Has tension device and edge correcting system which automatically ensures edge smooth.

全自动超声波裁切机 RD-CQJ300Q-4 Fully Automatic Ultrasonic Cutting Machine



技术参数 Technical parameter

裁切宽幅 Max cutting width	电源 Power	额定功率 Rated power	工作气压 Air pressure	机器尺寸(L*W*H) Machine Size	机器重量 Machine weight
2.5M/3.0M	220/110VAC 50/60Hz	8.9KW	3-6KG/CM ²	6100*3100*1700MM	1680KG

产品介绍 Product Information

- ◆ 采用德国技术超声波系统,日本进口SMC气缸,台湾高品质导轨,性能稳定。
- ◆ 裁切布料封边良好,不毛边;适合裁切机卷帘、柔纱帘面料,特别适合于生产尺寸规格统一、订单量大的产品。
- ◆ 机器采用PLC及触摸屏控制;操作简单。
- ◆ 采用微电脑触摸屏操控,屏幕中输入所需布匹尺寸及想要的数量,按开始后机器自动完成,屏幕可一次性设定五组参数,一组参数完成后自动切换下一组任务,还可在屏幕上看到已生产的数量。
- ◆ 裁切布料尺寸准确,误差小于2mm。
- ◆ 生产速度快,效率高,大大节约人工成本;每分钟可切3-9张窗帘布。
- ◆ 采用机械手拉料方式,在拉料的过程中完成纵切,拉料到设定尺寸自动横向切断,适合批量生产。
- ◆ 机器带张力装置及纠偏系统。
- ◆ 分条方向采用伺服马达自动调刀,调刀精度高,尺寸精准。
- ◆ 进料时台面有灯光,方便检查面料瑕疵。
- ◆ Using ultrasonic technology from Germany; SMC cylinder imported from Japan; Good quality rails from Taiwan, stable and reliable.
- ◆ The feature of this machine is seal edge of fabrics without rough thread comes out; it is suitable for roller blinds, soft sheer blinds fabrics etc. especially suitable for production of same size and big orders of products.
- ◆ Adopting PLC and touch screen as control center, easy operating.
- ◆ Microcomputer touch screen, put desired product size and quality (max set 5 sets of numbers), Machine will finish the work one by one according to what put inside of the computer by pressing start button; finished and unfinished data presented on the screen.
- ◆ Precise in cutting with 2 mm miss.
- ◆ High speed and efficiency, saving labor; output 3-9 pcs per minute.
- ◆ Using manipulator pull out fabrics to the table at well set size then cut in horizontal, good for mass production.
- ◆ Has tension device and edge correcting system.
- ◆ Using Servo motor automatically adjusting knives in slitting fabrics, precisely and accurately.
- ◆ Has lights under the table when feeding fabrics to check the quality of the fabrics.

服务分布图

至诚的服务



此时此刻，日东公司已在80多个国家以及地区，

成功稳定运转 **6000多条生产线**

日东智能装备，为您一站式提供专业的解决方案