




日东智能装备  
RI DONG TECHNOLOGY

精雕细琢  
独具匠心

Crafted  
Have great originality





窗帘自动化设备  
Curtain automation equipment leader


领航者



公司简介  
Company profile

东莞市日东智能装备有限公司是一家集研发、生产、销售、服务为一体的现代化科技企业，公司多年以来一直致力于窗帘设备的研发与生产，经过多年的技术开发与生产实践，推出了一系列的窗帘设备。布艺窗帘设备方面主要有窗帘自动打褶机、多功能包边机、电脑窗帘锁缝机、电脑窗帘暗缝机、窗帘裁高机、窗帘定型机等产品。卷帘设备方面主要有超声波裁切机、全自动超声波裁切机、自动折边焊接机、超声波分条机、卷帘下轨平缝机等产品。

过硬的产品质量及优质的服务为日东赢得了与众多知名企业的合作机会，产品除了畅销全国，而且还远销众多欧美及东南亚国家。公司本着“诚信经营、质量过硬、顾客至上”的经营理念，真诚期待与海内外的朋友的合作，携手共进，共创美好明天！



Ridong Intelligent Equipment is a modern science and technology enterprise who has R&D, production, sales and service. Our company has been committed to the curtain equipment research and development and production over the years. After many years of technology development and production practice, launched a series of curtain equipment. We have been had Automatic curtain pinch pleating machine, Computer curtain hemming machine, Computer tape attaching machine, Computer curtain blind stitch sewing machine, Final height cutting machine, curtain setting machine and etc. Roller blinds equipment, We have been had Ultrasonic cutting machine, Full automatic ultrasonic cutting machine, Automatic edgefold machine, Ultrasonic slitting machine, Roller blinds under the rail sewing machine, etc.

Excellent quality and premium service make Ridong company get cooperation with more well-known enterprises. Our machine sold well in china, and has been exported to all over the world. Ridong company abides by "honesty, excellent quality, customer first" business philosophy, we sincerely look forward to cooperating with friends from home and abroad, make progress together, come growth with us.

日东机械，为您倾心打造卓越窗帘工艺！

Ridong Machinery is dedicated to creating excellent curtain technology for you!

# 企业文化

corporate culture



日东智能装备，用心致力打造超高价值设备解决方案，为客户带来更多的价值。目前，拥有自主专利13余项，6大系列、50多种规格的产品，远销80多个国家和地区。

Ridong Intelligent Equipment is dedicated to creating solutions for ultra-high value equipment, which will bring more value to customers.


At present, it has more than 13 independent patents, 6 series and more than 50 specifications of products, which are exported to more than 80 countries and regions.

## 理念

公司本着“诚信经营、质量过硬、顾客至上”的经营理念；奉行“质量求生存”  
“诚信求发展”的宗旨，大胆开拓，勇于创新；客户的需求就是我们的追求。

## 核心

日东智能装备是国内领先的窗帘生产设备提供商，一直专注窗帘设备工艺改良与技术革新，经过多年的开发与生产实践，公司现拥有包括卷帘设备、布艺窗帘设备的全系列窗帘生产设备，多项技术获得国家专利，在市场上荣获众多客户的一致认同



## Idea


Company in line with "honest management, quality"Excellent, Customer First ManagerPursuing "Quality for Survival"The aim of "Sincerity for Development" is big. Be bold and innovative; Customer'sDemand is our pursuit.

## core

Dongguan Ridong Intelligent Equipment Co., Ltd. is a leading manufacturer of curtain equipment in China. It has been focusing on the improvement of curtain equipment technology and technological innovation. After years of development and production practice, the company now has a full range of curtain production equipment including roller blind equipment and fabric curtain equipment. The technology has obtained national patents and has been widely recognized by many customers in the market.

# 窗帘制作工艺图解

Drawing of Curtain Manufacturing Technology



# ► 窗帘设备

## Curtain Machine



### 全自动窗帘打褶机

Full-automatic Curtain Pleating Machine



### 自动窗帘打褶机

Automatic Curtain Pleating Machine



### 多功能窗帘包边机

Multifunction Curtain Hemming Machine



### 卧式窗帘定型机

Horizontal Curtain Heat Setting Machine



### 电脑窗帘拼接锁缝机

Computer Curtain Joint Overlock Stitching Machine



### 电脑窗帘暗缝机

Computer Curtain Blind Stitching Machine



### 小型窗帘包边机

Curtain Hemming Sewing Machine



### 电脑拼接工艺机

Computer Splicing Craft Sewing Machine



### 电脑花边工艺机

Computer Curtain Lacing Craft Stitching Machine



### 坚裁机

Vertical Cutting Machine



### 窗帘自动整烫机

Automatic Curtain Ironing Machine



### 电脑自动窗帘打褶机

Computer Automatic Curtain Pleating Machine



### 电脑窗帘定高裁剪机

Computer Curtain Final Height Cutting Machine



### 电脑窗帘立式自动定型机

Computer Automatic Curtain Vertical Heat Setting Machine



### 箱体式窗帘定型机

Box type curtain heat setting machine



### 电脑窗帘多针缝制机

Computer Multi-needles Curtain Sewing Machine



### 箱式自动同步窗帘包边机

Box-automatic Curtain Hemming Machine



### 电脑花样拼接工艺机

Computer Curtain Joint Overlock Craft Stitching Machine



### 电脑立边工艺机

Computer Splicing Craft Sewing Machine



### 蛇形帘缝制机


S FOLD curtain sewing machine



### 窗帘检验机(LED背光)

Curtain Inspection Machine(LED)

## 全自动窗帘打褶机 RD-DZJ101 Full-automatic Curtain Pleating Machine



### 技术参数 Technical parameter

| 打褶间距            | 打褶高度           | 电力参数                | 需用气压                  | 机器尺寸 (L*W*H)     | 机器重量           |
|-----------------|----------------|---------------------|-----------------------|------------------|----------------|
| Pleated spacing | Pleated height | Electric parameters | Electric parameters   | Machine Size     | Machine weight |
| 10-28CM         | 2-4.5CM        | 220V/1.8KW          | 3-6KG/CM <sup>2</sup> | 1800*1500*1500MM | 420KG          |

### 产品介绍 Product Information

- 采用先进的打褶技术，适合各种布艺窗帘的帘头打褶
- 采用日本进口缝纫机头，质量可靠，性能稳定，可缝纫厚布的褶皱
- 可制作两褶、三褶褶皱、酒杯褶，褶皱深浅度及间距可以调节
- 操作简单，只需在屏幕输入参数，无需繁琐的人工计算，一般工人操作该机器便可制作出标准美观的褶皱，大大提高产品的成品率
- 采用机械手自动打好褶皱，自动送到缝纫机头缝纫，操作安全可靠
- 每分钟可打6-8个褶皱，节约人工成本，提高生产效率
- 采用伺服马达及丝杆控制，计数准确，机器运行平衡，低噪音

- This equipment uses advanced pleated technology, it suitable for making curtain head for all kinds of curtain fabrics.
- Sewing head import from Japan with good performance, quality stable, could pleat for thick fabrics.
- It could make one to three corrugation, depth and with is adjustable.
- It is easy to operate by input date in the screen only, just one staff could finished the products beautifully, it highly improved productivity.
- Using manipulator automatic pleating and automatic carrying fabrics to sew, operate safely.
- Every minute could make 6-8 pcs of corrugations.
- Adopts the servo motor and precision screw to control, it makes accurate, machine working stable and low noise.

## 电脑自动窗帘打褶机 RD-DZJ102 Computer Automatic Curtain Pleating Machine



### 技术参数 Technical parameter

| 打褶间距            | 打褶高度           | 电力参数                | 需用气压                  | 机器尺寸 (L*W*H)     | 机器重量           |
|-----------------|----------------|---------------------|-----------------------|------------------|----------------|
| Pleated spacing | Pleated height | Electric parameters | Electric parameters   | Machine Size     | Machine weight |
| 10-28CM         | 2-4.5CM        | 220V/0.8KW          | 3-6KG/CM <sup>2</sup> | 1600*1300*1000MM | 380KG          |

### 产品介绍 Product Information

- 采用先进的打褶技术，适合各种布艺窗帘的帘头打褶
- 采用日本进口缝纫机头，质量稳定，性能可靠，可缝纫厚布的褶皱
- 可制作、两褶、三褶褶皱，褶皱深浅度及间距可以自由调节
- 只需输入布长，需要完成帘长，打褶个数，机器即可自动计算尺寸，自动调节
- 只需人工辅助，机器自动打褶，自动送到缝纫机头缝纫，操作安全可靠
- 每分钟可打6-8个褶皱，节约人工成本，提高生产效率
- 伺服马达及丝杆控制，计数准确，机器运行平稳
- 采用7寸触摸屏，可视化操作，简单易学
- Using advanced pleating technology, it is suitable for pleating the curtain head of various fabric curtains.
- Adopts imported sewing head, quality stable, could pleat for thick fabrics.
- Single fold, double fold and triple fold can be made. The depth and spacing of folds can be adjusted.
- The machine can automatically calculate the size and adjust the size by inputting the length of the cloth, completing the length of the curtain and the number of pleats.
- Only manual assistance, automatic feeding fabric to sewing machine head sewing, reliable operation, 6-8 folds per minute, saving labor costs, improve production efficiency
- Servo motor and screw control, accurate counting, smooth operation of the machine, low noise
- 7 Inch Touch screen, visual operation, easy to learn

## 自动窗帘打褶机 RD-DZJ103 Automatic Curtain Pleating Machine



### 技术参数 Technical parameter


| 打褶间距             | 打褶高度            | 电力参数             | 气压                    | 机器外观             | 机器重量           |
|------------------|-----------------|------------------|-----------------------|------------------|----------------|
| Pleating spacing | Pleating height | Power parameters | Pressure              | Machine size     | Machine weight |
| 10-28CM          | 2-4.5CM         | 220V/0.8KW       | 3-6KG/CM <sup>2</sup> | 1550*1300*1000MM | 370KG          |

### 产品介绍 Product Information

- 采用简易式安装机架和先进的打褶技术,适合各种布艺窗帘的帘头打褶
- 采用日东缝纫机头,质量稳定,性能可靠,可缝纫厚布的褶皱
- 可制作、两褶、三褶褶皱,褶皱深浅度及间距可以自由调节
- 只需人工辅助,机器自动打褶,自动送到缝纫机头缝纫,操作安全可靠
- 每分钟可打6-8个褶皱,节约人工成本,提高生产效率
- 步进马达及丝杆控制,计数准确,机器运行平稳
- 采用7寸触摸屏,可视化操作,简单易学
- 只需输入布长,需要完成帘长,打褶个数,机器即可自动计算尺寸,自动调节

- Adopt simple mounting frame and advanced pleating technology, suitable for pleating the curtain head of all kinds of cloth curtain
- It adopts ridong sewing machine head, with stable quality and reliable performance, and can sew the folds of thick cloth
- It Can be make two pinch pleats, three pinch pleats, pleat depth and spacing can be adjusted freely
- Only manual assistance, machine automatic pleating, automatic sewing machine head, safe and reliable operation
- It can make 6-8 pinch pleats per minute, saving labor cost and improving production efficiency
- Stepper motor and screw control, accurate counting, the machine runs smoothly
- 7 inch touch screen,easy to learn operation
- Just input the fabric length, need to complete the curtain length, pleating number, the machine can automatically calculate the size, automatic adjustment

## 电脑窗帘定高裁剪机 RD-CGJ40X30 Computer Curtain Final Height Cutting Machine



### 技术参数 Technical parameter


| 裁剪宽度          | 裁切高度           | 电力参数                | 需用气压                  | 机器尺寸 (L*W*H)    | 机器重量           |
|---------------|----------------|---------------------|-----------------------|-----------------|----------------|
| cutting width | cutting height | Electric parameters | Electric parameters   | Machine Size    | Machine weight |
| 3.3M          | 3.5M           | 220V/1.0KW          | 3-6KG/CM <sup>2</sup> | 4000*800*4000MM | 320KG          |

### 产品介绍 Product Information

- 此机器用于窗帘高度的二次裁剪
- 整体框架采用铝合金,不生锈,不变形,经久耐用
- 采用独特的裁剪设计,具有裁剪速度快,切口平整光滑等优点
- 采用PLC及触摸屏控制,只需在屏幕输入高度,无需手工测量尺寸
- 采用高速旋转刀具裁剪布料,切口平整美观
- 采用伺服马达升降,计数准确
- 操作简单方便,只需一人便可完成裁剪工序
- This is Machine is used for Second Cutting of the curtain height.
- The overall framework adopts the Aluminum alloy, no rust and not out of the shape, it is stable.
- Adopt the unique tailoring design to make the cutting speed fast and the incision smoothly.
- Adopts PLC and touch screen, just input Height figures on screen, do without measuring size manually.
- Adopts high speed rotating blade to cut the curtain fabric, it makes the incision smoothly.
- Adopts the servo motor to control up and down, count accurately.
- It is easy to operate, just on staff could finish cutting process.

# 多功能窗帘包边机 RD-PFJ400

## Multifunction Curtain Hemming Machine



### 技术参数 Technical parameter

| 侧边包边尺寸             | 底边包边尺寸              | 电力参数                | 需用气压                  | 机器尺寸 (L*W*H)     | 机器重量           |
|--------------------|---------------------|---------------------|-----------------------|------------------|----------------|
| Side wrapping size | Bottom Hemming size | Electric parameters | Electric parameters   | Machine Size     | Machine weight |
| 3.0/3.5/4.0CM      | 8/10/12/15CM        | 220V/1.2KW          | 3-6KG/CM <sup>2</sup> | 3850*1500*1300MM | 330KG          |


### 产品介绍 Product Information

- ◆ 此机器用于窗帘侧摆及下摆的包边缝纫；也可缝制窗帘布头衬带
- ◆ 采用日本进口缝纫机头，机头采用针杆送布，达到完全同步
- ◆ 桌面采用输送带，自动输送布料；输送带与缝纫机速度同步，缝制的产品平整美观
- ◆ 采用独特新颖的机构，可防止断针、掉线，缝制厚料性能优良；具有自动剪线及自动倒车功能
- ◆ 包边尺寸可调节，可进行多种规格的包边缝制
- ◆ 缝纫机配有拖轮装置，不用手工拉料，且拖轮速度跟输送带及缝纫机同步
- ◆ 可加装拉布机构，增加后张力，便于操作

- ◆ This machine is used for edge cover stitching on curtain side sewing and hem, can also sew curtain head.
- ◆ Sewing head imported from Japan with good performance, quality stable.
- ◆ Desk uses conveyor, convey fabrics automatically speed synchronization conveyor and sewing machine, final products are smooth and beautiful.
- ◆ Adopts unique frame, to prevent broken needle and dropped yarn, good performance on thick fabrics.
- ◆ Covered edge size can be adjustable, it could deal with a variety of specifications.
- ◆ Sewing machine has tug device do without pulling fabrics manually, speed synchronization on tug, conveyor and sewing machine.
- ◆ Easy to operate when it add the spreading construction to expand the tension.

# 电脑窗帘立式自动定型机 RD-DXJ300-31

## Computer Automatic Curtain Vertical Heat Setting Machine



### 技术参数 Technical parameter

| 有效高度             | 额定电压          | 额定功率        | 需用气压                  | 机器尺寸 (L*W*H)     | 机器重量           |
|------------------|---------------|-------------|-----------------------|------------------|----------------|
| Effective height | Rated voltage | Rated power | Electric parameters   | Machine Size     | Machine weight |
| 3.1M             | 380V/50Hz     | 20KW        | 3-6KG/CM <sup>2</sup> | 2000*1100*3600MM | 550KG          |

### 产品介绍 Product Information

- ◆ 一次性可定型最多褶数:31个
- ◆ 铝型材结构,可拆卸式
- ◆ 采用快速加热自动定型,使布料均匀受热定型,冷热风交替工作,使窗帘持久定型
- ◆ 使用电脑可调温度控制器,可根据不同面料设定不同的定型时间及定型温度冷热风交替工作,使窗帘持久定型
- ◆ 采用拉直后热风定型,生产的窗帘波型明显,美观漂亮
- ◆ 采用电脑触摸屏作为操作界面

- ◆ This equipment is used for Finalize the design on curtain wave type,it makes curtain beautiful.After washed, it will still keep the wave shape.
- ◆ Adopts the automatic fast heating to finalize the design, it makes curtain fabric uniform heat, and hot and cold wind exchanged to keep the wave shape lasting.
- ◆ Use the computer to adjust the Temperature controller, it can set the different time and temperature by the different curtain fabric.
- ◆ Adopts the unique cloth frame and the cloth strain frame to let the finalize the design well.
- ◆ Adopts the electric lifting system to make the operate easily.
- ◆ It could add spray device to achieve the good effect at the finalize the design.

## 卧式窗帘定型机 Horizontal Curtain Heat Setting Machine



### 技术参数 Technical parameter

| 额定电压<br>Rated voltage | 额定功率<br>Rated power | 空气压力<br>Air pressure | 机器尺寸 (L*W*H)<br>Machine Size | 机器重量<br>Machine weight |
|-----------------------|---------------------|----------------------|------------------------------|------------------------|
| 380V/50Hz             | 35KW                | 0.4-0.8MPa           | 4000*2000*2500MM(可定制)        | 2500KG                 |

### 产品介绍 Product Information

- ◆ 配有电脑调节温度定型控制器,可根据不同材质面料真空负压定型,定型效果好,设备更加安全
- ◆ 成批式定型,一次可定型多套不同规格的窗帘,效率高,高产量
- ◆ 波浪定型真空负压技术,多次清洗后仍然保持波浪形状,定型效果更持久正真实现记忆定型效果
- ◆ 大门开关轻松灵活,物件装卸速度方便,更快,操作简单
- ◆ 采用节能新技术,使定型后的窗帘更具有垂直感

- ◆ Equipped with computer adjusting temperature setting controller, can be based on different materials of vacuum negative pressure setting, good setting effect, more safe equipment.
- ◆ batch type, one time can set a number of different specifications of curtains, high efficiency, high output.
- ◆ wave setting vacuum negative pressure technology, after many times cleaning still maintain waveshape, the setting effect is more lasting, truly realize the memory setting effect.
- ◆ The door switch is easy and flexible, the loading and unloading speed is convenient, faster, and the operation is simple.
- ◆ Adopt the new technology of energy saving, make the curtain after setting more vertical feeling.

## 箱体式窗帘定型机 Box type curtain heat setting machine



### 技术参数 Technical parameter

| 额定电压<br>Rated voltage | 额定功率<br>Rated power | 空气压力<br>Air pressure | 机器尺寸 (L*W*H)<br>Machine Size | 机器重量<br>Machine weight |
|-----------------------|---------------------|----------------------|------------------------------|------------------------|
| 380V/50Hz             | 18-36KW             | 0.4-0.8MPa           | 4300*1460*2200MM(可定制)        | 800KG                  |

### 产品介绍 Product Information

- ◆ 罐体全部采用压力容器专用合金钢或304不锈钢,配件选用优良产品,充分保证产品质量和运行寿命。
- ◆ 成批式定型,一次可定型多套不同规格的窗帘,效率高,高产量
- ◆ 波通过高温高压达到定型的效果,布艺的垂感更好,褶皱不易因为洗过后而变形。
- ◆ 大门开关轻松灵活,物件装卸速度方便,更快,操作简单
- ◆ 所有程序均由控制系统自动完成。操作简单易学,省时省心省成本。
- ◆ The tank body is all made of special alloy steel for pressure vessels or 304 stainless steel, and the accessories are selected from high-quality products to fully guarantee product quality and operating life.
- ◆ Batch type, one time can set a number of different specifications of curtains, high efficiency, high output.
- ◆ The effect of setting is achieved through high temperature and high pressure, the drape of the fabric is better, and the wrinkles are not easy to be deformed after washing.
- ◆ The door switch is easy and flexible, the loading and unloading speed is convenient, faster, and the operation is simple.
- ◆ All procedures are automatically completed by the control system. The operation is easy to learn, saving time, worry and cost.

## 电脑窗帘拼接锁缝机 RD-SFJ400 Computer Curtain Joint Overlock Stitching Machine



### 技术参数 Technical parameter

| 额定电压<br>Rated voltage | 额定功率<br>Rated power | 需用气压<br>Electric parameters | 机器尺寸 (L*W*H)<br>Machine Size | 机器重量<br>Machine weight |
|-----------------------|---------------------|-----------------------------|------------------------------|------------------------|
| 220V/50Hz             | 1.2kw               | 3-6KG/CM <sup>2</sup>       | 3850*1500*1300MM             | 320KG                  |

### 产品介绍 Product Information

- ◆ 此机器用于窗帘布的拼接缝纫及帘头衬带的缝制
- ◆ 采用进口缝纫机头，质量可靠，性能稳定
- ◆ 桌面采用输送带，自动输送布料，输送带与缝纫机速度同步，缝制的产品平整美观，可进行窗帘布的对花拼接
- ◆ 锁边时有自动修边功能，锁边平整牢固
- ◆ 具有自动剪线及自动倒车功能
- ◆ 缝纫机装有拖轮装置，无需人工拉料，且拖轮跟输送带及缝纫机同步
- ◆ 此机器采用五线缝纫机头，缝制的产品牢固抗拉力强，外观漂亮

- ◆ This Machine is used for sewing stitching and curtain curtain liner band sewing on curtain fabric.
- ◆ Sewing head imported from Japan with good performance, quality stable.
- ◆ Desk uses conveyor, fabric automatically speed synchronization conveyor and sewing machine, final products are smooth and beautiful.
- ◆ With automatic trimming function, overlock is smooth and firm
- ◆ With automatic reverse function.
- ◆ Sewing machine has tug device do without pulling fabric manually, speed synchronization on tug, conveyor and sewing machine.
- ◆ Adopt 5 wires sewing machine head, it makes the product strong and beautiful.

## 电脑窗帘多针缝制机 RD-HBJ100 Computer Multi-needles Curtain Sewing Machine



### 技术参数 Technical parameter

| 最大针距<br>Max stitch distance | 额定电压<br>Rated voltage | 额定功率<br>Rated power | 需用气压<br>Electric parameters | 机器尺寸 (L*W*H)<br>Machine Size | 机器重量<br>Machine weight |
|-----------------------------|-----------------------|---------------------|-----------------------------|------------------------------|------------------------|
| 可调节                         | 220V/50Hz             | 0.8KW               | 3-6KG/CM <sup>2</sup>       | 1680*1300*1200MM             | 160KG                  |

### 产品介绍 Product Information

- ◆ 用于窗帘花边、窗帘帘头衬带、魔术扣、捆绳的缝制
- ◆ 采用多针机头，可一次性同时缝制多道线，简化加工工序，提高生产效率
- ◆ 可根据花边或衬带的宽度选择合适的双针针距
- ◆ 带上下滚动的拖轮机构，令操作更方便
- ◆ 采用输送带式送布装置，输送带跟拖轮、缝纫机同步，令缝制的产品美观漂亮
- ◆ 配上不同的定制卷边器，可完成多种花边及窗帘衬带的缝制工艺
- ◆ It used for sewing on curtain lace, curtain tip, magic button and baling twine.
- ◆ Adopt spininess machine head, it can sewing many wires at the same times, and highly improved the efficiency of the product.
- ◆ It can choose the suitable double stitch length by the width of the lace or curtain tip.
- ◆ With tug device, it makes easily operate.
- ◆ Adopts conveyor device, conveyor fabrics automatically speed synchronization conveyor and sewing machine, it makes products beautiful.
- ◆ It can finish kinds of laces and curtain tip by different hemmer.

# 电脑窗帘暗缝机 RD-AFJ400 Computer Curtain Blind Stitch Machine



## 技术参数 Technical parameter


| 额定电压          | 额定功率        | 需用气压                  | 机器尺寸 (L*W*H)     | 机器重量           |
|---------------|-------------|-----------------------|------------------|----------------|
| Rated voltage | Rated power | Electric parameters   | Machine Size     | Machine weight |
| 220V/50Hz     | 1.2KW       | 3-6KG/CM <sup>2</sup> | 3850*1500*1300MM | 320KG          |

## 产品介绍 Product Information

- ◆ 此机器用于窗帘侧摆及下摆的暗线包边缝纫
- ◆ 采用暗缝挑脚衣车，适合做暗缝工艺的窗帘；缝制的窗帘正面无缝纫线
- ◆ 采用进口缝纫机头，质量可靠，性能稳定
- ◆ 桌面采用输送带，自动输送布料；输送带与缝纫机速度同步，缝制的产品平整美观
- ◆ 针对不同厚度的布料可方便地调节挑脚缝纫的深度
- ◆ 缝纫机配有拖轮装置，不用手工拉料，且拖轮速度跟输送带及缝纫机同步

- ◆ This machine is used for edge cover stitching on curtain side sewing and hemming, can also sew non-woven belt of curtain head.
- ◆ Used blind-stitch sewing machines, sewing craft for dark curtain;
- ◆ Sewing head imported from Japan with good performance, quality stable.
- ◆ Desk uses conveyor,convey fabrics automatically, speed synchronization one convey or and sewing machine, final products are smooth and beautiful.
- ◆ Adopts unique frame, to prevent broken needle and dropped yarn, good performance on thick fabrics.
- ◆ Sewing machine has tug device do without pulling fabrics manually, speed synchronization on tug, conveyor and sewing machine.

# 箱式自动同步窗帘包边机 RD-PFJ600X Box-automatic Curtain Hemming Machine



## 技术参数 Technical parameter

| 额定电压          | 额定功率        | 需用气压                  | 机器尺寸 (L*W*H)     | 机器重量           |
|---------------|-------------|-----------------------|------------------|----------------|
| Rated voltage | Rated power | Electric parameters   | Machine Size     | Machine weight |
| 220V/50Hz     | 0.8KW       | 3-6KG/CM <sup>2</sup> | 6000*1500*1000MM | 280KG          |

## 产品介绍 Product Information

- ◆ 此机器用于窗帘侧边及底边的包边缝纫
- ◆ 采用箱车式放料架，可多层布料叠放在一起，箱车跟缝纫机速度同步前进，缝完后箱车可自动退回原位
- ◆ 适用于外贸订单及工程订单的生产，是传统生产模式的数倍生产效率
- ◆ 采用上下牙同步的日本进口缝纫机头，缝纫的产品平整漂亮
- ◆ 具有自动剪线及自动倒车功能
- ◆ 缝纫机配有自动布料感应拖轮装置，不用手工拉料，且拖轮速度跟箱车及缝纫机同步
- ◆ This machine is used for edge cover stitching on curtain side sewing and hemming.
- ◆ Adopts Box-Car to feed the curtain;it can stack up layer of the curtain;the Box-Car and the sewing machine forward with the same speed;when it finished the Box-Car will come back automatically.
- ◆ Suitable for Foreign trade order and Engineering order, because it has few times the production efficiency to compare with traditional production.
- ◆ Adopts the sewing head which imported from Japan, it makes the product beautiful.
- ◆ With automatic trimming and automatic astern functions
- ◆ Sewing machine has tug device do with out pulling fabrics manually,speed synchronization on tug, conveyor and sewing machine.

## 小型窗帘包边机 RD-PFJ100 Curtain Hemming Sewing Machine



### 技术参数 Technical parameter


| 额定电压<br>Rated voltage | 额定功率<br>Rated power | 需用气压<br>Electric parameters | 机器尺寸 (L*W*H)<br>Machine Size | 机器重量<br>Machine weight |
|-----------------------|---------------------|-----------------------------|------------------------------|------------------------|
| 220V/50Hz             | 0.8KW               | 3-6KG/CM <sup>2</sup>       | 1680*1300*1200MM             | 160KG                  |

### 产品介绍 Product Information

- ◆ 此机器用于窗帘侧边及底边的包边缝制
- ◆ 采用输送带辅助布料的输送，令工人操作轻松省力
- ◆ 采用进口缝纫机头，质量可靠，性能稳定
- ◆ 输送带跟缝纫机同步，确保缝制的产品平整美观
- ◆ 采用进口机头，性能稳定，缝制产品时噪音小
- ◆ 此机器体积小，节省机器的占地面积，便于灵活操作

- ◆ This machine is used for edge cover stitching on curtain side sewing and hemming.
- ◆ Adopts conveyor,convey fabrics automatically.
- ◆ Sewing head imported from Japan with good performance, quality stable.
- ◆ Speed synchronization on conveyor and sewing machine, final products are smooth and beautiful.
- ◆ Sewing head imported Japan with good performance, quality stable, sewing products with little noise
- ◆ This machine is small , save space, easy operate.

## 电脑花样拼接工艺机 RD-HPJ100 Computer Curtain Joint Overlock Craft Stitching Machine




### 技术参数 Technical parameter

| 额定电压<br>Rated voltage | 额定功率<br>Rated power | 需用气压<br>Electric parameters | 机器尺寸 (L*W*H)<br>Machine Size | 机器重量<br>Machine weight |
|-----------------------|---------------------|-----------------------------|------------------------------|------------------------|
| 220V/50Hz             | 0.8KW               | 3-6KG/CM <sup>2</sup>       | 1680*1300*1200MM             | 160KG                  |

### 产品介绍 Product Information

- ◆ 此机器用于窗帘布的花式拼接包缝工艺；
- ◆ 桌面采用输送带，自动输送布料；输送带与缝纫机速度同步，缝制的产品平整美观；
- ◆ 缝纫机装有拖轮装置，无需人工拉料，且拖轮跟输送带及缝纫机同步；
- ◆ 带自吸式余料收集装置；
- ◆ 可以适用不同的面料，绒布，纱布的缝制，操作轻松简单，比传统工艺提升几倍的效率。
- ◆ 可通过更换卷边拉筒，实现不同工艺要求的拼接，拼接效果完美。
- ◆ This Machine is used for sewing stitching overlock curtain liner band sewing on curtain fabric.
- ◆ Desk uses conveyor, fabric automatically speed synchronization conveyor and sewing machine, final products are smooth and beautiful.
- ◆ Sewing machine has tug device do without pulling fabrics manually,speed synchronization on tug, conveyor and sewing machine.
- ◆ With self suction residual collection device;
- ◆ It can be applied for difference fabric sewing, operating easily,a higher degree of efficiency than traditional.
- ◆ It can realize the splicing of different process requirements by changing the crimping roller, and the splicing effect is perfect.

## 电脑拼接工艺机 RD-BFJ100 Computer Splicing Craft Sewing Machine



### 技术参数 Technical parameter

| 额定电压          | 额定功率        | 需用气压                  | 机器尺寸 (L*W*H)     | 机器重量           |
|---------------|-------------|-----------------------|------------------|----------------|
| Rated voltage | Rated power | Electric parameters   | Machine Size     | Machine weight |
| 220V/50Hz     | 0.8KW       | 3-6KG/CM <sup>2</sup> | 1680*1300*1200MM | 160KG          |

### 产品介绍 Product Information

- ◆ 此机器用于窗帘布的拼接包缝工艺；
- ◆ 桌面采用输送带，自动输送布料；输送带与缝纫机速度同步，缝制的产品平整美观；
- ◆ 缝纫机装有拖轮装置，无需人工拉料，且拖轮跟输送带及缝纫机同步；
- ◆ 带自吸式余料收集装置；
- ◆ 可以适用不同的面料，绒布，纱布的缝制，操作轻松简单，比传统工艺提升几倍的效率。

- ◆ This Machine is used for sewing stitching overlock curtain liner band sewing on curtain fabric.
- ◆ Desk uses conveyor, fabric automatically speed synchronization conveyor and sewing machine, final products are smooth and beautiful.
- ◆ Sewing machine has tug device do without pulling fabrics manually, speed synchronization on tug, conveyor and sewing machine.
- ◆ With self suction residual collection device;
- ◆ It can be applied for difference fabric sewing, operating easily, a higher degree of efficiency than traditional.

## 电脑立边工艺机 RD-LBJ100 Computer Splicing Craft Sewing Machine




### 技术参数 Technical parameter

| 额定电压          | 额定功率        | 需用气压                  | 机器尺寸 (L*W*H)     | 机器重量           |
|---------------|-------------|-----------------------|------------------|----------------|
| Rated voltage | Rated power | Electric parameters   | Machine Size     | Machine weight |
| 220V/50Hz     | 0.8KW       | 3-6KG/CM <sup>2</sup> | 1200*1000*1200MM | 160KG          |

### 产品介绍 Product Information

- ◆ 此机器用于窗帘布的立边花样工艺；
- ◆ 桌面采用输送带，自动输送布料；输送带与缝纫机速度同步，缝制的产品平整美观；
- ◆ 缝纫机装有拖轮装置，无需人工拉料，且拖轮跟输送带及缝纫机同步；
- ◆ 可以适用不同的面料，绒布，纱布的缝制，操作轻松简单，比传统工艺提升几倍的效率。
- ◆ 可包侧边，拼接，卷底边，通过更换包边拉筒，可缝制不同尺寸。
- ◆ This machine is used for edge cover stitching on curtain side sewing and hemming.
- ◆ Desk uses conveyor, fabric automatically speed synchronization conveyor and sewing machine, final products are smooth and beautiful.
- ◆ Sewing machine has tug device do without pulling fabrics manually, speed synchronization on tug, conveyor and sewing machine.
- ◆ It can be applied for difference fabric sewing, operating easily, a higher degree of efficiency than traditional.
- ◆ It can wrap, splice and roll the bottom edge. It can sew different sizes by changing the wrapping roller. It can realize the splicing of different process by changing the crimping roller, and the splicing effect is perfect.

## 电脑花边工艺机 RD-HBJ100 Computer Curtain Lacing Craft Stitching Machine



### 技术参数 Technical parameter


| 最大针距                | 额定电压          | 额定功率        | 需用气压                  | 机器尺寸 (L*W*H)     | 机器重量           |
|---------------------|---------------|-------------|-----------------------|------------------|----------------|
| Max stitch distance | Rated voltage | Rated power | Electric parameters   | Machine Size     | Machine weight |
| 12CM                | 220V/50Hz     | 0.8KW       | 3-6KG/CM <sup>2</sup> | 1200*1000*1200MM | 160KG          |

### 产品介绍 Product Information

- ◆ 用于窗帘侧边的花边工艺缝制；
- ◆ 采用多针机头，可一次性同时缝制多道线，简化加工序，提高生产效率；
- ◆ 可根据花边或衬带的宽度选择合适的双针针距；
- ◆ 带上、下滚动的拖轮机构，令操作更方便；
- ◆ 采用输送带式送布装置，输送带跟拖轮、缝纫机同步，令缝制的产品美观漂亮；
- ◆ 配上不同的定制卷边器，可完成多种花边及窗帘衬带的缝制工艺；
- ◆ 可以适用不同的面料，绒布，纱布的缝制，操作轻松简单，比传统工艺提升几倍的效率。

- ◆ It used for sewing on curtain lace , curtain tip , magic button and baling twine .
- ◆ Adopt "RiDong"spininess machine head, it can sewing many wires at the same times, and highly improved the efficency of the product.
- ◆ It can choose the suitable double stitch length by the width of the lace or curtain tip.
- ◆ With tug device,it makes easily operate.
- ◆ Adopts conveyor device,conveyor fabrics automatically speed synchronization conveyor and sewing machine, it makes products beautiful.
- ◆ It can finish kinds of laces and curtain tip by different hemmer.
- ◆ There are many machine head could be selected, can be applied for difference fabric sewing,operating easily,a higher degree of efficiency than traditional.

## 蛇形帘缝制机 RD-SFL100 S FOLD Curtain Sewing Machine




### 技术参数 Technical parameter

| 额定电压          | 额定功率        | 机器尺寸 (L*W*H)     | 机器重量           |
|---------------|-------------|------------------|----------------|
| Rated voltage | Rated power | Machine Size     | Machine weight |
| 220V/50Hz     | 0.8KW       | 1680*1300*1200MM | 160KG          |

### 产品介绍 Product Information

- ◆ 此机器用于蛇形帘缝制，缝制速度快，效果好。
- ◆ 采用输送带，同步布料输送，操作轻松，省力。
- ◆ 采用日本进口双针缝纫机头，质量可靠，性能稳定。
- ◆ 输送带与缝纫机精准同步，确保缝制产品平整美观。
- ◆ 此机器体积小，噪音低，占地面积小，操作灵活。
- ◆ This machine is used for S Form sewing, the sewing speed is fast, the effect is good.
- ◆ Adopt conveyer belt, synchronous conveyer, easy operation and labor saving.
- ◆ Sewing machine head imported from Japan, reliable quality and stable performance.
- ◆ The conveyor belt is synchronized with the sewing machine precisely to ensure final products smooth and beautiful.
- ◆ The machine size is small, low in noise, save floor space and flexible in operation.

## 竖裁机 RD-SCJ310 Vertical Cutting Machine



### 技术参数 Technical parameter

| 额定电压          | 额定功率        | 机器尺寸 (L*W*H)    | 最大有效裁切高度         | 机器重量          |
|---------------|-------------|-----------------|------------------|---------------|
| Rated voltage | Rated power | Machine Size    | Max cutting high | Machine weigh |
| 220V/50Hz     | 1200KW      | 1800*800*3500MM | 3.1M             | 350KG         |

### 产品介绍 Product Information

- ◆ 该设备广泛用于高端窗帘定制，高精度裁剪，直角裁剪，速度快。
- ◆ 采用进口电控系统控制，进口电气元件装配，确保设备稳定性。
- ◆ 采用精加工刀片，进行裁断，自动回刀，裁切速度快。
- ◆ 可根据缝制要求，对花裁剪。
- ◆ 电脑控制，可根据不同尺寸裁切，大大提高生产效率。
- ◆ 电气配合，电脑系统集成，解决对人工的依赖。

Vertical cutting machine function and characteristics

- ◆ This equipment is widely used in high-end curtain customization, high-precision cutting, and fast cutting.
- ◆ Adopt imported electronic control system, imported electrical component assembly to ensure stability.
- ◆ Automatic knife return, fast cutting.
- ◆ Curtain matching cutting according to the sewing requirements.
- ◆ Computer control, cutting different sizes, greatly improving production efficiency.
- ◆ Electric and air coordination, computer system integration, liberation of labor.

## 窗帘检验机 (LED背光) RD-YBJ300 Curtain Inspection Machine (LED)



### 技术参数 Technical parameter

| 额定电压          | 额定功率        | 机器尺寸 (L*W*H)     | 最大有效高度   | 最大有效宽度        | 机器重量           |
|---------------|-------------|------------------|----------|---------------|----------------|
| Rated voltage | Rated power | Machine Size     | Max high | Maximum width | Machine weight |
| 220V/50Hz     | 1000W       | 3200*1200*3200MM | 3M       | 3M            | 280KG          |

### 产品介绍 Product Information

- ◆ 精心设计,智能电控,操作简单,上手快。
- ◆ 采用进口伺服系统,进口电气元件,确保稳定性。
- ◆ 自带LED背光功能,不伤眼睛,快速对成品帘检验。
- ◆ 同时支持罗马环,S钩吊挂形式,多用途。
- ◆ 可对高低、尺寸、瑕疵等,精准检验,确保品质。
- ◆ Intelligent electronic control, easy to operate.
- ◆ Imported servo system, imported electrical components to ensure stability.
- ◆ With LED backlight function, do not hurt the eyes, quicklycheck the finished curtain.
- ◆ It is multi-purpose that can support Roman ring and S hook hanging
- ◆ Accurately check the height, size, and flaws of the curtains to ensure quality

# 窗帘自动整烫机 RD-ZTJ300

## Automatic Curtain Ironing Machine



### 技术参数 Technical parameter

| 额定电压          | 额定功率        | 需用气压                  | 机器尺寸 (L*W*H)    | 机器重量           |
|---------------|-------------|-----------------------|-----------------|----------------|
| Rated voltage | Rated power | Electric parameters   | Machine Size    | Machine weight |
| 380V/50Hz     | 3KW         | 3-6KG/CM <sup>2</sup> | 3500*900*1900MM | 330KG          |

### 产品介绍 Product Information

- ◆ 省去工人整理布料时间, 布料通过传输带同步传输。
  - ◆ Save the time for workers to arrange the cloth, and the cloths synchronously transmitted through the conveyor belt.
- ◆ 布料可以整面360度无死角熨烫, 特别适合客户对窗帘进行精烫。
  - ◆ The fabric can be ironed on the whole surface 360 dearees without dead ends, which is especially suitable for customers to finish ironing curtains.
- ◆ 面料同步传输, 可以起到检查布料的效果, 布料任何瑕疵可以清晰检查出来。
  - ◆ The fabric is transmitted synchronously, which can check the fabric and any defects in the fabric can be cleared. Check it out clearly.
- ◆ 如果大批量熨烫, 可以接两个熨斗, 双人左右熨烫。
  - ◆ If you are ironing in large quantities, you can connect two irons and iron around for two people. After skilled operation, The efficiency is 3-4 times that of ordinary ironing method, which greatly improves ironing efficiency and reduces labor cost.



# 服务分布图

# 至诚的服务

