

GLOBE MACHINE



GT



XIAMEN GLOBE MACHINE CO.,LTD.

XIAMEN GLOBE TRUTH TECHNOLOGY CO.,LTD.

XIAMEN GLOBE TRUTH(GT)INDUSTRIES CO.,LTD.

ADD: #704, No.2362, Fangzhong Road, Xiamen, Fujian, China, 361009

Tel: 0086-592-5889471 , 5889473 , 5889475

Web: www.bestpartscn.com www.xmgt.net

E-mail: sunny@xmgt.net xmgt sunny@gmail.com


Sunny Mob/Whatsapp: +86 138 6043 9542

GT[®]

GLOBE MACHINE

XIAMEN GLOBE MACHINE CO.,LTD.

■ www.bestpartscn.com ■ www.xmgt.net



SINCE 1998  **GOLD SUPPLIER**

Since 1998  Gold Supplier

GLOBE MACHINE

XIAMEN GLOBE MACHINE CO.,LTD.
XIAMEN GLOBE TRUTH TECHNOLOGY CO.,LTD.
XIAMEN GLOBE TRUTH(GT)INDUSTRIES CO.,LTD.

COMPANY PROFILE

Professional and Reliable -- Manufacturer of MS brand undercarriage parts

Our company established in 1998, for more than 26 years international trading experience in a wide range of Construction Machine Spare Parts and Auto Spare Parts field. We are the No.1 quality undercarriage parts manufacturer in Quanzhou area. Our factory, covers an area of 34,000 square meters 105 employees.

World Wide Sales Market

Cooperate with different clients from more than 80 countries around the world. Our mainly market are USA, Russian, Europe, Mid-east, South America, Australia and South East Asia etc..

includes:

Such as Undercarriage Parts, Track Shoe/link, Bolt/Nut, Ground Engaging Tools, Hydraulic Parts, and Other Construction Machinery Parts etc.

Advantages:

1. Quality guarantee and Technical support.
2. Manufacturer of undercarriage parts, Factory sell directly.
3. OEM to famous brand in the world.
4. Best Service and Reasonable Price!




ISO 14001:2004



ISO 9001:2008



GB/T 28001-2001



Email:sunny@xmgt.net xmgt sunny@gmail.com

www.bestpartscn.com www.xmgt.net Whatsapp: +86 138 6043 9542

01



Workshop



**Our Factory Has Passed ISO 9001:2008 ISO 14001:2004
 International Quality Management System**



GT[®]



Check and Control


65% parts are checked during the production, 100% parts are controlled before moved to the warehouse.



Track Adjuster Assy



Excavator Track Adjuster Assy




Model	OEM	Model	OEM
CAT320C	194-1229	PC200-6	20Y-30-12110
CAT345C / 345BL	194-1252	CAT330D	239-4322
PC120-6	203-30-66250	ZX350D LC	9243535
CX210B	KRA10170	PC490LC-11	208-30-21430
PC300-7	207-30-74141	D31PX-21	113-30-34211




Bulldozer Track Adjuster

Model	Description
D31PX-22	113-30-34211
D51EX-22	124-30-64110
D61EX-12	134-30-63162
D65EX-12	14Y-30-11373
D65EX-15	14Z-30-31111
D65EX-16	14X-30-51561
D85EX-15	154-30-73130




Track Roller Assy



Track Roller Ref. Tech Data

No.	Ref.Number	P/W (KG)	ØA	ØB	C	D	E	F	G	ØH	I	ØL	M	Model
01	MBR05011	20.3	141	170	146	186	250	285	213	50	47	17	89	EX100
02	MBR05023	35.5	155	190	175	219	290	228	244	60	62.5	19	101.6	EX200-2
03	MBR07032	52.1	180	216	196	250	320	380	256	65	69	21.5	114	PC300-6
04	MBR07042	75.2	200	240	210	278	290	424	290	80	80	24	136	PC400-6
05	MBR07002	16.9	130	154	106	140	204	238	154	50	44	16	90	PC60-5
06	MDR00191	122	298	255	244	294	408	503	321	122	39	140	26	D155
07	MDR00170	70	258	221	210	252	380	452	306	-	36	136	21.5	D80
08	MDR00100	15.5	157	135	105	134	194	254	147	-	18	82	16	D20

Carrier Roller Assy




Carrier Roller Ref. Tech Data

No.	Ref.Number	P/W (KG)	A	B	C	D	ØE	ØF	ØG	I	ØL	M	N	P	Model
01	MTR20071	42.7	98	201	361.7	111	57.15	190	222	-	-	-	-	-	D7G
02	MTR07021	21.46	84	170	297	72	55	10	165	-	-	-	-	-	PC200-5
03	MTR05001	3.4	95	-	131.5	-	30	80	-	-	-	-	-	-	ZAX30



Idler Assy




Idler Ref. Tech Data

No.	Ref.Number	P/W (KG)	ØA	ØB	ØC	D	E	F	G	K	ØL	M	N	Q	Model
01	MIR01031	245	675	634	85	200	100	270	392	-	M20	60	350	135	E330
02	MDI00180	620	931	885	95	266	127	-	627	642	M20	120	355	-	D355

KOMATSU	D21P-6	D31P-18	D37EX-21	D41P-6	D50	D51EX-22	D85EX-15	D155AX-3-5-6	D275AX-5
	D61EX-12	D61EX-12	D65E-8	D68ESS-12	D85A-18	D85P-21	D155A-1	D155A-6	D355-3-5
CAT	D3C	D4D	D4H/D5M(F-500)	D4H/D5M(S-475)	D5H/D6M	D5/D5B	D8N/R/T(S-620)	D8K	D10N
	D6D	D6H(S-545)	D6H(F-570)	D7G	D7H/R(S-585)	D7H/R(F-628)	D8N/R/T(F-698)	D9N	D11N


Segment Group



Part No.	Teeth Qty	Pitch(mm)	ØD	H1	H2	Model
14X-27-15112	3	203	23.5	87	20	D65
6T4179	5	203	17.8	80	16	D6D
7T9773	5	216	20.8	88	19	D8N
195-27-12467	3	260.35	26	114	31	D355
KOMATSU	D65,D6D	D68ESS-12	D80,D85	D155	D355	D375
CAT	D6N,D6M	D6C,D6D	D6R,D6H	D7F/D7G	D7H /D8N	D8K

Track Chain Assy & Bushing Pin



GT[®]



Lubricated Track Chain				
KOMATSU	D20	D31	D37	D39
	D51	D61	D65	D80
	D85	D155	D375	D475
CAT	D3C	D4D	D5H	D6D
	D6H	D7G	D7H	D8N/R/T
	D9N/R/T	D10N/R/T	D11N	

Dry Track Chain				
KOMATSU	PC20	PC30	PC40	PC60
	PC100	PC120	PC200	PC300
	PC400	PC600	PC800	PC1250
CAT	E70	E110	CAT320	CAT325
	CAT330	CAT345	CAT349	
HITACHI	EX30	EX60	EX200	EX400


Track Shoe



NO.	Model	OEM	Berco	ITM	Dimension(mm)											L
		Part.no				Pitch	B	B1	C	E	F	D	K	M	N	
01	PC60-3/5	201-32-111	KM908	Z4021300N0610	135	Ø12.5	Ø14	43	72	99		19.5	152	6	600	
02	EX100-3/5	2037093	CR4835	Z1549300N0500	171	Ø16.3		60.4	108	108	108	26.5	188	8	500	
03	CAT320	1265061	CR360	Z01193C0N0500	190	Ø21		69	119.6	155.6		34.5	219	8	500	
04	PC200-1/2/3	KM1080/500	HT298	Z4012300N0500	190	Ø18.5		62	124	160.4		36	219	10	500	
05	D6D	759557	CR2084/20	Z01061P0N0510	203	Ø19.5		76.2	133.3	173.3		77	232.5	12	560	
06	D65E-12	14X-32-11110	KM2093/510	Z40651E0N0510	203	Ø20.5		72.1	138.3	178.3		77	232.5	12	510	

Cutting Edge / Blade

GT[®]



Bolt/Nut



GT Grader Blades

Part No.	Cutting Edge Thickness		Edge Width		Edge Length		Bolts per Edge	Nuts per Edge
	in	mm	in	mm	Ft.	m		
8D2786	1/2	13	6	152	6'	1.828	3F5108(13)	4K0367(13)
4T2968	5/8	16	8	203	6'	1.828	3F5108(13)	4K0367(13)
5D9732	3/4	19	8	203	8'	2.438	3F5108(17)	4K0367(17)
5D9559	3/4	19	8	203	7'	2.133	3F5108(15)	4K0367(15)
7D1577	3/4	19	8	203	7'	2.133	3F5108(15)	4K0367(15)
4T6508	1	25	10	254	7'	2.133	4F7827(17)	2J3506(17)
9J7701	5/8	16	8	203	6'	1.828	3F5108(13)	4K0367(13)
4T2242	1	25	8	203	7'	2.133	3F5108(13)	4K0367(15)

Bucket

Bucket Series

Brand	Bucket Capacity(m3)	Materials Match
KOMATSU	0.12-5.5 m3	High-strength Wear-resistant Plate+16MN +excellent tooth adapters, bucket teeth
DOOSAN		
HITACHI		
KOBELCO		
CATERPILLAR		
JCB		
HYUNDAI		
KATO		
SUMITOMO		



Other Bucket



Rock Bucket



Screening Bucket



Crusher Bucket



Grab




Grab



Grab

Bucket Teeth(Casting and Forging)

GT[®]

PIC			Style		
	202-70-12130	PC120	STANDARD	4	8.82
	20X-70-23161	PC100		2.2	4.85
	208-70-14152	PC400		9.7	21.38
	205-70-19570RC	PC200	ROCK	5.4	11.9
	207-70-14151RC	PC300	CHISEL	8.5	18.74
	1U3302SYL	J300	SYL	4.8	10.58
	9N4302	J250	ABRASION	3.9	
	6Y3224	J225	STANDARD	4	8.6
	3T1220(4.0CM)	280	STANDARD	11.5	25.35
	E161-3027	R210	ABRASION	4.5	9.92

PIC	OEM		Length	
	205-70-19570	PC200RC	265	5.8
	205-70-19570	PC200TL	301	5.4
	207-70-14151	PC300RC	310	10
	207-70-14151	PC300RC(Q)	305	8.5
	208-70-14152	PC400RC	345	14
	2713-1217	DH220RC	257	5.7
	2713-1219	DH300RC	288	7.8



Teeth Pin & Bushing



Single Shanks with Teeth



5 Shanks with Teeth



Rock Drilling Bits



Mining Tools-Cutting Pick



Drilling Tools-Cutting Pick

Compact Track Loaders Undercarriage Parts



• BOBCAT • CASE • CAT • JOHN DEERE • NEW HOLLAND

Drilling Rig /Rig Undercarriage Parts




• SUMITOMO • XCMG • IHI • ZOOMLION • SANY • HITACHI • KOBELCO • QUY

12

Email:sunny@xmgt.net xmgt sunny@gmail.com

Hydraulic Parts

GT[®]



Quick Hitch Coupler



Long Reach Boom and Arm



Breaker Chisel




Hydraulic Breaker

www.bestpartscn.com www.xmgt.net Whatsapp: +86 138 6043 9542

13

Slewing Ring Bearing



Brand	Model					
CATERPILLAR	CAT120-8	CAT215	CAT308	CAT320	CAT345BL	CAT349
KOMATSU	PC100-5	PC120-3	PC200-8	PC300-2	PC450-5	PC650LC-8
HYUNDAI	R60-5	R110-7	R130-5	R200-5	R210-7	R485LC-9T
KOBELCO	SK100	SK120-3	SK200-8	SK250-6	SK300-3	SK460-8
DAEWOO DOOSAN	DH-30T	DX150	DX260	DX380	DX420LC	DX500LC-9C
HITACHI	EX60-5	EX100	ZX120	ZX210	ZX330	ZX450
XCMG	XE18	XE40	XE210	XE260	XE370	XE470
ZOOMLION	ZE150E	ZE230E	ZR280C	ZE360E	ZE480E	ZE1250E
LIUGONG	CLG-20(86T)	CLG200-3	CLG908	CLG915	CLG225-5	CLG948
SANY	SY130	SY215	SY285	SY335	SY465	SY700C

Bogie Pin & Bogie Minor



Bogie Minor



Bogie Pin

Bogie Pin

Model	Weight(kg)
D8N/D8R/D8T/D9N/D9R	5.88
D9L/D10N/D10R	7.94
D11	12.97
D155AX-6	4.94
D275-5	5.66
D375-A5	8.35
D375-A6	8.17
D475-A5	18.55


Bogie As. Minor

Model	Weight(kg)
D8N/D8R/D8T	14.24
D9N/D9R	14.69
D9R	14.65
D9R	16.50
D9L/D10N	25.62
D10R	24.40
D10R	27.66
D11T	39.19


Rubber Track

GT[®]

WIDTH




PITCH



Type	Type	Type	Size
150x72x33	180x60x47	180x72x37	150x72p
180x72x43	190x72x39	200x72x41	180x60p
230x48x66	230x48x68	230x48x70	180x70p
230x48x74	230x72x42	230x72x43	190x72p
230x72x45	230x96x31	230x96x33	200x72p
230x96x35	230x96x37	250x48.5x84	230x72p
250x52.5x72	250x52.5x76	250x52.5x80	250x72p

Rubber Track Pad



Type	H	Pitch	L*W*H	Bolt	D*d
230BB	16	101	230*70*37	M12*25	170*0
250BA	16	101	250*70*37	M12*25	200*0
300BA	101	16	300*70*37	M12*25	200*0
300BB	101	16	300*70*37	M12*25	200*0
450BA	135	14	450*106*37	M12*25	350*46
400BA	135	14	400*106*37	M12*25	300*46
500BA	171	20	500*136*54	M16*30	400*60
600BA	190	26	600*140*67	M20*35	400*69

Other Series



Track Press

GT®

Twin Ram Hydraulic Track Link Press Machine

250Tons. Fix different pitches(<228mm) of track links like PC60~PC400,D2~D8 etc.

300Tons. Fix different pitches(<260mm) of track links like PC60~PC800,D2~D10 etc.

Hydraulic Press Machine

Rolling Machine



(Motor 3KW / 3PHS)
1300mmx880mmx1300mm

Separating Mould 2pcs



Supply 6 moulds for different pitch
(154,171,175,190,203,216mm)

Frames



3pcs square benches
2000mmx550mmx800mm

Moulds



(Motor 5.5KW / 3PHS)
1900mmx530mmx1350mm

Portable Hydraulic Track Press

300Kgs / 0.45CBM

Mould



C-type Track Press



Portable Boring Machine