


RETRO SERIES

www.lamarty-cn.com

LAMARTY

RETRO SERIES



RESHAPING THE GRAIN OF TIME

Retro is a tribute to the natural
evolution of wood

Lamarty Retro Series selects premium timbers globally
accelerating the texture of time
through unique
"Smoked" and "Brushed" processes

14 meticulously crafted textures
turn every wall into a narrative poem of
forest, light, and shadow

The advantages of Lamarty

More than just a wall

it is a medium for the dialogue between light, shadow, and space.

Whether for **Mid-Century Modern residential interiors** or **artistic commercial projects**

the Retro Series fits perfectly

Every panel in the Lamarty Retro Series begins with the selection of premium-grade Oak

ARCHITECTURAL STABILITY

Curated premium Oak with authentic fiber texture. Paired with high-performance cores, it ensures architectural-grade stability for 3050mm installations, permanently eliminating warping.

BREAKING INDUSTRIAL MONOTONY

We believe in the beauty of imperfection. Offering both Mixed and Random Splicing techniques, our panels replicate the authentic, organic rhythm of a forest. This artisanal approach eliminates repetitive visual patterns, giving your walls a unique, living character.

DEEP BRUSHED TEXTURE

0.5mm and 1.0mm veneer thicknesses, our Deep Brushed finish awakens the tactile soul of the wood. It is not just a visual effect; it is a sensory journey that allows you to feel the raw, warm texture of authentic timber at your fingertips.



Collection overview

Natural Collection

Returning to organic origins
a tribute to
the true essence of life





Pure Oak

Retro Series
FG001



Pure and transparent, free from redundant ornamentation. It captures the primal fibers of top-tier virgin oak, offering a fresh and warm tonality.

In minimalist residences or open-plan living areas, it defines the spatial foundation. Beyond visual clarity, it establishes a stress-free balance on an architectural scale, returning the environment to its primal purity.



Raw Oak

Retro Series
FG002



Revealing the unpolished beauty of oak. The irregular rhythm of the grain and subtle knots allow every wall to possess the primal breath of a forest.

Perfectly suited for mountain-style hotels, raw-wood interiors, or commercial environments pursuing a natural narrative. By faithfully restoring the primal tactile experience, this material implants an evocative natural epic into the skeletal framework of modern architecture.

Dawn Oak

Retro Series
FG003



Inspired by the morning light filtering through the forest. The tones are bright and airy, as if the panels possess an inherent radiance.

In environments requiring a sense of luminosity, Dawn Oak elevates the visual dimension. It creates an illusion of flowing light and shadow on physical surfaces, manifesting a spatial mood filled with modern vigor and enduring vitality.



Misty Oak

Retro Series
FG004



Like the first rays of dawn piercing through an oak forest. The tones are bright and airy, as if the panels themselves possess an inherent radiance. In environments that demand psychological luminosity, Dawn Oak effectively elevates the vitality of the visual dimension.

It constructs an illusion of flowing light and shadow upon the physical surface, manifesting a spatial mood defined by modern vigor and enduring vitality.





Dusk Oak

Retro Series
FG005



A twilight hue suspended between deep grey and warm coffee—profound, restrained, and rich in layers. Perfectly curated for media rooms, cigar lounges, or executive suites.

It delicately traces the annual rings of oak within the shadows, evoking an intense sense of intimacy. When paired with a specific lighting logic, it generates a visual impact as profound and serene as a cinematic masterpiece.

Collection overview

Metropolitan Collection

Reconstructed through an artistic lens
defining the
rhythm of urban life





Amber Oak

Retro Series
FG006



Warm as amber, with a tonality exuding an inviting caramel texture. It serves as the soul of Mid-Century Modern design, possessing a warmth that transcends eras.

Applied in home cinemas or core social areas, and paired with deep walnut furniture and vintage leather, it instantly awakens the classic luxury and nostalgic tenderness of the 1950s.



Clay Oak

Retro Series
FG007



Revealing the unpolished beauty of oak. The irregular rhythm of the grain and subtle knots allow every wall to possess the primal breath of a forest.

Ideally suited for mountain-style hotels, raw-wood interiors, or commercial environments pursuing a natural narrative. By faithfully restoring the primal tactile experience, this material implants an evocative natural epic into the skeletal framework of modern architecture.

Collection overview

Mellow Collection

A gentle baptism of time
distilling the
elegance of Mid-Century heritage





Grey Oak

Retro Series
FG008



A classic premium grey palette that imbues oak with a cool, sharp urban character. This tonality is the gold standard for modern minimalist penthouses or high-tech corporate headquarters. It reveals rich layers of grey under varying light conditions, possessing a profound sense of architectural structure.

Recommended for pairing with matte stainless steel and tone-on-tone wood flooring, it manifests a calm, rational, and timeless international design aesthetic.



Urban Oak

Retro Series
FG009



A cool, evocative palette with industrial tension, emphasizing the linear rhythm and sheer strength of the wood grain.

This is a bespoke solution for high-end cabinetry, streetwear boutiques, or boutique fitness studios. We recommend pairing it with exposed piping and linear lighting. By leveraging its powerful visual orientation, it manifests an aesthetic of strength and a desire for exploration inspired by modern industrial civilization.

Soft Oak

Retro Series
FG010



Exquisitely delicate to the touch with a gentle visual presence. It deliberately softens the inherent aggressive textures of wood, enveloping the space in a silk-like, weightless embrace.

In maternity centers, premium wellness retreats, or private bedrooms, Silk Oak provides a profound sense of security and psychological comfort, crafting a spiritual sanctuary in every sense of the word.



Shadow Oak

Retro Series
FG011



Enhanced by a Deep Brushed technique, Shadow Oak creates high-impact undulations of light and shadow. It is an exquisite choice for art galleries, double-height staircases, or as a striking accent in foyers.


As the viewing angle and lighting shift, the wall reveals a fluid, three-dimensional beauty—transforming static veneer into a breathing piece of kinetic art within the space.



Collection overview

Light Collection

The aesthetics of deep carbonization
the profound gravity of time





Retro Oak

Retro Series
FG012



The ultimate interpretation of "Retro" within the entire collection. Its mottled hues and profound textures document the growth imprints of oak spanning over a century.

Ideally suited for soulful cafes, cultural boutique hotels, or restoration projects of historic mansions. No two panels are alike; each whispers a history of time and craftsmanship to every guest who enters the space.



Ebony Oak

Retro Series
FG013




Pursuing the ultimate depth of color, it replicates the precious texture and profound dark tones of noble ebony.

A metaphor for nobility within the Retro series, it is bespoke for true elegance. Recommended for pairing with gold metallic accents or high-gloss marble; through the extreme contrast of light and dark, it releases a breathtaking, restrained luxury and an aristocratic aura.

Midnight Oak

Retro Series
FG014



Utilizing a classic Deep Carbonization process, this oak reveals a profound and noble character.

While the tones are deep, they possess an enchanting translucency; its layered textures seem to whisper a century of untold stories. Perfectly suited for lobbies, executive board-room feature walls, or grand estate foyers. It commands an inherent authority, instantly grounding the space and imbuing the environment with a timeless foundation of luxury.



Natural



FG001 Pure Oak




FG002 Raw Oak



FG003 Dawn Oak



FG004 Misty Oak




FG005 Dusk Oak

Metropolitan



FG006 Amber Oak



FG007 Clay Oak


Mellow



FG008 Grey Oak



FG009 Urban Oak




FG010 Soft Oak



FG011 Shadow Oak


Light



FG012 Retro Oak



FG013 Ebony Oak



FG014 Midnight Oak

PRODUCT DESCRIPTION

The Retro Oak Series is a profound tribute to the aesthetics of oak. By curating 14 unique textures and grains, we seamlessly fuse the primal tension of nature with architectural-grade precision. This is a solution designed to offer infinite possibilities for spatial design, ensuring that every project manifests a truly singular texture.

Architectural Core

Flex

High-performance natural wood veneer reinforced with a non-woven fabric backing. Specifically engineered for curved surfaces (minimum radius 50mm) and spatially complex designs.

Panel

Natural oak veneers are high-pressure laminated onto robust substrates. Available in four core solutions—OSB, Plywood, MDF, and 5-Ply Balanced Board—ensuring absolute flatness and long-term stability for any interior installation.

Customized Selection

From high-end bespoke cabinetry to expansive wall cladding systems, we offer a versatile selection of substrates: the resilience of OSB, the structural stability of Plywood, and the superior flatness of MDF. We ensure that every design detail is backed by the most appropriate structural support.

Edge Banding

We offer edge banding that perfectly matches the texture and grain of our veneers. Available in both 0.6mm and 1.0mm specifications, it meets the refined finishing requirements of diverse furniture and spatial designs.

Engineering Excellence

Grand Scale

Offering grand-format dimensions up to 3050mm x 1220mm. This ensures seamless visual continuity from floor to ceiling, minimizing visible joints for a cohesive architectural aesthetic.

Tactile Artistry

Combining Medium Brushed textures with Linear Saw-cut techniques, this process imbues the veneer with profound three-dimensional light and shadow, evoking the spirit of artisanal craftsmanship.

Eco-Friendly

Utilizing eco-certified, zero-formaldehyde adhesives for lamination to ensure superior indoor air quality. Returning every space to its purest state of well-being.

Storage, Handling And Processing Instructions

For more information, please visit www.lamarty-cn.com



Panel

3050 x 1220 mm (10 x 4 ft) 2440 x 1220 mm (8 x 4 ft)
 Thickness: 0.9-2.2 mm Thickness: 0.6-2.2 mm

Lamarty Panel is a high-performance wood veneer panel engineered for structural excellence. By bonding natural Oak veneer onto a solid core under high pressure, it delivers superior flatness and enduring durability for interior spaces.

The construction utilizes eco-friendly adhesives, ensuring premium indoor air quality.

Applications: Wall paneling (up to 3050mm floor-to-ceiling), premium cabinetry, ceilings, and other flat surfaces. Available with four substrate options: MDF/MDP, Plywood, 5-ply Balanced Board, and customized cores.



Flex

3050 x 1220 mm (10 x 4 ft) 2440 x 1220 mm (8 x 4 ft)
 Thickness: 1.5 mm Thickness: 1.5 mm

Lamarty Flex is a highly easy-to-apply wood veneer. The veneer is pressed onto a non-woven fabric to create a flexible sheet, ideal for curved surfaces.

A formaldehyde-free adhesive is used for the bonding between the surface and the backing layer.

Applications: Curved surfaces (minimum radius of 50 mm), flexible pressing on various surfaces, doors, edge banding, etc.



Edge Banding

We provide matching edge banding in 0.5mm and 1.0mm thicknesses, ensuring a seamless visual transition. Designed to perfectly coordinate with our panel textures, they offer refined finishing for cabinetry, furniture, and custom architectural details.

PRODUCT CATEGORY	Lamarty Retro Series		
Substrate	MDF		
Veneer Thickness	50 S		
	Unit	Reference Standard	Performance
GENERAL PROPERTIES			
Moisture Content	%	EN 322:1993	6.4
Substrate Density	kg/m ³	EN 323:1993	712
Bending Modulus Of Elasticity	MPa	EN ISO178	≥9000
Bending Strength	MPa	EN ISO178	≥80
Static Bending Strength	MPa	EN 310	30.7
Internal Bond Strength	N	EN 319:1993	0.50
SURFACE PROPERTIES			
Color Measurement	-	DIN 5033-4	0.4
Thickness Swelling Rate	%	EN 317	9.5
Abrasion Resistance	Revolutions	EN 438	≥20
Resistance To Water Vapor	Rating	EN 438	5
Scratch Resistance	Rating	EN 438	≥4
Light Fastness	Grade	EN 15187:2024	≥6
Stain Resistance	Suitability	SEFA8-PL	Compliant
UV Resistance Performance	-	TS EN 4892	0.47
Specialized Testing	Gloss Value: * Test Method: EN ISO 2813:2014 Conditioning: (23±2) °C and (50 ±pm 5) % RH for at least 16 hours Measurement Angle: 60° Test Result: Average gloss value 2.2		
Resistance To Large Ball Impact	Test Method: EN 438-2:2016+A1:2018, Section 21 Test Result: Impact height 1800 mm; Indentation diameter 9.69 mm		
Color Fastness	Test Method: EN ISO 105-B02:2014, Xenon Arc Lamp Test Result: Grade 4		

Test Standard:

In house method EN 319:1993, EN 323:1993, EN ISO 2808:2019 Method 4A, EN 322:1993, EN ISO26987:2012, EN ISO 2813:2014, EN 438-2:2016+A1:2018, Section 21, EN ISO 105-B02:2014, EN15187:2024, EN 1399:1997, Method A, Method B, EN 12664:2001, With reference to EN 717-1:2004



LAMARTY®

Room 706, Building B, Twin Towers, No. 668 Xinzhuan Road, High-tech
Park, Songjiang District, Shanghai

+86 183 1718 7556
info@lamarty-cn.com

www.lamarty-cn.com

© Lamarty – No part of this tool may be reproduced without prior written permission. Please note that the information in this tool may be outdated, and a new version may have already been released. We recommend visiting our website to download the latest version. Lamarty is committed to the continuous improvement of its products and services; therefore, actual products may differ from those shown in this tool. Lamarty disclaims any liability for discrepancies between the information, products, and images in this tool and the actual products. All content in this binder is for informational purposes only, and no rights may be derived from it. As wood is a natural material, color and structure variations are to be expected. The pictures and samples of different wood species and surface finishes in this tool are for reference only and not binding for future deliveries. Please note that actual appearance and color variations of real wood are best appreciated in a real setup. For more information and application images, visit www.lamarty-cn.com