



DHF Series Double Side Blowing Air Coolers

DHF系列双面侧吹风冷风机

1 产品描述 Product Description

2 型号标识 Nomenclature

3 技术参数 technical data

DHF Series Double Side Blowing Air Coolers

DHF系列双面侧吹风冷风机




产品描述 PRODUCT DESCRIPTION

The DHF series of air cooler is specially designed for food processing workshops. its cooled air blows from double sides, is very gentle. it has L and D sub series of products for 0°C, -18°C around rooms. This series products features:

- Cabinet of steel plate with plastic spray, or AlU and Mg alloy, is pleasant looking
- With external rotor fans, double side blowing. The air flow is gentle and quiet.
- Excellent defrosting by in side evenly aranged stainless steel electrical heaters.

型号标识 NOMENCLATURE



技术参数 TECHNICAL DATA

1.Fin Space:4.0mm

Model	Capacity (kw)	Air m ³	Pipe V dm ³	Fan				Electrical Defrosting	
				Air flow m ³ /h	Dia. mm	Fan input w	volt V	input kw	volt V
DHF-L23C	5.5	22.8	2.5	4000	400	1 × 195	380	4	220
DHF-L30C	7.3	30.4	3.4	4000	400	1 × 195	380	6	220
DHF-L42C	10.1	42	4.4	8000	400	2 × 195	380	9	220
DHF-L56C	13.5	56.1	5.9	8000	400	2 × 195	380	9	220
DHF-L70C	16.8	70	7.2	12000	400	3 × 195	380	9	220
DHF-L88C	21	87.6	8.9	12000	400	3 × 195	380	9	220
DHF-L117C	28	116.8	11.7	16000	400	4 × 195	380	9	220
DHF-L140C	33.6	140.2	14	16000	400	4 × 195	380	9	220

2.Fin Space:6.0mm

Model	Capacity (kw)	Air m ³	Pipe V dm ³	Fan				Electrical Defrosting	
				Air flow m ³ /h	Dia. mm	Fan input w	volt V	input kw	volt V
DHF-D16C	3.1	15.6	2.5	4000	400	1 × 195	380	4	220
DHF-D21C	4.1	20.8	3.4	4000	400	1 × 195	380	6	220
DHF-D29C	5.8	28.8	4.4	8000	400	2 × 195	380	9	220
DHF-D38C	7.7	38.4	5.9	8000	400	2 × 195	380	9	220
DHF-D48C	9.6	48	7.2	12000	400	3 × 195	380	12	220
DHF-D60C	12	60	9.5	12000	400	3 × 195	380	12	220
DHF-D80C	16	80	10.6	16000	400	4 × 195	380	12	220
DHF-D96C	19.2	96	14	16000	400	4 × 195	380	12	220

Model	oversze(mm)			installation size(mm)						pipe Dia(mm)		Drainage pipe
	A	B	C	D	E	E1	E2	E3	F	in	out	
DHF-D16C DHF-L23C	906	1042	390	990	690	-	-	-	110	φ12	φ22	2x1"
DHF-D21C DHF-L30C	906	1162	390	1110	690	-	-	-	110	φ12	φ22	
DHF-D29C DHF-L42C	1256	1162	390	1110	1040	-	-	-	110	φ16	φ28	
DHF-D38C DHF-L56C	1256	1162	390	1110	1040	-	-	-	110	φ16	φ35	
DHF-D48C DHF-L70C	1756	1162	402	1110	1540	500	500	-	110	φ16	φ35	
DHF-D60C DHF-L88C	1756	1162	402	1110	1540	500	500	-	110	φ16	φ35	
DHF-D80C DHF-L117C	2255	1162	477	1110	1540	500	500	500	110	φ22	φ42	
DHF-D96C DHF-L140C	2255	1162	477	1110	1540	500	500	500	110	φ22	φ42	

