



ALWAYS MARKING THE BEST



BUS SHELTER DESIGN

2025



ABOUT US

YEROO Group established in 2000, with three subsidiary companies, Foshan YEROO Advertising Engineering Co., Ltd, Guangzhou YEROO Steel Structure Co., Ltd, Guangzhou YEROO Tech Co., Ltd, is a leading company which integrates industrial and trade in production, research and development.

YEROO specialized in research and development of outdoor advertising products which is stretching from bus shelter, billboard, light box, LCD display and LED screen with 24-years experience. Our products have been well exported to Mid-East, South Asia, Africa, North America, South America, Oceania, more than 109 countries.


We have successively participated various domestic and foreign sign exhibitions in Dubai, Russia, Germany, South Africa, Guangzhou and Shanghai. Customer trust and reputation is the guarantee of our brand. We are constantly improving to become a better YEROO.

Foshan YEROO Advertising Engineering Co., Ltd has more than 31,000 square meters of plants, with a strong production, design research and development, and sales service team.

YEROO Group strengthens its own advantages continually, to build a solid and lasting cooperation bridge with customers, base on the principle of safety, integrity, innovation, win-win spirit, good products, and good service.



25
Experience



5000
Cases




31000m²
Workshop



109
Countries

CUSTOMIZE OWN BUS SHELTERS FOR OUR CITY

“We enable clients to customize the design of their bus shelters based on their specific needs”



Classic Bus Shelter

Cost-Effective Simplicity

- * Core Selling Points: Affordable & Durable: Streamlined design with essential features for reliable urban infrastructure (weather-resistant panels, seating, and lighting).
- * Timeless Aesthetics: Neutral colors and modular structure blend seamlessly into diverse urban landscapes.
- * Quick Deployment: Prefabricated components enable fast installation and low maintenance.

Closed Bus Shelter

Extreme Weather Adaptability

- * Sealed Environment: Fully enclosed structure with HVAC systems for year-round comfort (-30°C to 50°C).
- * Energy Efficiency: Insulated panels and solar-powered options reduce operational costs.
- * Safety-Certified: Reinforced materials and anti-slip flooring (e.g., frost-resistant steel) .



Smart Bus Shelter

Integrated Digital Solutions

- * Real-Time Updates: LCD/LED displays for live bus tracking, route maps, and weather forecasts.
- * Multifunctional Hub: Built-in Wi-Fi, USB/wireless charging ports, and digital advertising panels.
- * Safety & Connectivity: Emergency SOS button, surveillance cameras, and multilingual interfaces.

Solar Bus Shelter

Green Energy-Powered

- * 100% Solar Autonomy: Equipped with monocrystalline solar panels (conversion rate ≥23%) and battery storage, ensuring 24/7 power for LED lighting, digital displays, and USB/wireless charging ports.
- * Smart Energy Management: Real-time energy monitoring system adjusts brightness based on ambient light, reducing consumption by 30% while maintaining 200-lux illumination.
- * Certified Sustainability: Compliant with LEED v4.1 standards, carbon offset verified by third-party agencies.



Multi Functional Bus Shelter

Multifunctional Community Station

- * 4-in-1 Smart Integration
- * Sale Kiosk: Touchscreen vending machine supporting facial recognition/QR payments.
- * Toilet: Self-cleaning toilet with odor-neutralizing nano-coating and UV sterilization.
- * Parenting Suite: Temperature-controlled lactation room (22°C±1°C) with diaper-changing station and emergency call button.



Creating Public Transportation BusShelters With Professional Quality

OPEN TYPE BUS SHELTER





YR-SSBS-25005

Overallsize: L5000*W1722*H3000mm




YR-SMBS-2406336

Overallsize: L6000*W2200*H2940mm




YR-SMBS-25022

Overallsize: L4100*W1900*H2750mm



YR-SSBS-25008

Overallsize: L6000*W2160*H2803mm






Des/Guo

YR-SSBS-25009


Overallsize: L3000*W1600*H2800mm



Des/Guo

YR-SSBS-5010


Overallsize: L3000*W1800*H2750mm



Des/Guo

YR-SSBS-25011

Overallsize: L4000*W1800*H2969mm



Creating Public Transportation BusShelters With Professional Quality


OPEN TYPE BUS SHELTER



Des/Guo

YR-SSBS-2302005

Overallsize: L5000*W1800*H2800mm




Creating Public Transportation BusShelters With Professional Quality

OPEN TYPE BUS SHELTER





YR-SSBS-25016

Overallsize: L4050*W1700*H2865mm





YR-SSBS-25018

Overallsize: L3400*W1430*H2550mm




YR-SMBS-25031

Overallsize: L6000*W1860*H2585mm



YR-SSBS-25020

Overallsize: L4318*W2240*H2800mm




Creating Public Transportation BusShelters With Professional Quality

OPEN TYPE BUS SHELTER



YR-SSBS-25021

Overallsize: L3000*W1600*H2500mm




Des/Guo



YR-SSBS-2301001

Overallsize: L4000*W1800*H2700mm




Des/Guo




YR-SMBS-25002

Overallsize: L6000*W1730*H2800mm




Des/Guo



YR-SSBS-2301004

Overallsize: L5000*W2000*H2800mm



Des/Guo



Creating Public Transportation BusShelters With Professional Quality

OPEN TYPE BUS SHELTER




YR-SSBS-2308010

Overallsize: L4000*W2000*H2800mm




YR-SSBS-2302108

Overallsize: L6035*W1800*H2800mm




YR-SSBS-2409346



Overallsize: L5000*W1800*H2800mm



YR-SSBS-2408342

Overallsize: L5290*W2000*H2700mm






Des/Guo

YR-SSBS-2312324


Overallsize: L6000*W1750*H2800mm



Des/Guo

YR-SSBS-25023


Overallsize: L4200*W1900*H2900mm



Des/Guo

YR-SSBS-25027

Overallsize: L3600*W2500*H1545mm



Creating Public Transportation BusShelters With Professional Quality


OPEN TYPE BUS SHELTER



Des/Guo

YR-SSBS-25026

Overallsize: L5400*W1645*H2700mm




Creating Public Transportation BusShelters With Professional Quality

OPEN TYPE BUS SHELTER





YR-SSBS-2309113

Overallsize: L5000*W1720*H2850mm





YR-SSBS-2308009

Overallsize: L4130*W2000*H2845mm




YR-SSBS-25029

Overallsize: L2500*W2000*H2800mm



YR-SSBS-25035

Overallsize: L8630*W1720*H2950mm





YR-SSBS-25036

Overallsize: L4300*W1600*H2570mm




Des/Guo



YR-SSBS-25041

Overallsize: L5400*W1520*H2630mm




Des/Guo



YR-SSBS-25042

Overallsize: L10000*W1960*H2830mm



Des/Guo


Creating Public Transportation BusShelters With Professional Quality

OPEN TYPE BUS SHELTER



YR-SSBS-25043

Overallsize: L3355*W1600*H3000mm



Des/Guo



Creating Public Transportation BusShelters With Professional Quality

OPEN TYPE BUS SHELTER




YR-SSBS-25032

Overallsize: L3400*W2000*H2800mm





YR-SSBS-25015

Overallsize: L3000*W1665*H2700mm




YR-SSBS-2301101


Overallsize: L4000*W1800*H2950mm



YR-SSBS-25003


Overallsize: L5640*W1500*H2800mm







YR-SSBS-25032

Overallsize: L3400*W2000*H2800mm




YR-SSBS-25034

Overallsize: L5150*W1720*H2950mm



YR-SSBS-25044

Overallsize: L5500*W2000*H3000mm




Creating Public Transportation BusShelters With Professional Quality

OPEN TYPE BUS SHELTER



YR2407-007A

Overallsize: L4000*W1798*H2969mm






Des/Guo

YR-SMBS-25019


Overallsize: L4000*W1800*H2630mm



Des/Guo

YR-SMBS-25022-


Overallsize: L4100*W1900*H2750mm



Des/Guo

YR-SMBS-2402335

Overallsize: L5200*W2200*H2900mm



Creating Public Transportation BusShelters With Professional Quality


SMART BUS SHELTER



Des/Guo

YR-SSBS-25028

Overallsize: L6000*W2160*H3100mm




Creating Public Transportation BusShelters With Professional Quality

SMART BUS SHELTER



YR-SSBS-2301003

Overallsize: L6000*W2000*H2800mm




Des/Guo



YR-SMBS-25037

Overallsize: L6050*W1300*H2750mm




Des/Guo



YR-SSBS-2301104

Overallsize: L6120*W2000*H2900mm




Des/Guo



YR-SMBS-25038

Overallsize: L7000*W2000*H2900mm



Des/Guo



Creating Public Transportation BusShelters With Professional Quality

SMART BUS SHELTER




YR-SMBS-25004

Overallsize: L6000*W1930*H3000mm




YR-SMBS-25006

Overallsize: L4000*W1800*H2500mm




YR-SMBS-2408343

Overallsize: L7560*W2320*H2940mm




YR-SMBS-25013

Overallsize: L5900*W1800*H2500mm



YR-SSBS-25033


Overallsize: L9000*W1995*H2900mm



Des/Guo

YR-SSBS-2411351


Overallsize: L6500*W1800*H2800mm



Des/Guo

YR-SSBS-2302107

Overallsize: L6482*W2000*H2880mm



Des/Guo


Creating Public Transportation BusShelters With Professional Quality

SMART BUS SHELTER



YR-SSBS-2408344

Overallsize: L7200*W1800*H2520mm



Des/Guo


Creating Public Transportation BusShelters With Professional Quality

SMART BUS SHELTER




YR-SSBS-2312329

Overallsize: L6000*W1800*H2640mm




Des/Guo



YR-SSBS-2311317

Overallsize: L6000*W1800*H2900mm




Des/Guo




YR-SSBS-2408345

Overallsize: L7000*W2500*H2700mm




Des/Guo



YR-SSBS-2302106


Overallsize: L9000*W1800*H2800mm



Des/Guo


Creating Public Transportation BusShelters With Professional Quality

SMART BUS SHELTER




YR-SSBS-2307112

Overallsize: L6000*W1800*H2800mm




Des/Guo



YR-SSBS-25030

Overallsize: L4000*W1930*H2900mm




Des/Guo



YR-SSBS-2409347

Overallsize: L8030*W2000*H3100mm




Des/Guo




YR-SSBS-2312327

Overallsize: L6000*W1800*H2800mm




Des/Guo




YR2501-003

Overallsize: L6000*W2003*H3035mm




Des/Guo




YR2503-028B

Overallsize: L16000*W2505*H3228mm




Des/Guo



YR2503-028C

Overallsize: L8000*W2500*H3224mm



Des/Guo


Creating Public Transportation BusShelters With Professional Quality

SMART BUS SHELTER



YR2504-021C

Overallsize: L5875*W1800*H2791mm



Des/Guo

Creating Public Transportation BusShelters With Professional Quality

SMART BUS SHELTER




Creating Public Transportation BusShelters With Professional Quality

SMART BUS SHELTER




YR2504-015

Overallsize: L34000*W5066



Des/Guo



YR-MFBS-

Overallsize:

Updating.....

Des/Guo

Creating Public Transportation BusShelters With Professional Quality

MultiFunctionalBusShelter





Creating Public Transportation BusShelters With Professional Quality

MultiFunctionalBusShelter




YR-MFBS-25024

Overallsize: L4480*W1950*H2800mm




YR-MFBS-25025

Overallsize: L6500*W1800*H2800mm



YR-ACBS-25046


Overallsize: L12475*W2000*H3015mm



Des/Guo

YR-ACBS-25048


Overallsize: L16000*W2500*H3500mm



Des/Guo

YR-ACBS-25047

Overallsize: L6740*H3020mm



Des/Guo


Creating Public Transportation BusShelters With Professional Quality

Bus Shelters with Air Conditioning



YR-ACBS-2303110

Overallsize: L8600*W2500*H3029mm




Creating Public Transportation BusShelters With Professional Quality

Bus Shelters with Air Conditioning




YR-ACBS-2302006

Overallsize: L5980*W2098*H3020mm




Des/Guo



YR-ACBS-2409349

Overallsize: L7000*W1800*H3000mm




Des/Guo



YR-ACBS-2302105

Overallsize: L9000*W2500*H2800mm




Des/Guo



YR-ACBS-2312326

Overallsize: L7560*W2320*H2940mm



Des/Guo


Creating Public Transportation BusShelters With Professional Quality

SOLAR BUS SHELTER




YR-SSBS-2301102

Overallsize: L6024*W1824*H2800mm




YR-SSBS-2407340

Overallsize: L4800*W2000*H2700mm




YR-SSBS-2407338

Overallsize: L5000*W1800*H2550mm




YR-SSBS-2409348

Overallsize: L4480*W1950*H2800mm




Creating Public Transportation BusShelters With Professional Quality

SOLAR BUS SHELTER




YR-SSBS-25017

Overallsize: L3500*W1625*H2550mm





YR-SSBS-25007

Overallsize: L6000*W1800*H2600mm




YR-SSBS-2407341

Overallsize: L6000*W1800*H3000mm



YR-SSBS-2407337

Overallsize: L4800*W1765*H2850mm




SOLAR BUS SHELTER




YR-SSBS-25039

Overallsize: L3400*W1440*H2560mm



YR2501-012G

Overallsize: L4000*W1300*H2500mm





YEROO GROUP

FOSHAN YEROO ADVERTISING ENGINEERING CO., LTD
GUANGZHOU YEROO STEEL STRUCTURE CO., LTD
GUANGZHOU YEROO TECH CO., LTD

Factory address:

No.23 Qianjinzong Road,Guanyao,Shishan Town,Nanhai District,Foshan,China

Office address:

North Tower 904,New World Times Center,Guangyuan Dong Road,Guangzhou,China

TEL: +86 13826225776 Http: //www.yeroo.com E-mail: 3d@3dyeroo.com