



50V System voltage 系统电压  
12V/24V Auto 自动识别

## 功能介绍

Function  
introduction



全面保护  
Protections



电池种类可选  
Battery type



工作参数可调  
Parameters adjustable



LCD显示  
LCD display



USB 输出  
USB Output



温度补偿  
Temperature compensation



# 产品规格

## Product specification



安装孔距— $\varnothing 5$   
Mounting hole Size



AT20L

| 额定电压         | 额定充电电流  | USB输出   | 产品尺寸        | Rated Voltage | USB port | Rated Charge Current | Product size |
|--------------|---------|---------|-------------|---------------|----------|----------------------|--------------|
| 12V/24V 自动识别 | 10A/20A | 2A/5V×2 | 168×90×44mm | 12V/24V Auto  | 2A/5V×2  | 10A/20A              | 168×90×44mm  |



安装孔距— $\varnothing 5$   
Mounting hole Size



AT30L

| 额定电压         | 额定充电电流 | USB输出   | 产品尺寸        | Rated Voltage | USB port | Rated Charge Current | Product size |
|--------------|--------|---------|-------------|---------------|----------|----------------------|--------------|
| 12V/24V 自动识别 | 30A    | 2A/5V×2 | 185×93×42mm | 12V/24V Auto  | 2A/5V×2  | 30A                  | 185×93×42mm  |




安装孔距— $\varnothing 5$   
Mounting hole Size



AT40L

| 额定电压         | 额定充电电流 | USB输出   | 产品尺寸        | Rated Voltage | USB port | Rated Charge Current | Product size |
|--------------|--------|---------|-------------|---------------|----------|----------------------|--------------|
| 12V/24V 自动识别 | 40A    | 2A/5V×2 | 187×94×46mm | 12V/24V Auto  | 2A/5V×2  | 40A                  | 187×94×46mm  |



安装孔距— $\varnothing 5$   
Mounting hole Size



AT60L

| 额定电压         | 额定充电电流 | USB输出   | 产品尺寸         | Rated Voltage | USB port | Rated Charge Current | Product size |
|--------------|--------|---------|--------------|---------------|----------|----------------------|--------------|
| 12V/24V 自动识别 | 60A    | 2A/5V×2 | 187×125×56mm | 12V/24V Auto  | 2A/5V×2  | 60A                  | 187×125×56mm |

# 包装信息

## Packaging information



### AT20L

|                    |               |
|--------------------|---------------|
| 基本参数/Specification | 20A           |
| 每箱数量/Set/Carton    | 50PCS         |
| 每箱重量/Weight/Carton | 15Kg          |
| 包装尺寸/Measurement   | 505×380×210mm |
| 外箱体积/Volume/Carton | 0.04CBM       |



### AT30L

|                    |               |
|--------------------|---------------|
| 基本参数/Specification | 30A           |
| 每箱数量/Set/Carton    | 40PCS         |
| 每箱重量/Weight/Carton | 15.5Kg        |
| 包装尺寸/Measurement   | 440×410×245mm |
| 外箱体积/Volume/Carton | 0.04CBM       |



### AT40L

|                    |               |
|--------------------|---------------|
| 基本参数/Specification | 40A           |
| 每箱数量/Set/Carton    | 40PCS         |
| 每箱重量/Weight/Carton | 17.3Kg        |
| 包装尺寸/Measurement   | 550×425×215mm |
| 外箱体积/Volume/Carton | 0.05CBM       |



### AT60L

|                    |               |     |
|--------------------|---------------|-----|
| 基本参数/Specification | 50A           | 60A |
| 每箱数量/Set/Carton    | 24PCS         |     |
| 每箱重量/Weight/Carton | 17.5Kg        |     |
| 包装尺寸/Measurement   | 440×385×280mm |     |
| 外箱体积/Volume/Carton | 0.05CBM       |     |

