


EWIN ENTERPRISE LTD.

SCREWDRIVER TOOL KIT PRODUCT CATALOG



About Us

Our factory was established in 2016. We are a comprehensive enterprise that integrates design and development, manufacturing, customization, and sales services. With 8 years of professional experience in the precision repair tools industry, our main products include screwdrivers, screwdriver sets, electric screwdriver sets, and accessories for digital product repairs.

Our factory holds certifications such as BSCI and ISO9001. Our products have passed CE, FCC, UL, PSE certifications, and we hold numerous patents for appearance, utility models, and inventions.

We constantly strive to improve our skills and work quality, with the goal of providing superior service to our customers. We value integrity and work with our clients to achieve mutual growth and success.



Contents

01 OEM/ODM

- Private Labeling for In-Stock Products
- Packaging Design
- Product Structural Design

03 Supply Platforms/Customers

- Cross-Border Platforms:
 - Amazon
 - Shopee
 - Lazada
 - AliExpress
 - TEMU
 - OZON
 - Mercadolibre
 - DHgate.com

- Chinese online:
Tmall JD.com Suning

04 Product Series

- Electric Screwdriver Set Series
- H4 Screwdriver Set Series
- Cloth Bag Screwdriver Set Series
- Accessory Series

02 Certification

- Factory certified with BSCI and ISO9001
- Products certified with CE, FCC, UL, PSE, ROHS, REACH
- Products have MSDS, UN38.3, air and sea transport reports

- Overseas Supermarkets:
Walmart Tesco
Carrefour LIDL

- M-Series Screwdriver Set Series
- H6.35 Screwdriver Set Series
- Zipper Bag Screwdriver Set Series
- Gaming Screwdriver Set Series

Our Advantages

Area: 8000m²+

Daily Assembly of 2000+
Screwdriver Sets





- ☑Independent R&D
- ☑Proprietary Patents
- ☑First-Class Quality Control

Our OEM/ODM Services



- Private Labeling & Custom Logo
- Custom Colors & Packaging
- Product Design & Layout
- Fast Sample Customization

Our Brand Services


- Trendy, Unique Designs
- Competitive Pricing
- Reliable, Fast Production
- Highly Focused Collaboration
- Fast shipping with Quality Assurance



Screwdriver Factory



Global supply network



Export to EU countries

USA, Germany, Russia, Mexico, Canada, UK, and other Western countries
India, South Korea, Japan, and other Asian countries

- Dual Assurance
Complete inspection equipment, strict adherence to European standards, and quality checks at each stage.
- Quick Response
3000m²+ of inventory, efficient management to meet fluctuating customer demands.

NEW
153IN1

ELECTRIC SCREWDRIVER SET

LARGE TORQUE



01. VERY LONG ENDURANCE

LITHIUM BATTERY 90 minutes to fully charge
650MAN **90 days**
standby on a full charge

02. RUN THE MOVEMENT FOREVER

METAL STRUCTURE Three adjustable torque settings
200r/min Planetary gear mechanism
200rpm no-load speed

03. WIDE MAINTENANCE RANGE

60HRC HARDNESS Three adjustable torque settings
140bit Comprehensive coverage
Widely used in various occasions and devices

www.fixbudtools.com

153in1 Electric screwdriver set

Packing parameters:

Single product weight (g)	Product size(mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
854	195*110*50	45.5*28*30	20	17.1/18.1

Bit Type (S2) :

- SL1.0*2,SL1.3*2,SL1.5*2,SL2.0*2,SL2.5*2,SL3.0,SL3.5,SL4.0,SL4.5,SL5.0
- + PH00000*3,PH0000*3,PH000*3,PH00*3,PH00*2,PH1*2,PH2*2
- H0.7,H0.9,H1.0,H1.3,H1.5,H2.0,H2.5,H3.0,H3.5,H4.0
- H1/8,H1/16,H3/16,H3/32,H5/32,H5/64,H7/64,H9/64
- ★ T1*2,T2*2,T3*2,T4*2,T5,T6,T7,T8,T9,T10,T15,T20
- ☆ T5H,T6H,T7H,T8H,T9H,T10H,T15H,T20H,T25H
- ★ P2(0.8)*2,P5(1.2)*2,P6(1.5)*2,P8(2.0)
- M2.5,M3.0,M3.5,M4.0,M4.5,M5.0,M5.5
- Y Y0.6*2,Y1.5*2,Y2.0,Y2.5,Y3.0
- ★ PZ000,PZ00,PZ0,PZ1,PZ2
- ⊖ H4*45mm: 1.5,3.0 ⊕ PH1,PH2
- ⊖ U2.0,U2.6,U3.0,U4,U6
- ▲ 2.0,2.3,2.5,2.7,3.0
- ⊕ J000,J00,J0,J1,J2
- Y Y000,Y00,Y0,Y1,Y2
- SQ0,SQ1,SQ2,SQ3
- G3.8,G4.5
- 0.1,0.3
- OVAL
- ⊕ MID
- SIM
- ⊕ ICS
- FS
- ü

Accessories:

4th generation electric handle*1, manual handle*1, suction cup*1, short pry bar*1, metal pry bar*1, tweezers*1, flexible extension rod*1, plastic long pry bar*1, thin pry tools,4, bits*140, magnetic area adjuster*1

Fourth generation electric screwdriver handle parameters

Type-C Charging Port

Real-time battery display

Light press to turn on light
(Long press to make battery flash,
then press again to adjust 5 torque
settings)

Real-time torque setting display

Right rotation to tighten

Left rotation to loosen

Planetary Gearbox Advantages:
Compact, lightweight, strong impact
resistance and driving ability,
high transmission efficiency,
planetary motion, and power
distribution for greater durability.

Four LED lights

Magnetic screwdriver bit

153
pcs



Amazon4.7+
★★★★★
MT-Ele153IN1

Detailed parameters:

1. Charging Voltage: 4.5V-6.5V
2. Charging Current: 0.65A
3. Charging Time: < 60 minutes
4. Nominal Voltage: 3.7V
5. Rated Power: 9.25W
6. Battery Capacity: 650mAh
7. Battery Size: 14430
8. No-Load Speed/Current: 200rpm/120mAh
9. Light Load Speed: 200rpm/200mAh
10. Electric Torque Adjustment: 0.16-0.25N·m-0.45N·m
11. Manual Torque: >5N·m
12. Lighting: 4 LEDs
13. Low Battery Reminder: When battery is low, the light flashes when turning the torque, indicating the need for charging.

Electrician's screwdriver set

Packing parameters:

Single product weight (g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
544	183*80*55	-	-	-

Bit Type (CRV) :

- SL2.5,SL3.0,SL3.5,SL4.0,SL5.0
- T8,T9,T10,T15,T20,T25
- H2.0,H2.5,H3.0,H4.0
- PH1,PH2,PH3
- PZ1,PZ2
- Y1,Y2
- U2.6
- 2.6

Accessories:

Handle*2, magnetic area adjuster*1, bits*12

H4 Screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
263	107*18.3*165	46*36.5*21.5	80	21/22

Bit Type (CRV) :

- T5H,T6H,T7H,T8H,T9H,T10H,T15H,T20H
- PH000,PH00,PH0,PH1,PH2
- 0.9,1.3,1.5,2.0,2.5,3.0
- Y0.6,Y1.5,Y2.3,Y3.0
- 2.5,3.0,3.5,4.0,4.5
- U2.6
- 1.0,1.5,2.0,3.0
- 2.3
- 1.0,1.5,2.0,3.0
- 2.0
- G3.8,G4.5
- MID
- 0.8, 1.2

Accessories:

Bits*44, handle*1, plastic long pry bar*2, tweezers*1, cleaning brush*1, plastic short pry bar*3, suction cup*1, card pin*1, pry tools*3



MT-DB015

NEW
15pcs

M-mscrewdriver set

Packing parameters:

Single product weight (g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
59	19*19*118.4	40*29.16*40	200	11.8/12.8

Bit Type (CRV) :

- T5H,T6H,T7H,T8H,T9H,T10H
- PH000,PH00,PH0,PH1
- SL1.5,SL3.5
- SIM
- H1.5,H2.0
- MID
- U2.3,U2.6
- Y000,Y1
- 0.8,1.2
- 2.3,2.7
- T3,T4

Accessories:

Screwdriver handle*1, bits*26



Amazon4.7+
★★★★★

MT-M027
(Plastic Shell)

NEW
27pcs

Eyeglasses screwdriver set

Packing parameters:

Single product weight (g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
300	159*17.46*219	-	-	-

Bit Type (CRV) :

- 1.4,2.0,2.4,3.0
- 1.2,1.5,2.0,3.0

Accessories:

Flat screwdriver*4, Phillips screwdriver*4, tweezers*1, glasses screwdriver*1, magnetic area adjuster*1, screws*16, nuts+washers*1, nose pads*6, glasses frame*1, cleaning cloth*1, cross wrench nuts+metal washers*1



MT-Y037

NEW
37pcs

PERFECT ORP PRECISION REPAIR

68in1 Electric Screwdriver Set

Five torque settings

Planetary gear mechanism

Long-lasting battery life



MINIMALIST UNIBODY PEN AND CASE

www.fixbudtools.com

Electric screwdriver set

Packing parameters:

Single product weight (g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
554	233*100*30	41*24*16	20	11.1/12.1


Bit Type (S2) :

- H0.7, H0.9, H1.3, H1.5, H2.0, H2.5, H3.0, H3.5, H4.0
- T5H, T6H, T7H, T8H, T9H, T10H, T15H, T20H
- PH000, PH000, PH00, PH0, PH1, PH2
- Y0.6, Y1.5, Y2.0, Y2.5, Y3.0
- P2(☆0.8), P5(☆1.2), P6(☆1.5)
- 1.0, 1.5, 2.5, 3.0, 4.0
- T1, T2, T3, T4
- H4*45mm
- T6H, T8H, T9H, T10H, T15H, T20H
- H1.5, H2.0, H2.5
- PH0, PH1, PH2
- SIM
- MID
- 2.0 2.3
- SQ0, SQ1, SQ2
- U2.0
- U2.6
- 3.0
- 2.0, 3.0
- U2.6

Accessories:

Bits*64, 3rd generation electric handle*1, tweezers*1, metal pry bar*1, magnetic area adjuster*1

Detailed parameter



68
pcs


Amazon 4.7+
★★★★★

MT-Ele68IN1

Detailed parameters:

1. Charging Voltage: 4.5V-6.5V
2. Charging Current: 0.35A
3. Charging Time: > 60 minutes; LED display shows real-time battery level during charging, turns off when fully charged
4. Nominal Voltage: 3.7V
5. Rated Power: 7.4W
6. Battery Type: Lithium Battery
7. Battery Capacity: 350mAh
8. Battery Size: CLY751343
9. No-Load Speed/Current: 200rpm/100mAh
10. Light Load Speed: 150rpm/150mAh-300mAh
11. Electric Torque Adjustment: 0.05-0.09-0.12-0.15-0.2N·m
12. Manual Torque: >5N·m
13. Lighting: 4 LEDs
14. Battery Life: 2 hours under light load, 90 days standby.

ELECTRIC SCREWDRIVER SET



www.fixbudtools.com

Electric screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
304	67.3*22.9*157	-	-	-

Bit Type (S2) :

- H0.7,H0.9,H1.5,H2.0
- Y0.6,Y1.5,Y3.0
- PH000,PH00
- SL1.5,SL3.0
- T2,T3,T4
- 0.8,1.2
- U2.0
- T15H
- MID
- 2.3

H4*45mm:

- T6H,T8H,T9H,T10H,T15H
- PH0,PH1,PH2
- SL2.0,SL3.0

Accessories:

3rd generation electric handle*1, magnetic area adjuster*1, bits*30, charging cable*1, magnetic mat*1, pry tools*4

Electric screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
304	67.3*22.9*157	-	-	-

Bit Type (S2) :

- H0.7,H0.9,H1.5,H2.0
- Y0.6,Y1.5,Y3.0
- PH000,PH00
- SL1.5,SL3.0
- T2,T3,T4
- 0.8,1.2
- U2.0
- T15H
- MID
- 2.3

H4*45mm:

- T6H,T8H,T10H
- PH0,PH1

ø 3*25mm:

- 0.8,1.2,1.6,2.0,2.5

Accessories:

3rd generation electric handle (with digital display)*1, magnetic area adjuster*1, bits*30, charging cable*1, magnetic mat*1, pry tools*4

NEW
38PCS



MT-Ele38IN1

NEW
38PCS



MT-Ele38IN1 (with drill bit)

3rd generation electric screwdriver handle specifications (with digital display)

Detailed parameters:

- 1. Charging Voltage: 4.5V-6.5V
- 2. Charging Current: 0.35A
- 3. Charging Time: >60 minutes, with LED screen displaying real-time battery level; screen turns off when fully charged
- 4. Nominal Voltage: 3.7V
- 5. Rated Power: 7.4W
- 6. Battery Type: Lithium Battery
- 7. Battery Capacity: 350mAh
- 8. Battery Size: CLY751343
- 9. No-Load Speed/Current: 200rpm/100mAh
- 10. Light Load Speed: 150rpm/150mAh-300mAh
- 11. Electric Torque Adjustment: 0.05-0.09-0.12-0.15-0.2N·m
- 12. Manual Torque: >5N.m
- 13. Lighting Mode: 4 LEDs
- 14. Battery Life: 2 hours under light load, 90 days in standby mode.



Electric screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
839	33*99*200	41.5*26*48	20	16.8/17.8

Bit Type (S2) :

- T2,T3,T4,T8H,T9H*2,T10H*2,T15H,T20H
- H0.9*2,H1.3,H2.0,H2.5,H3.0,H3.5,H4.0
- PH0000,PH000,PH00,PH0,PH1,PH2
- 1.5,2.5,3.5,4.0
- 0.8,1.2,1.5
- 1.5,2.0,2.3,3.0
- U2.0,U2.6
- 2.0,2.3,3.0
- SQ1,SQ2

H4*45mm:

- PH0*2,PH1,PH2
- 2.0*2,3.0*2

Accessories:

Bit * 50, electric handle * 1, manual handle * 1, tweezers * 1, suction cup * 1, short pry bar * 2, card pin * 1, opening pick * 3, charging cable * 1



MT-Ele70IN1

70 pcs

Electric screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
142	200*78*23	34*22*28 41*22*50	40 100	5.7/6.7 14.2/15.2

Bit Type (S2) :

- T5H,T6H,T8H
- PH000,PH1
- 0.8,1.2
- Y0.6
- T2
- 2.0

Accessories:

1st generation electric screwdriver handle*1, charging cable*1, bits*10

Electric screwdriver set

Packing parameters:

Single product weight (g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
285	211*78*37	41*23*33 42*22*42	40 50	11.4/12.4 14.3/15.3

Bit Type (S2) :

- T5H,T6H,T7H,T8H,T9H,T10H
- PH000,PH00,PH0,PH1
- H0.7,H0.9,H1.5,H2.0
- 1.0,1.5,2.0,3.0
- T2,T3,T4
- U2.0,U3.0
- 0.8,1.2
- Y0.6,Y1.5
- 2.3,3.0
- MID

Accessories:

Bit*30, electric screwdriver handle*1, charging cable*1, pry bar*1, opening pick*3, Magnetizer/Demagnetizer*1



MT-Ele11IN1

11 pcs



MT-Ele36IN1

36 pcs

Electric screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
370	263*133*35	47*25*36	40	14.9/15.9

Bit Type (CRV) :

- +

PH000,PH00
- ☆

T5H,T6H,T9H
- H0.9,H1.3,H1.5,H2.0
- ★

T2,T3,T4
- Y

Y0.6,Y1.5
- +

MID
- ☆

0.8,1.2
- ▲

2.3
- 1.5

H4*38MM

- +

PH0,PH1
- ☆

T8H,10H
- H2.0
- 2.5

Accessories:

Bits*24, 1st generation electric handle*1, magnetic area adjuster*1, thin pry tools*5, magnetic mat*1, charging cable*1



MT-Ele32IN1

Electric screwdriver set

Packing parameters:

Single product weight (g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
569	263*133*35	42.5*27*38	30	17.1/18.1

Bit Type (CV) :

- ☆

T5H,T6H,,T7H,T8H,T9H,T10H,T15H,T20H
- +

PH0000,PH000,PH00,PH0,PH1,PH2
- H1.3,H1.5,H2.0,H2.5,H3.0,H4.0
- Y

Y0.6,Y1.5,Y2.5,Y3.0
- 1.5,2.0,2.5,3.0,4.0
- SQ0,SQ1,SQ2
- ☆

T2,T3,T4
- ☆

0.8,1.2
- U2.6
- ▲

2.3
- +

MID

H4*38MM:

- +

PH00,PH0,PH1
- ☆

T6H,T8H,T10H
- H1.5,H2.0
- 1.5,2.5

Accessories:

Bits*50, 1st generation electric handle*1, manual handle*1, short pry bar*1, thin pry tools*4, suction cup*1, card pin*1, tweezers*1, magnetic mat*1, charging cable*1



MT-Ele62IN1

Electric screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
257	81*224*26	41*23*33	48	12.4/13.4

Bit Type (CRV) :

- +

PH0000,PH000,PH00,PH0,PH1,PH2
- ☆

T2,T3,T4,T5,T6,T8,T10,T15,T20
- 0.9,1.0,1.3,1.5,2.0,,3.0,4.0
- Y

Y0.6,Y1.5,Y2.3,Y3.0
- 1.5,2.0,2.5,3.0,4.0
- ☆

0.8,1.2,1.5
- U2.3,U2.6
- SQ0,SQ1
- +

MID
- ▲

2.3

Accessories:

Bits*40, 1st generation electric handle*1, pry tools*3, magnetic area adjuster*1, charging cable*1



MT-Ele46IN1

Electric screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
295	108.5*194*24	41*23*33	48	14.2/15.2

Bit Type (CV) :

- +

T2,T3,T4,T5,T6,T7,T8,T9,T10,T15,T20
- 0.7,0.9,1.0,1.3,1.5,2.0,2.5,3.0,3.5,4.0
- +

PH0000,PH000,PH00,PH0,PH1,PH2
- 1.3,1.5,2.0,2.5,3.0,3.5,4.0
- Y

Y0.6,Y1.5,Y2.3,Y3.0
- ☆

0.8,1.2,1.5,2.0
- U2.3,U2.6
- SQ0,SQ1
- ▲

2.3,2.7
- +

MID

Accessories:

Bits*50, 1st generation electric screwdriver handle*1, pry tools*3, magnetic area adjuster*1, short pry bars*2, charging cable



MT-Ele58IN1

Electric screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
415	226*108*43	46*23.5*47	40	16.6/17.6

Bit Type (S2) :

- ☆

T5H, T6H,T7H,T8H,T9H,T10H,T15H,T20H
- +

PH0000,PH000,PH00,PH0,PH1,PH2
- ⦿

H1.3,H1.5,H2.0,H2.5,H3.0,H4.0
- 1.5,2.0,2.5,3.0,4.0
- Y

Y0.6,Y1.5,Y2.5,Y3.0
- ☆

SQ0,SQ1,SQ2
- ☆

T2,T3,T4
- ⦿

U2.6
- ☆

0.8,1.2
- ▲

2.3
- +

MID


Accessories:

Bits*40, thin pry tools*3, pry bars*3, magnetic area adjuster*1, pry knife*1, manual screwdriver handle*1, 1st generation electric handle*1, charging cable*1

First generation electric screwdriver handle parameters

Detailed parameters:

1. Charging voltage: 4.5v-6.5v
2. Charging current: 0.35A
3. Charging time: >60 minutes, red light on during charging, light off after full charge
4. Nominal voltage: 3.7v
5. Rated power: 6.7w
6. Battery type: lithium battery
7. Battery capacity: 320mAh
8. Battery size: 10440
9. No-load speed/current: 200rpm/100mAh
10. Light load speed: 150rpm/150mAh-300mAh
11. Electric torque adjustment: 0.04-0.1N.m
12. Manual torque: >5N.M
13. Lighting mode: 3LED
14. Battery life: 90 minutes of continuous use, 90 days of standby life.



50 pcs



MT-Ele50IN1



Electric screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
594	260*100*33	44*27*18	20	11.9/12.9

Bit Type (S2) :

- ⦿

H0.7,H0.9,H1.3,H1.5,H2.0,H2.5,H3.0,H3.5,H4.0
- ☆

T5H,T6H,,T7H,T8H,T9H,T10H,T15H,T20H
- +

PH0000,PH000,PH00,PH0,PH1,PH2
- Y

Y0.6,Y1.5,Y2.0,Y2.5,Y3.0
- ☆

P2(☆0.8) ,P5(☆1.2) ,P6(☆1.5)
- 1.0,1.5,2.5,3.0,4.0
- ⦿

SIM
- +

MID
- ▲

2.0 2.3
- ⦿

U2.0
- ▲

2.0 2.3
- ⦿

SQ0 ,SQ1 ,SQ2
- ☆

T1,T2,T3,T4
- ⦿

H4*45mm
- ☆

T6H,T8H,T9H,T10H,T15H,T20H
- ⦿

H1.5,H2.0,H2.5
- +

PH0,PH1,PH2
- 2.0 ,3.0
- ▲

3.0
- ⦿

U2.6

Accessories:

Bits*64, charging cable*1, magnetic area adjuster*1, 1st generation electric handle*1

Electric screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
723	295*245*40	31*26*38	20	14.5/15.5

Bit Type (S2) :

- ⦿

H0.7,H0.9,H1.3,H1.5,H2.0,H2.5,H3.0,H3.5,H4.0
- ☆

T5H,T6H,,T7H,T8H,T9H,T10H,T15H,T20H
- +

PH0000,PH000,PH00,PH0,PH1,PH2
- Y

Y0.6,Y1.5,Y2.0,Y2.5,Y3.0
- ☆

P2(☆0.8) ,P5(☆1.2) ,P6(☆1.5)
- 1.0,1.5,2.5,3.0,4.0
- ⦿

SIM
- +

MID
- ▲

2.0 2.3
- ⦿

U2.0
- ▲

2.0 2.3
- ⦿

SQ0 ,SQ1 ,SQ2
- ☆

T1,T2,T3,T4
- ⦿

H4*45mm
- ☆

T6H,T8H,T9H,T10H,T15H,T20H
- ⦿

H1.5,H2.0,H2.5
- +

PH0,PH1,PH2
- 2.0 ,3.0
- ▲

3.0
- ⦿

U2.6

Accessories:

Bits*64, charging cable*1, magnetic area adjuster*1, 1st generation electric handle*1, thin pry tools*6, pry bars*3, plastic long pry bar*1, tweezers*1, metal pry bar*1, suction cup*1, card pin*1, magnetic mat*1

66 pcs



MT-Ele66IN1

Amazon4.7+
★★★★★

82 pcs



MT-Ele82IN1

Electric screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
259	: 210*81*18	35.5*22.5*42	80	20.8/21.8

Bit Type (CRV) :

- +

PH000,PH00,PH0,PH1,PH2
- SL1.5,SL3.0,SL4.0
- Y

Y0.6,Y1.5,Y2.5
- ☆

P2(0.8),P5(1.2)
- ☆

T6H,T8H,T10H
- ☆

T2,T3,T4,T5
- H1.5,H2.0
- ⊖

U2.6
- ▲

2.3

Accessories:

Bits*24, 1st generation electric handle*1, magnetic area adjuster*1, thin pry tools*2, plastic short pry bar*1, card pin*1, charging cable*1

Electric screwdriver set

Packing parameters:

Single product weight (g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
430	226*108*43	46*23.5*47	40	17.2/18.2

Bit Type (CRV) :

- H0.7,H0.9,H1.3,H1.5,H2.0,H2.5,H3.0,H3.5,H4.0
- ☆

T5H,T6H,T7H,T8H,T9H,T10H,T15H,T20H
- +

PH000,PH00,PH0,PH1,PH2
- 1.0,1.3,1.5,2.0,2.5,3.0,4.0
- ☆

PZ000,PZ00,PZ0,PZ1
- Y


Y0.6,Y1.5,Y2.5,Y3.0
- ☆

0.8,1.2,1.5,2.0
- SQ0 ,SQ1 ,SQ2
- ☆

T1,T2,T3,T4

Accessories:

Bits*54, 1st generation electric handle*1, manual handle*1, pry bars*2, pry tools*4, magnetic area adjuster*1, magnetic mat*1, charging cable*1



MT-Ele30IN1



MT-Ele65IN1

30 pcs

Electric screwdriver set

Packing parameters:

Single product weight (g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
460	195*101*25	33*21*31	30	13.8/14.8

Bit Type (CRV) :

- H0.7,H0.9,H1.3,H1.5,H2.0,H2.5,H3.0,H3.5,H4.0
- +

PH0000*2,PH000*2,PH00*2,PH0*2,PH1*2,PH2*2
- ☆

T5H,T6H,T7H,T8H,T9H,T10H,T15H,T20H
- ☆

P2(☆0.8),P5(☆1.2),P6(☆1.5)
- Y

Y0.6*2,Y1.5*2,Y2.0,Y2.5,Y3.0
- 1.0,1.5,2.0,2.5,3.0,4.0
- +

J000,J00,J0,J1,J2
- ☆

T1,T2,T3,T4
- SQ0,SQ1,SQ2
- ▲

2.0,2.3,3.0

Accessories:

Bits*71, 1st generation electric handle*1, charging cable*1, magnetic area adjuster*1, magnetic mat*1

Electric screwdriver set

Packing parameters:

Single product weight (g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
983	210*140*80	43.5*29*42.5	12	11.7/12.8

Bit Type (S2) :

- 0.7,0.9,1.3,1.5,2.0,2.5,3.0,3.5,4.0,4.5,5.0
- ☆

TR6,TR7,TR8,TR9,TR10,TR15,TR20,TR25
- +

PH000,PH00,PH0,PH1,PH2
- 2.5,3.0,3.5,4.0,4.5,5.0,5.5
- 1.0,1.5,2.0,2.5,3.0,4.0
- +

J000,J00,J0,J1,J2
- Y

Y000,Y00,Y0,Y1
- ☆

T2,T3,T4,T5
- ⊖

U6.0,U8.0
- ⊕

STANDOFF
- ☆

P2,P5,P6
- ▲

2.0,3.0

Accessories:

Bits*64, 3rd generation electric handle*1, manual handle*1, expansion clamp*1, extension hose*1, tweezers*2, anti-static wristband*1, pry tools*6, pry knife*1, pry bars*3, plastic long pry bars*2, metal pry bar*1, steel ruler*1, suction cup*1, card pin*1, charging cable*1, cloth storage bag*1



MT-Ele75IN1



MT-EleB89IN1

75 pcs

89 pcs

Electric screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
256	211*78*37	42*23*34 42*22*42	40~50	10.2/11.2 12.8/13.9

Bit Type (CRV) :

- +

PH000, PH00,PH0,PH1,PH2
- SL1.5,SL3.0,SL4.0
- Y

Y0.6,Y1.5,Y2.5
- ☆

T2,T3,T4,T5
- ☆

T6H,T8H,T10H
- H1.5,H2.0
- ☆

P2(0.8),P5(1.2)
- ⊖

U2.6
- ▲

2.3

Accessories:

Bits*24, 1st generation electric handle*1, thin pry tools*3, short pry bar*1, magnetic area adjuster*1, charging cable*1

28
pcs



ZH-Ele28IN1

Electric screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
817	245*150*50	53*29*28	20	16.3/17.4

Bit Type (CV) :

- H0.7,H0.9,H1.0,H1.3*2,H1.5*2,H2.0,H2.5,H3.0,H3.5,H4.0,H4.5,H5.0,H6.0
- ☆

T1*2,T2*2,T3*2,T4*2,T5,T6,T7,T8,T9,T10,T15,T20
- 1.0*2,1.3*2,1.5*2,2.0*2,2.5*2,3.0*2,3.5*2,4.0*2
- +

PH0000*2,PH000*2,PH00*2,PH0*2,PH1*2,PH2*2
- ☆

T5H,T6H,T7H,T8H,T9H,T10H,T15H,T20H,T25H
- ☆

PZ000*2,PZ00*2,PZ0*2,PZ1,PZ2
- Y

Y0.6*2,Y1.5*2,Y2.0,Y2.3,Y3.0
- 2.5,3.0,3.5,4.0,4.5,5.0,5.5
- ☆

0.8*2,1.2*2,1.5*2,2.0*2
- ▲

2.0,2.3,2.7,3.0
- ⊖

U2.3,U2.6,U8
- SQ0,SQ1,SQ2
- G3.8,G4.5
- 0.1, 0.3
- SIM*2
- +

MID*2
- FS
- 1/4-4"
- PB
- +

ICS

Accessories:

Bits*120, 1st generation electric handle*1, pry bar*1, extension hose*1, extension rod*1, double-ended pry bar*1, cleaning brush*1, tweezers*1, charging cable*1, suction cup*1, card pin*1, magnetic area adjuster*1, thin pry tools*3, thick pry tools*3, magnetic mat*1

137
pcs



MT-EleB137IN1

Electric screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
472	263*133*35	42.5*27*37	30	14.2/15.2

Bit Type (S2) :

- ☆

T5H,T6H,,T7H,T8H,T9H,T10H,T15H,T20H
- +

PH0000,PH000,PH00,PH0,PH1,PH2
- H1.3,H1.5,H2.0,H2.5,H3.0,H4.0
- ▲

2.3
- ☆

P2 (☆0.8) , P2 (☆1.2)
- Y

Y0.6,Y1.5,Y2.5,Y3.0
- 1.5,2.0,2.5,3.0,4.0
- SQ0 ,SQ1 ,SQ2
- ☆


T2,T3,T4
- ⊖

U2.6

Accessories:

Bits*40, 2nd generation electric handle*1, manual handle*1, pry tools*4, pry bars*2, magnetic area adjuster*1, charging cable*1

50
pcs



MT-Ele50IN1

Detailed parameter



Detailed parameters:

1. Charging voltage: 4.5v-6.5v
2. Charging current: 0.35A
3. Charging time: >60 minutes, red light on during charging, light off after full charge
4. Nominal voltage: 3.7v
5. Rated power: 7.4w
6. Battery type: lithium battery
7. Battery capacity: 650mAh
8. Battery size: 14430
9. No-load speed/current: 200rpm/100mAh
10. Light load speed: 150rpm/150mAh-300mAh
11. Electric torque adjustment: 0.04-0.1N.m
12. Manual torque: >5N.M
13. Lighting mode: 3LED
14. Battery life: 90 minutes of continuous use, 60 days of standby life.

Electric screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
912	245*150*50	46.5*25.5*33	20	18.2/19.3

Bit Type (CRV) :

- H0.7,H0.9,H1.0,H1.3*2,H1.5*2,H2.0,H2.5,H3.0,H3.5,H4.0, H4.5, H5.0, H6.0

★

T1*2,T2*2,T3*2,T4*2, T5,T6,T7,T8,T9,T10,T15,T20

—

1.0*2,1.3*2,1.5*2,2.0*2,2.5*2,3.0*2,3.5*2,4.0*2

+

PH0000*2,PH000*2,PH00*2,PH0*2,PH1*2,PH2*2

⚙

T5H,T6H,T7H,T8H,T9H,T10H,T15H,T20H,T25H

✳

PZ000*2,PZ00*2,PZ0*2,PZ1,PZ2

☆

P0.8*2,P1.2*2,P1.5*2,P2.0*2

Y

Y0.6*2,Y1.5*2,Y2.0,Y2.3,Y3.0

●

2.5,3.0,3.5,4.0,4.5,5.0,5.5

▲

2,2.3,2.7,3.0

⊖

U2.3,U2.6,U8

□

SQ0,SQ1,SQ2
- G3.8,G4.5
- 0.1, 0.3
- SIM*2
- ⊕

MID*2
- FS
- 1/4-4"
- PB
- ⊕

PH2

○

1/4-4"



Amazon4.7+

MT-EleB144IN1

Electric screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
932	265*192*35	42.5*28*37	20	18.7/19.7

Bit Type (CRV) :

- H0.7,H0.9,H1.0,H1.3*2,H1.5*2,H2.0,H2.5,H3.0,H3.5,H4.0,H4.5,H5.0,H6.0

★

T1*2,T2*2,T3*2,T4*2,T5,T6,T7,T8,T9,T10,T15,T20

—

1.0*2,1.3*2,1.5*2,2.0*2,2.5*2,3.0*2,3.5*2,4.0*2

+

PH0000*2,PH000*2,PH00*2,PH0*2,PH1*2,PH2*2

⚙

T5H,T6H,T7H,T8H,T9H,T10H,T15H,T20H,T25H

✳

PZ000*2,PZ00*2,PZ0*2,PZ1,PZ2

Y

Y0.6*2,Y1.5*2,Y2.0,Y2.3,Y3.0

●

2.5,3.0,3.5,4.0,4.5,5.0,5.5

★

0.8*2,1.2*2,1.5*2,2.0*2

▲

2.0,2.3,2.7,3.0

⊖

U2.3,U2.6,U8

□

SQ0,SQ1,SQ2
- G3.8,G4.5
- 0.1, 0.3
- SIM*2
- ⊕

MID*2
- FS
- PB
- ⊕

ICS



MT-Ele152IN1

Accessories:

Bits * 119, first generation electric handle * 1, manual handle * 1, extension rod * 1, metal pry bar * 1, long pry bar * 3, extension hose * 1, cleaning brush * 1, tweezers * 1, short pry bar * 2, batch head converter * 1, cleaning cloth * 1, shell prying piece * 3, blue thin prying piece * 6, black thin prying piece * 6, suction cup * 1, card pin * 1, magnetizer * 1, magnetic pad * 1, charging cable * 1

M-m
SCREWDRIVER SET



M-mscrewdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
70	20*20*130	29*22.5*23	200	14/15

Bit Type (S2) :

-  T5H,T6H,T7H,T8H,T9H,T10H
-  PH000,PH00,PH0,PH1
-  Y000,Y00,Y0,Y1
-  SL1.5,SL3.5
-  H1.5,H2.0
-  U2.3,U2.6
-  0.8,1.2
-  2.3,2.7
-  T3,T4

Accessories:

Screwdriver handle*1, bit*26

M-mscrewdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
95	20*20*160	35*22.5*23	200	19/20

Bit Type (S2) :

-  T5H,T6H,T7H,T8H,T9H,T10H,T15H,T20H
-  PH0000,PH00,PH00,PH0,PH1,PH2
-  H1.0,H1.3,H1.5,H2.0,H2.5,H3.0
-  YO00,YOO,YO,Y1
-  SIM
-  SL1.5,SL3.5
-  MID
-  T1,T2,T3,T4
-  U2.3,U2.6
-  0.8,1.2
-  2.3,2.7

Accessories:

Screwdriver handle*1, bit*38



Amazon4.7+
★★★★★

MT-M027
Aluminum shell



MT-M039
Aluminum shell

M-mscrewdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
148	162*70*18	34*30*21.5	80	11.9/12.9

Bit Type (45#) :

-  T2,T3,T4,T5,T6,T8,T9,T10
-  PH000,PH00,PH0,PH1,PH2
-  Y0.6,Y1.5,Y2.5
-  H1.5,H2.0
-  0.8,1.2
-  1.5,3.0
-  U2.6
-  2.3

Accessories:

Bits*24, plastic screwdriver handle*1

M-mscrewdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
254	170*68*18	30*18*20.5	40	10.2/11.2

Bit Type (CRV) :

-  T2,T3,T4,T5H,T6H,T8H,T10H
-  PH000,PH00,PH0,PH1,PH2
-  Y0.6,Y1.5,Y2.5
-  H1.5,H2.0
-  0.8,1.2
-  1.5,3.0,4.0
-  U2.6
-  2.3

Accessories:

Bits*24, screwdriver handle*1



MT-M025P



MT-M025
Aluminum shell

M-mscrewdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
186	162*70*18	34*28.5*20	80	14.9/15.9

Bit Type (45#) :

- T2,T3,T4,T5,T6,T8,T9, T10
- PH000,PH00,PH0,PH1,PH2
- Y0.6,Y1.5,Y2.5
- H1.5,H2.0
- 0.8,1.2
- 1.5,3.0
- U2.6
- 2.3

Accessories:

Bits*24, octagonal screwdriver handle*1



MT-M025L

25
pcs

M-mscrewdriver set

Packing parameters:


Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
299	162*70*18	34*30*21.5	48	14.4/15.4

Bit Type (45#) :

- T2,T3,T4,T5,T6H,T8H,T10H
- PH000,PH00,PH0,PH1,PH2
- Y0.6,Y1.5,Y2.5
- 1.5,3.0,4.0
- H1.5,,H2.0
- 0.8,1.2
- U2.6
- 2.3

Accessories:

Bits*24, Octagonal screwdriver handle*1, Plus/minus magnetic area*1



MT-M026

26
pcs

M-mscrewdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
200	190*72*18	34*30*21.5	80	16/17

Bit Type (CRV) :

- T2,T3,T4,T5H,T6H,T8H,T10H
- PH000,PH00,PH0,PH1,PH2
- H1.5,H2.0
- Y0.6,Y1.5,Y2.5
- 1.5,3.0,4.0
- 0.8,1.2
- U2.6
- 2.3

Accessories:

Bits*24, screwdriver handle*1



Amazon4.7+
★★★★★

MT-M025

25
pcs

M-mscrewdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
289	200*100*33	52*21*27	40	11.6/12.6

Bit Type (CRV) :

- T1,T2,T3,T4,T5,T6H,T7H,T8H,T10H,T15H
- PH000,PH00,PH0,PH1,PH2
- 1.5,2.0,2.5,3.0,4.0
- H1.3,H1.5,H2.0
- Y0.6,Y1.5,Y2.5
- 0.8,1.2,2.0
- U2.6
- 2.3
- MID

Accessories:

Bits*32, Screwdriver handle*1



MT-M033

33
pcs

M-mscrewdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
320	200*100*33	52*21*27	40	12.8/13.8

Bit Type (S2) :

- ★

T1,T2,T3,T4,T5,T6H,TR8,T9H,TR10,T15H,T20H
- +

PH0000,PH000,PH00,PH0,PH1,PH2
- SL1.0,SL1.5,SL2.5,SL3.5
- Y

Y0.6,Y1.5,Y2.3,Y3.0
- H1.3,H1.5,H2.0,H2.5
- ★

P2(★0.8),,P5(★1.2)
- ⊖

U2.0,U2.6
- ▲

2.3,3.0
- ⊕

MID

Accessories:

Bits*36, Metal pry bar*1, Tweezers*1, Screwdriver handle*1

M-mscrewdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
192	162*70*18	34*30*21.5	80	15.4/16.4

Bit Type (crv) :

- H0.7,H0.9,H1.0,H1.3,H1.5,H2.0,H2.5,H3.0,H3.5,H4.0
- ★

T5H,T6H,T7H,T8H,T9H,T10H,T15H,T20H
- +

PH0000,PH000,PH00,PH0,PH1,PH2
- Y

Y0.6,Y1.5,Y2.0,Y2.5,Y3.0,Y3.5
- SL1.0,SL1.5,SL2.5,SL3.5
- ▲

2.0,2.3,2.7,3.0
- ★

T1,T2,T3,T4
- ★

P0.8,P1.2
- ⊖

U2.3,U2.6
- SIM
- ⊕

MID

Accessories:

Bits*48, screwdriver handle*1



MT-M039

39 pcs



MT-M049

49 pcs

M-mscrewdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
355	200*100*33	52*21*27	40	14.2/15.2

Bit Type (S2) :

- ★

T2,T3,T4,T5H,T6H,T8H,T9H,T10H,T15H,T20H
- H0.9,H1.3,H1.5,H2.0,H2.5,H3.0,H3.5,H4.0
- ★

P2(★0.8),,P5(★1.2),P6(★1.5)

⊖

U2.0,U2.6
- +

PH000,PH00,PH0,PH1,PH2

▲

2.0,2.3,3.0
- 1.0,1.5,2.5,3.5

○

G3.8,G4.5
- Y

0.6,1.5,2.3,3.0

□

SQ0,SQ1
- M2.5,M3.0,M4.0
- ⊕

CC2.2

Accessories:

Bits*47, screwdriver handle*1, tweezers*1, metal pry bar*1



MT-M050

Amazon4.7+
★★★★★



50 pcs

M-mscrewdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
349	200*100*31	52*21*27	40	14/15

Bit Type (CRV) :

- ★

T1,T2,T3,T4,T5,T6H,T7H,T8H,T9H,T10H,T15H,T20H
- H0.7,H0.9,H1.3,H1.5,H2.0,H2.5,H3.0,H3.5,H4.0
- +

PH00000,PH0000,PH000,PH00,PH0,PH1,PH2
- 1.0,1.3,1.5,2.0,2.5,3.0,4.0

⊖

U2.3,U2.6
- ✱

PZ000,PZ00,PZ0,PZ1

▲

2.0,2.3,3.0
- Y

Y0.6,Y1.5,Y2.5,Y3.0

○

G3.8,G4.5
- ★

0.8,1.2,1.5,2.0

□

SQ0,SQ1,SQ2
- 2.5,3.0,4.0
- ⊕

MID
- ⊕

ICS

Accessories:

Bits*62, Screwdriver handle*1



MT-M063

Amazon4.7+
★★★★★




63 pcs

H4 Screwdriver set



The dual-side transparent case clearly displays all the Bit Types and Accessories inside



Various accessories designed for repairing iPhones, phones, PCs, laptops, computers, Nintendo Switch, game consoles, watches, glasses, cameras, Xbox, and other electronic devices



Designed for multi-scene repairs of iPhones, phones, PCs, laptops, computers, Nintendo Switch, game consoles, watches, glasses, cameras, Xbox, and other electronic devices



Amazon
4.7+
★★★★★

H4 Screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
490	198*108*52	57*21*45	35	17/18

Bit Type (CRV) :

- ★

T2*2,T3*2,T4*2,T5*2,T6*2,T7*2,T8*2,T9*2,T10*2,T15*2,T20*2
- ⦿

H0.7,H0.9,H1.0,H1.3,H1.5,H2.0*2,H2.5*2,H3.0*2,H3.5*2,H4.0*2
- 1.0*2,1.3*2,1.5*2,2.0*2,2.5*2,3.0*2,3.5*2,4.0*2
- +

PH000*2,PH00*2,PH0*2,PH1*2,PH2*2
- ✱

PZ000,PZ00*2,PZ0*2,PZ1,PZ2
- ⦿

2.5,3.0,3.5,4.0,4.5,5.0,5.5
- ★

0.8*2,1.2*2,1.5*2,2.0*2
- ▲

2.0,2.3,2.7,3.0
- Y

Y0.6,Y2.0,Y3.0

□

SQ0,SQ1

⦿

U2.6*2

⦿

SIM

+

MID

+

ICS

Accessories:

Bits * 98, bit converter * 1, magnetizer * 1, thin prying pieces * 2, thick prying pieces * 2, pry bars * 2, tweezers * 1, extension hose * 1, screwdriver handle * 1, suction cup * 1, card pin * 1, extension rod * 1

H4 Screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
546	195*105*60	57.5*21*45	35	19/20

Bit Type (CRV) :

- ★

T1,T2,T3,T4,T5,T6,T7,T8,T9,T10,T15,T20,T6H,T7H,T8H,T9H,T10H,T15H,T20H,T25H
- ⦿

H0.7,H0.9,H1.0,H1.3,H1.5,H2.0,H2.5,H3.0,H3.5,H4.0,H4.5,H5.0,H6.0
- PH0000*2,PH000*2,PH00*2,PH0*2,PH1*2,PH2*2
- +

1.0*2,1.3*2,1.5*2,2.0*2,2.5*2,3.0,3.5,4.0
- Y

Y0.6*2,Y1.5*2,Y2.0,Y2.3,Y3.0
- ✱

PZ000,PZ00,PZ0,PZ1,PZ2
- ⦿

2.5,3.0,3.5,4.4,5.0,5.5
- ★

0.8*2,1.2*2,1.5,2.0
- ▲

2.0,2.3,2.7,3.0
- ⦿

G3.8, G4.5

□

SQ0,SQ1,SQ2

⦿

U2.3,U2.6,U8

⦿

SIM

+

MID

+

PH2

Accessories:

Bits * 98, thick prying pieces * 4, thin prying pieces * 4, magnet * 1, screwdriver handle * 1, extension hose * 1, tweezers * 1, bit converter * 1, extension rod * 1, pry bar * 3, suction cup * 1, card pin * 1



MT-T112



Amazon4.7+
★★★★★

MT-T117

H4 Screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
575	195*105*60	57.5*21*45	35	20/21

Bit Type (CRV) :

- ★

T1,T2,T3,T4,T5,T6,T7,T8,T9,T10,T15,T20,T6H,T7H,T8H,T9H,T10H,T15H,T20H,T25H
- ⦿

H0.7,H0.9,H1.0,H1.3,H1.5,H2.0,H2.5,H3.0,H3.5,H4.0,H4.5,H5.0,H6.0
- PH0000*2,PH000*2,PH00*2,PH0*2,PH1*2,PH2*2
- +

1.0*2,1.3*2,1.5*2,2.0*2,2.5*2,3.0,3.5,4.0
- Y

Y0.6*2,Y1.5*2,Y2.0,Y2.3,Y3.0
- ✱

PZ000,PZ00,PZ0,PZ1,PZ2
- ⦿

2.5,3.0,3.5,4.4,5.0,5.5
- ★

0.8*2,1.2*2,1.5,2.0
- ▲

2.0,2.3,2.7,3.0
- ⦿

G3.8, G4.5

□

SQ0,SQ1,SQ2

⦿

U2.3,U2.6,U8

⦿

SIM

+


MID

+

PH2

Accessories:

Bits*117, gray thin prying pieces*3, gray thick prying pieces*3, black thick prying pieces*3, magnetizer*1, screwdriver handle*1, extension rod*1, extension hose*1, tweezers*1, pry bars*3, bit converter*1, magnetic sheet*1, suction cup*1, card pin*1



MT-T122

H4 Screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
638	195*105*60	57*21*39	30	20/21

Bit Type (CRV) :

- ★

T1,T2,T3,T4,T5,T6,T7,T8,T9,T10,T15,T20,T6H,T7H,T8H,T9H,T10H,T15H,T20H,T25H
- ⦿

H0.7,H0.9,H1.0,H1.3,H1.5,H2.0,H2.5,H3.0,H3.5,H4.0,H4.5,H5.0,H6.0
- PH0000*2,PH000*2,PH00*2,PH0*2,PH1*2,PH2*2
- +

1.0*2,1.3*2,1.5*2,2.0*2,2.5*2,3.0,3.5,4.0
- Y

Y0.6*2,Y1.5*2,Y2.0,Y2.3,Y3.0
- ✱

PZ000,PZ00,PZ0,PZ1,PZ2
- ⦿

2.5,3.0,3.5,4.4,5.0,5.5
- ★

0.8*2,1.2*2,1.5,2.0
- ▲

2.0,2.3,2.7,3.0
- ⦿

G3.8, G4.5

□

SQ0,SQ1,SQ2

⦿

U2.3,U2.6,U8

⦿

SIM

+


MID

+

PH2

Accessories:

Bits*117, gray thin prying pieces*3, gray thick prying pieces*3, black thick prying pieces*3, magnetizer*1, screwdriver handle*1, extension rod*1, extension hose*1, tweezers*1, pry bars*3, bit converter*1, magnetic sheet*1, suction cup*1, card pin*1



MT-T138

122
pcs

138
pcs

112
pcs

117
pcs

H4 Screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
393	226*98*28	50.5*25*43	50	20/21

Bit Type (CRV) :

- ★

T3,T4,T5,T6,T7,T8,T9,T10,T15,T20
- 0.7,0.9,1,1.3,1.5,2,2.5,3,3.5,4
- +

PH000,PH00,PH0,PH1,PH2
- ✱

PZ000,PZ00,PZ0,PZ1,PZ2
- 1,1.3,1.5,2,2.5,3,3.5,4
- 2.5,3,3.5,4,4.5,5
- ▲

2.0,2.3
- Y

Y2.0,Y3.0
- ★

0.8,1.2
- SQ0,SQ1
- ⊕

U2.6
- SIM

Accessories:

Bits*54, Aluminum alloy screwdriver handle*1, Extension hose*1, Bit converter*1, Extension rod*1

H4 Screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
420	226*98*28	50.5*25*43	50	21/22

Bit Type (CRV) :

- ★

T3,T4,T5,T6,T7,T8,T9,T10,T15,T20
- 0.7,0.9,1,1.3,1.5,2,2.5,3,3.5,4
- +

PH000,PH00,PH0,PH1,PH2
- ✱

PZ000,PZ00,PZ0,PZ1,PZ2
- 1,1.3,1.5,2,2.5,3,3.5,4
- 2.5,3,3.5,4,4.5,5
- ▲

2.0,2.3
- Y

Y2.0,Y3.0
- ★

0.8,1.2
- SQ0,SQ1
- ⊕

U2.6
- SIM

Accessories:

Bits*54, plastic screwdriver handle*1, extension hose*1, bit converter*1, extension rod*1



MT-T058A

58
pcs



MT-T058B

58
pcs

H4 Screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
453	176*108*36	41.5*26*48	40	18/19

Bit Type (CRV) :

- ★

T2,T3,T4,T5,T6,T7,T8,T9,T10,T15,T20
- 0.7,0.9,1.0,1.3,1.5,2.0,2.5,3.0,3.5,4.0
- 1.0,1.3,1.5,2.0,2.5,3.0,3.5,4.0
- +

PH000,PH00,PH0,PH1,PH2
- ✱

PZ000,PZ00,PZ0,PZ1,PZ2
- 2.5,3.0,4.0,4.5,5.0,5.5
- Y

Y2.0,Y2.3,Y3.0
- ★

0.8,1.2,2.0
- 1/4-4"
- SQ0,SQ1,SQ2
- ▲

2.0,2.3,3.0
- ⊕

U2.3,U2.6
- SIM
- ⊕

MID
- ⊕

ICS

Accessories:

Bits*64, screwdriver handle*1, extension hose*1



MT-T066B

66
pcs

H4 Screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
520	176*108*36	41.5*26*48	40	21/22

Bit Type (CRV) :

- ★

T2,T3,T4,T5,T6,T7,T8,T9,T10,T15,T20,T25
- 0.7,0.9,1.3,1.5,2.0,2.5,3.0,3.5,4.0,4.5,5.0
- +

PH000,PH00,PH0,PH1,PH2
- ✱

PZ000,PZ00,PZ0,PZ1,PZ2
- 2.5,3.0,3.5,4.0,4.5,5.0,5.5
- 1.0,1.5,2.0,2.5,3.0,4.0
- Y

Y000,Y00,Y0,Y0.6,Y1
- ⊕

U4.0,U6.0,U8.0
- +

J000,J00,J0,J1
- 1/4-4"
- SQ0,SQ1,SQ2
- G3.8,G4.5
- ★

0.8,1.2,1.5
- ▲

2.0,3.0
- SIM
- ⊕

MID

Accessories:

Bits*66, screwdriver handle*1, extension hose*1, tweezers*1



MT-T069C

69
pcs

H4 Screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
195	145*85*38	45*18*37	54	11/12

Bit Type (CRV) :

- ★

T3,T4,T5H,T6H,T8H,T10H,T15H,T20H
- +

PH000,PH0,PH1,PH2
- Y

Y0.6,Y1.5,Y2.5
- ⊖

G3.8,G4.5
- 1.0,2.5,4.0
- ★

0.8,1.2

Accessories:

Bits*22, screwdriver handle*1, tweezers*1, short pry bars*2, thin pry pieces*6, magnetizer*1



MT-T7389E

H4 Screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
650	265*135*35	42.5*27*37	30	20/21

Bit Type (CRV) :

- ★

T1*2,T2*2,T3*2,T4*2,T5,T6,T7,T8,T9,T10,T15,T20,T5H,T6H,T7H,T8H,T9H,T10H,T15H,T20H,T25H
- +

PH0000*2,PH000*2,PH00*2,PH0*2,PH1*2,PH2*2
- ⊖

0.7,0.9,1.0,1.3,1.5,2.0,2.5,3.0,3.5,4.0,4.5,5.0,6.0
- 1.0*2,1.3*2,1.5*2,2.0*2,2.5*2,3.0*2,3.5*2,4.0
- Y

Y0.6*2,Y1.5*2,Y2.0,Y2.3,Y2.5,Y3.0
- ⊖

SQ0,SQ1,SQ2
- ★

PZ000,PZ00,PZ0,PZ1,PZ2
- ⊖

U2.3,U2.6,U8
- ⊖

2.5,3.0,3.5,4.0,4.5,5.0,5.5
- ⊖

SIM
- ★

0.8*2,1.2*2,1.5,2.0
- ⊖

FS
- △

2.0, 2.3,2.7,3.0
- ⊖

PB
- ⊖

G3.8,G4.5
- ⊖

0.1,0.3
- ⊖

ICS

Accessories:

Bits*110, screwdriver handle*1, extension rod*1, extension hose*1, long pry bar*1, magnetizer*1, bit converter*1, thin pry pieces*8



MT-T124

33
pcs

H4 Screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
838	250*165*40	53*25.5*30	20	17/18

Bit Type (CRV) :

- ★

T1*2,T2*2,T3*2,T4*2,T5*2,T6,T7,T8,T9,T10,T15,T20
- 1.0*2, 1.3*2,1.5*2,2.0*2,2.5*2,3.0*2,3.5*2,4.0*2
- +

PH0000*2,PH000*2,PH00*2,PH0*2,PH1*2,PH2*2
- ★

T5H,T6H,T7H,T8H,T9H,T10H,T15H,T20H,T25H
- ⊖

0.7,0.9,1.0,1.3,1.5,2.0,2.5,3.0,3.5,4.0,4.5,5.0,6.0
- Ex

Ex#6,Ex#7,Ex#8,Ex#9,Ex#10
- ⊖

4,4.5,5.5,5.6,7
- Dr

Ex#6,Ex#7,Ex#8,Ex#9,Ex#10
- △

2.0, 2.3,2.7,3.0
- Y

0.6*2,1.5*2,2.0,2.3,2.5,3.0
- ⊖

SQ0,SQ1,SQ2
- ★

PZ000,PZ00,PZ0,PZ1,PZ2
- ⊖

U2.3,U2.6,U8
- ⊖

2.5,3.0, 3.5,4.0,4.5,5.0,5.5
- ⊖

G3.8,G4.5
- ★

0.8*2,1.2*2,1.5*2,2.0*2
- ⊖

0.1,0.3
- ⊖

FS
- ⊖

PB
- ⊖

SIM
- +

MID*2
- +

PH2

Accessories:

Bits * 130, screwdriver handle * 1, extension hose * 1, cleaning brush * 1, bit converter * 1, short pry bar * 8, thin prying pieces * 8, thick prying pieces * 6, suction cup * 1, pin * 1, cleaning cloth * 1, magnetizer * 1



MT-T160

160
pcs

H4 Screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
810	215*130*55	45.5*28*30	20	16/17

Bit Type (CRV) :

- SL1.0*2,SL1.3*2,SL1.5*2,SL2.0*2,SL2.5*2,SL3.0,SL3.5,SL4.0,SL4.5,SL5.0
- +

PH00000*3,PH0000*3,PH000*3,PH00*3,PH0*2,PH1*2,PH2*2
- ⊖

H0.7,H0.9,H1.0,H1.3,H1.5,H2.0,H2.5,H3.0,H3.5,H4.0
- ⊖

H1/8,H1/16,H3/16,H3/32,H5/32,H5/64,H7/64,H9/64
- ★

T1*2,T2*2,T3*2,T4*2,T5,T6,T7,T8,T9,T10,T15,T20
- ★

P2(★0.8)*2,P5(★1.2)*2,P6(★1.5)*2,P8(★2.0)
- ★

T5H,T6H,T7H,T8H,T9H,T10H,T15H,T20H,T25H
- ⊖

M2.5,M3.0,M3.5,M4.0,M4.5,M5.0,M5.5
- △

△2.0,△2.3,△2.5,△2.7,△3.0
- Y

Y0.6*2,Y1.5*2,Y2.0,Y2.5,Y3.0
- +

J000,J00,J0,J1,J2
- ★

PZ000,PZ00,PZ0,PZ1,PZ2
- ⊖

G3.8,G4.5
- U2.0,U2.6,U3.0,U4,U6
- +

ICS(2.0)
- ⊖

FS
- ⊖

FS
- ⊖

ü
- ⊖

SIM
- +

MID
- ⊖

SQ0,SQ1,SQ2,SQ3
- Y

Y000,Y00,Y0,Y1,Y2
- +

J000,J00,J0,J1,J2
- ⊖

G3.8,G4.5
- +

ICS(2.0)

H4*45mm:

- 1.5,3.0
- +

PH1,PH2

Accessories:

Screwdriver handle*1, bit*140, thin prying piece*4, suction cup*1, extension hose*1, plastic short pry bar*2, bit converter*1, plus and minus magnetic area*1, tweezers*1



MT-T152

152
pcs

Cloth screwdriver set series

- Clear markings on each bit make identification faster
- No need to carry multiple tools for any job with this kit
- Includes duplicates of the most commonly used bits in case of loss
- Various bit types for different scenarios, with 26 practical accessories included.



Cloth screwdriver set series

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
778	253*140*67	37*25*37 57*27*33	12~20	9.3/10.4 15.5/16.6

Bit Type (CRV) :

- ★

T3,T4,T5,T6,T7,T8,T9,T10,T15,T20
- 0.7,0.9,1,1.3,1.5,2,2.5,3,3.5,4
- +

PH000,PH00,PH0,PH1,PH2
- ✱

PZ000,PZ00,PZ0,PZ1,PZ2
- 1,1.3,1.5,2,2.5,3,3.5,4
- 2.5,3,3.5,4,4.5,5
- Y

Y0.6,Y2.0,Y3.0
- ▲

2.0,2.3

★

0.8,1,2

□

SQ0,SQ1

⊖

U2.6

○

SIM

⊕

MID

MT-B080

Accessories:

Bits*56, screwdriver handle*1, extension hose*1, bit adapter*1, extension rod*1,single-head short pry bars*4, tweezers*3, anti-static wristband*1, metal pry bars*3, utility knife*1, plastic long pry bars*2, steel prying pieces*1, ruler*1, suction cup*1, card pin*1, thick prying pieces*2

Cloth screwdriver set series

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
992	270*160*70	49.5*28*31	12	11.9/13

Bit Type (CRV) :

- ★

T3,T4,T5,T6,T7,T8,T9,T10,T15,T20
- 0.7,0.9,1,1.3,1.5,2,2.5,3,3.5,4
- +

PH000,PH00,PH0,PH1,PH2
- ✱

PZ000,PZ00,PZ0,PZ1,PZ2
- 1,1.3,1.5,2,2.5,3,3.5,4
- 2.5,3,3.5,4,4.5,5
- Y

Y0.6,Y2.0,Y3.0
- ▲

2.0,2.3

★

0.8,1,2

□

SQ0,SQ1

⊖

U2.6

○

SIM

⊕

MID

MT-B086

Accessories:

Bits*56, screwdriver handle*1, extension hose*1, bit adapter*1, extension rod*1, anti-static wristband*1, tweezers*3, plastic short pry bars*2, steel pry pick*1, utility knife*1, metal pry bars*3, plastic long pry bars*2, fan-shaped pry bar*1, card pin*1, suction cup*1, magnetic pad*1, cleaning cloth*1, thin pry pick*3, thick pry pick*3, magnetizer*1

80
pcs

Cloth screwdriver set series

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
992	210*140*80	43.5*29*42.5	12	11.9/13

Bit Type (CRV) :

- ★

T2,T3,T4,T5,T6,T7,T8,T9,T10,T15,T20,T25
- 0.7,0.9,1.3,1.5,2.0,2.5,3.0,3.5,4.0,4.5,5.0
- +

PH000,PH00,PH0,PH1,PH2
- ✱

PZ000,PZ00,PZ0,PZ1,PZ2
- 1.0,1.5,2.0,2.5,3.0,4.0
- Y

Y000,Y00,Y0,Y0.6,Y1
- ⊖

U4.0,U6.0,U8.0
- +

J000,J00,J0,J1
- 1/4-4"

□

SQ0,SQ1,SQ2

●

G3.8,G4.5

★

0.8,1.2,1.5

▲

2.0,3.0

○

SIM

⊕

MID

MT-B089

Accessories:

Bits*66, screwdriver handle*1, extension hose*1, tweezers*1, metal pry bar*1,ruler*1, pry knife*1, long plastic pry bar*2, expansion clip*1, tweezers*2, short pry bar*3, suction cup*1, thin prying piece*6, anti-static bracelet*1, cloth storage bag*1

Cloth screwdriver set series

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
700	240*150*50	42*23*33	20	14/15

Bit Type (CRV) :

- H0.7,H0.9,H1.0,H1.3*2,H1.5*2,H2.0,H2.5,H3.0,H3.5,H4.0,H4.5,H5.0,H6.0
- ★

T1*2,T2*2,T3*2,T4*2,T5,T6,T7,T8,T9,T10,T15,T20
- ⊕

PH0000*2,PH000*2,PH00*2,PH0*2,PH1*2,PH2*2
- ☆

T5H,T6H,T7H,T8H,T9H,T10H,T15H,T20H,T25H
- 1.0*2,1.3*2,1.5*2,2.0*2,2.5*2,3.0*2,3.5*2,4.0*2
- ★

P0.8*2,P1.2*2,P1.5*2,P2.0*2
- Y

Y0.6*2,Y1.5*2,Y2.0,Y2.3,Y3.0
- 2.5,3.0,3.5,4.0,4.5,5.0,5.5
- ✱

000*2,00*2,0*2,1,2
- SQ0,SQ1,SQ2
- G3.8,G4.5
- ⊖

U2.3,U2.6,U8
- ▲

2,2.3,2.7,3.0
- FS
- ⊖

PB
- SIM
- ⊕

MID
- ⊕

PH2

○

0.1,0.3

○

1/4-4"

Amazon4.7+
★★★★★

MT-B142

Accessories:

Bits*120, screwdriver handle*1, magnetizer*1, cleaning cloth*1, magnetic pad*1, opening picks*8, short pry bars*2, tweezers*1, cleaning brush*1, extension hose*1, metal pry bar*1, long plastic pry bars*2, card pin*1, suction cup*1

89
pcs

142
pcs

Cloth screwdriver set series

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
700	200*120*55	53.5*24*34	20	16/17

Bit Type (CRV) :

- ★

T1,T2,T3,T4,T5,T6H,T7H,T8H,T9H,T10H,T15H,T20H
- ⦿

H0.7,H0.9,H1.3,H1.5,H2.0,H2.5,H3.0,H3.5,H4.0
- +

PH00000,PH0000,PH000,PH00,PH0,PH1,PH2
- 1.0,1.3,1.5,2.0,2.5,3.0,4.0
- ✱

PZ000,PZ00,PZ0,PZ1
- Y

Y0.6,Y1.5,Y2.5,Y3.0
- ★

0.8,1.2,1.5,2.0
- ⦿

2.5,3.0,4.0
- +

MID
- +

ICS
- ⦿

U2.3,U2.6
- ▲

2.0,2.3,3.0
- ⦿

G3.8,G4.5
- SQ0,SQ1,SQ2

Accessories:

Bits*62, hexagonal screwdriver handle*1, magnetic sheet*1, ruler*1, anti-static bracelet*1, suction cup*1, card pin*1, short pry bars*3, steel prying pieces*1, tweezers*3, utility knife*1, extension hose*1, metal pry bar*1, long plastic pry bars*2, thin prying pieces*8, magnetizer*1



MT-B891

Cloth screwdriver set series

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
1258	245*180*70	56.5*26*28.5	12	15/16.1

Bit Type (CRV) :

- ⦿

H0.7,H0.9,H1.0,H1.3*2,H1.5*2,H2.0,H2.5,H3.0,H3.5,H4.0,H4.5,H5.0,H6.0
- ★

T1*2,T2*2,T3*2,T4*2,T5,T6,T7,T8,T9,T10,T15,T20
- +

PH0000*2,PH000*2,PH00*2,PH0*2,PH1*2,PH2*2
- ★

T5H,T6H,T7H,T8H,T9H,T10H,T15H,T20H,T25H
- 1.0*2,1.3*2,1.5*2,2.0*2,2.5*2,3.0*2,3.5*2,4.0*2
- ✱

PZ000*2,PZ00*2,PZ0*2,PZ1,PZ2
- Y

Y0.6*2,Y1.5*2,Y2.0,Y2.3,Y3.0
- ⦿

2.5,3.0,3.5,4.0,4.5,5.0,5.5
- ★

0.8*2,1.2*2,1.5*2,2.0*2
- ▲

2.0,2.3,2.7,3.0
- ⦿

U2.3,U2.6,U8
- ⦿

G3.8,G4.5
- ⦿

0.1,0.3
- +

MID*2
- FS
- PB
- +

ICS

Accessories:

Bits*164, screwdriver handle*1, extension rod*1, telescopic ratchet screwdriver handle*1, magnetic pad*1, cleaning cloth*1, anti-static wristband*1, short pry bar*2, extension hose*1, tweezers*1, cleaning brush*1, long plastic pry bar*3, metal pry bar*1, card pin suction cup*1, thin prying piece*10, magnetizer*1



Amazon4.7+
★★★★★

MT-B191

89
pcs

Cloth screwdriver set series

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
1071	220*140*85	62*25.5*45	20	21.4/22.5

Bit Type (CRV) :

- ⦿

H0.7,H0.9,H1.0,H1.3,H1.5,H2.0,H2.5,H3.0,H3.5,H4.0,H4.5,H5.0,H6.0
- +

PH0000*2,PH000*2,PH00*2,PHO*2,PH1*2,PH2*2
- ★

T6H,T7H,T8H,T9H,T10H,T15H,T20H,T25H
- 1.0*2,1.3*2,1.5*2,2.0*2,2.5*2,3.0,3.5,4.0
- ⦿

M2.5,M3.0,M3.5,M4.0,M4.5,M5.0,M5.5
- ★

T2,T3,T4,T5,T6,T7,T8,T9,T10,T15,T20
- Y

Y0.6*2,Y1.5*2,Y2.0,Y2.3,Y3.0
- ✱

PZ000,PZ00,PZ0,PZ1,PZ2
- ★

0.8*2,1.2*2,1.5,2.0
- ▲

2.0,2.3,2.7,3.0
- ⦿

U2.3,U2.6,U8
- ⦿

G3.8,G4.5
- ⦿

SIM
- +

MID
- +

PH2

Accessories:

Bits*98, screwdriver handle*1, hose*1, short plastic pry bars*3, magnetic pad*1, suction cup*2, card pin*1, Bit converter*1, thin prying piece*4, thick prying piece*4, long plastic pry bars*3, fan-shaped pry bar*1, short pry bars*2, utility knife*1, flat metal pry bar*1, tweezers*3, cleaning cloth*1, ruler*1, metal pry bars*3, anti-static bracelet*1, magnetizer*2



MT-B135

Cloth screwdriver set series

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
739	265*155*35	44*28*33	20	14.7/15.8

Bit Type (CRV) :

- ⦿

H0.7,H0.9,H1.0,H1.3,H1.5,H2.0,H2.5,H3.0,H3.5,H4.0,H4.5,H5.0,H6.0
- +

PH0000*2,PH000*2,PHO0*2,PHO*2,PH1*2,PH2*2
- ★

T6H,T7H,T8H,T9H,T10H,T15H,T20H,T25H
- 1.0*2,1.3*2,1.5*2,2.0*2,2.5*2,3.0,3.5,4.0
- ★

T1,T2,T3,T4,T5,T6,T8,T9,T10,T15,T20
- ⦿

M2.5,M3.0,M3.5,M4.0,M4.5,M5.0,M5.5
- Y

Y0.6*2,Y1.5*2,Y2.0,Y2.3,Y3.0
- ✱

PZ000,PZ00,PZ0,PZ1,PZ2
- ★

0.8*2,1.2*2,1.5,2.0
- ▲

2.0,2.3,2.7,3.0
- ⦿

U2.3,U2.6,U8
- ⦿

SQ0,SQ1,SQ2
- ⦿

G3.8,G4.5
- ⦿

SIM
- +

MID
- +

PH2


Accessories:

Bits*120, short pry bars*2, suction cup*1, card pin*1, pry pieces*6, magnetizer*1, magnetic pad*1, long pry bars*2, tweezers*1, extension hose*1, cleaning brush*1, metal pry bar*1, extension rod*1, screwdriver handle*1



MT-B140

140
pcs



Handle with internal storage and magnetic holder, saving space



Ideal for tight spaces versatile use



5-position adjuster
3-way ratche
magnetic holder

H6.35Screwdriver set series



H6.35 Screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
182	220*65*40	40.5*27.5*44	80	15/16

Bit Type (CRV) :

- PH1,PH2,PH3
- T15H,T20H
- 4.0,5.0,6.0
- SQ1,SQ2
- H4,H5

Accessories:

Telescopic screwdriver handle*1, bit*12



13 pcs

H6.35 Screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
182	220*65*40	42*28*45	80	15/16

Bit Type (CRV) :

- PH1,PH2,PH3
- T15H,T20H
- 4.0,5.0,6.0
- SQ1,SQ2
- H4,H5

Accessories:

Fixed ratchet screwdriver handle*1, bit*12



13 pcs

H6.35 Screwdriver set

Packing parameters:

Single product weigh(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
260	206*85*43	42*28*45	60	16/17

Bit Type (CRV) :

- PH1,PH2,PH3
- T15H,T20H
- 4.0,5.0,6.0
- SQ1,SQ2
- H4,H5

Accessories:

Elbow ratchet screwdriver handle*1, bit*12



H6.35 Screwdriver set

Packing parameters:


Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
161	140*110*16	45*18*25	80	13/14

Bit Type (CRV) :

- PH1,PH2,PH3
- T15H,T20H
- SL4,SL6
- PZ1,PZ2
- SQ2

Accessories:

Wrench screwdriver*1, bit converter*1, bit*10



H6.35 Screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
170	140*110*16	45*18*25	80	14/15

Bit Type (CRV) :

- PH1,PH2,PH3
- T15H,T20H
- SL4,SL6
- PZ1,PZ2
- SQ2

Accessories:

Wrench screwdriver*1, bit converter*1, bit*10, short pry bar*2

H6.35 Screwdriver set

Packing parameters:


Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
217	140*110*16	47*30*20	80	17/18

Bit Type (CRV) :

- T10H,T15H,T20H,T25H,T30H
- H2.0,H3.0,H4.0,H5.0,H6.0
- 1/4-4"
- PH1,PH2,PH3
- SL4,SL6,SL7
- PZ1,PZ2
- SQ2

Accessories:

Wrench screwdriver*1, bit converter*1, bit*20



H6.35 Screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
320	120*79*34	45*18*25	36	12/13

Bit Type (S2) :

- T10,T15,T20,T25,T30,T35,T40
- SQ0,SQ1,SQ2,SQ3
- U2.8,U3.0,U3.5
- H4.0,H5.0,H6.0
- PZ1,PZ2,PZ3
- 1/4-4"
- 4.0,5.0,6.0
- 1.0,2.0,3.0
- 5.0,6.0,8.0

Accessories:

Wrench screwdriver*1, extension head*1, bit*30



MT-T7389A

32 pcs

H6.35 Screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
340	120*79*34	45*18*37	54	18/19

Bit Type (S2) :

- 5mm,6mm,7mm,8mm,9mm,10mm
- T10,T15,T20,T25,T30,T35,T40
- H4.0,H5.0,H6.0
- PZ1,PZ2,PZ3
- 1/4-4"
- 4.0,5.0,6.0
- 4.0,5.0,6.0

Accessories:

Wrench screwdriver*1, extension head*1, bit*26



MT-T7389B

28 pcs

H6.35 Screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
320	120*79*34	45*18*37	54	17/18

Bit Type (S2) :

- T10,T15,T20,T25,T30,T35,T40
- SQ0,SQ1,SQ2,SQ3
- U2.8,U3.0,U3.5
- H4.0,H5.0,H6.0
- PZ1,PZ2,PZ3
- 1/4-4"
- 4.0,5.0,6.0
- 1.0,2.0,3.0
- 5.0,6.0,8.0

Accessories:

Wrench screwdriver*1, extension head*1,bit*30



MT-T7389A2

32 pcs

H6.35 Screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
339	120*79*34	45*18*37	54	18/19

Bit Type (S2) :

- 5mm,6mm,7mm,8mm,9mm,10mm
- T10,T15,T20,T25,T30,T35,T40
- H4.0,H5.0,H6.0
- PZ1,PZ2,PZ3
- 1/4-4"
- 4.0,5.0,6.0
- 4.0,5.0,6.0

Accessories:

Wrench ratchet screwdriver handle * 1, bit converter * 1, bit * 26



MT-T7389B2

28 pcs

H6.35 Screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
270	120*79*34	45*18.5*36.5	54	15/16

Bit Type (S2) :

- Dr#1,Dr#2,Dr#3,Dr#4,Dr#5,Dr#6,Dr#7,Dr#8,Dr#9,Dr#10
- Ex#1,Ex#2,Ex#3,Ex#4,Ex#5,Ex#6,Ex#7,Ex#8,Ex#9,Ex#10
- 10H,15H,20H
- PH1,PH2,PH3
- 1/4-4"
- 4.0,6.0
- H4,H6

Accessories:

Extension rod*1, bit converter*1, bit*31

H6.35 Screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
800	220*150*45	47.5*30*30	20	16/17

Bit Type (CRV) :

- 5mm,6mm,7mm,8mm,9mm,10mm,11mm,12mm,13mm,14mm
- T10H,T15H,T20H,T25H,T27H,T30H,T40H
- H2.0,H2.5,H3.0,H4.0,H5.0,H6.0
- PH0*2,PH1*2,PH2*2,PH3*2
- 1/4"Driver to Socket
- 3.0,4.0,5.0,6.0,7.0
- PZ1,PZ2,PZ3
- SQ1,SQ2

Accessories:

Fixed ratchet screwdriver handle*1, wrench screwdriver handle*1, universal socket adapter*1, socket adapter (short)*1, socket adapter (long)*1, bit*32, socket bit*10



MT-T7389D



MT-6047A

33
pcs

H6.35 Screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
820	220*150*45	47.5*30*30	20	16/17

Bit Type (CRV) :

- 5mm,6mm,7mm,8mm,9mm,10mm,11mm,12mm,13mm,14mm
- H0.7,H0.9,H1.0,H1.3,H1.5,H2.0,H2.5,H3.0,H3.5,H4.0
- T5H,T6H,T8H,T9H,T10H,T15H,T20H
- PH000,PH00,PH0,PH1 PH2
- 1.0,1.5,2.0,2.5,3.0,4.0
- Y0.6,Y1.5,Y2.5
- T2,T3,T4
- SQ0,SQ1
- G3.8,G4.5
- 0.8,1.2
- 2.0,3.0
- U2.6
- M2.5
- SIM
- MID

H6.35*25mm

- T25H,T30H,T35H,T40H
- 1/4"Driver to Socket
- PH1,PH2,PH3
- H5.0,H6.0
- Y1,Y2,Y3
- SQ2,SQ3
- SL5,SL6

Accessories:

Telescopic screwdriver*1, manual screwdriver*1, extension rod*1, bit converter*1, extension head*1, bit*72, plus and minus magnet area*1



MT-6077A

77
pcs

Zip wrap screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
376	200*113*32	41*24*41	48	18/19.1

Bit Type (CRV) :

- ☆

T6H,T7H,T8H,T9H,T10H,T15H

+

PH000,PH00,PH0,PH1,PH2

⬡

H1.3,H1.5,H2.0,H2.5,H3.0

⬢

2.5,3.0,3.5,4.0,4.5,5.0,5.5

★

T2,T3,T4,T5

—

1.5,2.0,2.5

⬢

G3.8,G4.5

⬡

2.3

⬢

U2.6

+

MID

+

ICS

☆

0.8,1.2

⬢

0.6,2.5

Accessories:

Bits*40, thin prying pieces*6, magnetizer*1, suction cup pin*1, extension rod*1, tweezers*1, screwdriver handle*1, long pry bar*1, steel prying piece*1, short pry bars*2, extension hose*1

Zip wrap screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
420	162*104*44	38*24*41	32	13/15

Bit Type (CRV) :

- ★

T2,T3,T4,T5,T6,T7,T8,T9,T10,T15,T20
- +

PH000,PH00,PH0,PH1,PH2
- ⬡

H1.3,H1.5,H2.0,H2.5
- 1.0,1.5,2.0,3.0,4.0
- ⬡

2.0,2.3,3.0
- ★

0.8,1.2,2.0
- ⬢

G3.8,G4.5
- ⬢

2.5,3.0,4.0
- ⬢

2.3,2.6
- ⬢

Y0.6
- +

MID

Accessories:

Fixed ratchet screwdriver handle*1, wrench screwdriver handle*1, universal socket adapter*1, socket adapter (short)*1,Socket adapter (long)*1, bit*32, socket bit*10



Zip wrap screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
420	24*15*5	46.5*25*33	40	16.8/17.8

Bit Type (CRV) :

- ⓧ

Ex#1,Ex#2,Ex#3,Ex#4,Ex#5,Ex#6,Ex#7,Ex#8,Ex#9,Ex#10
- ⓓ

Dr#1,Dr#2,Dr#3,Dr#4,Dr#5,Dr#6,Dr#7,Dr#8,Dr#9,Dr#10
- ☆

T10H,T15H,T20H
- ⬢

H4.0,H6.0
- ⬢

1/4-4"
- +

PH1,PH2,PH3
- ⬢

4.0,6.0
- ⬢

ES

Accessories:

Bit converter*1, bit*32

Zip wrap screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
420	135*95*50	45*18*25	36	15/17

Bit Type (CRV) :

- ⬢

H2.0 H3.0,H4.0,H5.0,H6.0,H8.0
- ⬢

1/4-4"
- ☆

T25H,T30H
- +

PH1
- 4.0

Accessories:

Fixed ratchet screwdriver handle*1, wrench screwdriver handle*1, universal socket adapter*1, socket adapter (short)*1,Socket adapter (long)*1, bit*32, socket bit*10



Zip wrap screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
300	185*120*40	56.5*25*43	60	18/20

Accessories:

Screwdriver handle*1, tweezers*1, extension hose*1, plastic pry bars*2, extension rod*1, card pin*1, suction cup*1, pry pieces*2



MT-LL032

32 pcs

Gaming screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
200	205*65*30	105*68*20	100	20/22

Bit Type (CRV) :

- T6H,T8H,T9H,T10H
- PH000,PH00
- Y1.5,Y2.5
- G3.8,G4.5

Accessories:

Bits*10, thick prying pieces*2, thin prying pieces*2, magnetizer*1, single-headed pry bars*2, screwdriver handle*1, cleaning brush*1, tweezers*1, screw*1/small bag, long pry bar*1, pry bar*1



MT-GM024

24 pcs

Gaming screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
77	178*109	105*68*20	100	7/10

Bit Type (CRV) :

- G3.8,G4.5
- T6,T8
- PH00
- Y1.5

Accessories:

Bits*6, screwdriver handle*1, extension hose*1, short pry bar*1, cleaning brush*1, suction cup*1, thick pry piece*1



MT-GM012

12 pcs



Eyeglasses screwdriver set

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
109.6	150*74*15	34*30*21.5	80	9/10

Bit Type (CRV) :

- PH1.5,PH1.7,PH2.0
- M2.0,M2.3,M2.5
- 1.5,1.7,2.0
- T2.5

Accessories:

Screwdriver handle*2 Small screw*1/pack, Accessories*4



MT-T017

17 pcs

Single screwdriver

Packing parameters:


Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
16	154*12	36.8*42*30	1200	19/20

Customizable screwdriver bit options include



Specification:

Handle: PP+TPR, Shaft: CRV6150, Bits: Magnetized



MT-DZ001

Single screwdriver

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
4.1	93*12	33.9*42*30	1800	7/8

Customizable screwdriver bit options include



Specification:

Handle: ABS+CRV, Shaft: S2, high hardness, resistant to damaging precision screws



MT-DZ002

Single screwdriver

Packing parameters:

Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight (KG)
4.5	118.2*12	—	—	—

Customizable screwdriver bit options include



Specification:

Handle: ABS+CRV, Shaft: S2, high hardness, resistant to damaging precision screws



MT-LP2013

Single screwdriver

Packing parameters:


Single product weight(g)	Product size (mm)	Carton size (cm)	QTY of Outer box/inner box	Net /gross weight(KG)
7	64*11	—	—	—

Customizable screwdriver bit options include




Specification:

Handle: ABS+CRV, Shaft: S2, high hardness, resistant to damaging precision screws



MT-DZ003

Accessories Series



MT-PJ0003

Small magnetizer and demagnetizer




MT-PJ0001

Small magnetizer




MT-PJ0009

Magnetic card



MT-LP2001

Thin pick tool



MT-LP2002

Thick Pick Tool




MT-LP2003

Long pry bar



MT-LP2005

Single-ended crowbar



MT-LP2004

Round crowbar



MT-LP2006

Fan-shaped crowbar



MT-LP2007

Short pry bar



MT-LP2010

Suction Cup clip



MT-LP2015

Suction cup



MT-LP2014

Key screwdriver



MT-LP2012

Pry knife



MT-PJ1007

Carving knife



MT-PJ1002

Single hexagonal iron crowbar



MT-PJ1008

Crowbar



MT-LP2011

Clean brush



MT-PJ1003

Three iron crowbars (flat)



MT-PJ1004

Three iron crowbars Crowbar (hexagonal)



MT-PJ1001

Single round iron crowbar



MT-PJ1009

Curved tweezers



MT-LP2010

Straight tweezers

EWIN ENTERPRISE LTD.

Website: www.fixbudtools.com

Room 402, Building B, Getailong Zhigu, Bulong Road, Bantian Street,
Longgang District, Shenzhen, Guangdong Province