



SANITARY WARE



Quality
High-and
bathroom
Life

PRODUCT
CATALOGUE



91082

Hedging washdown one-piece toilet

Size: 720x380x770 mm
S-trap,250 mm Roughing-in
P-trap,180 mm Roughing-in



91088

Pedestal basin

Size: 580x400x830 mm
Fixing to wall back



91083

Hedging washdown one-piece toilet

Size: 720x380x770 mm
S-trap,250 mm Roughing-in
P-trap,180 mm Roughing-in



91089

Pedestal basin

Size: 580x400x830 mm
Fixing to wall back



91083

Hedging washdown one-piece toilet

Size: 720x380x770 mm
S-trap,250 mm Roughing-in
P-trap,180 mm Roughing-in



91089

Pedestal basin

Size: 580x400x830 mm
Fixing to wall back



91084

Hedging washdown one-piece toilet

Size: 720x380x770 mm
S-trap,250 mm Roughing-in
P-trap,180 mm Roughing-in



91090

Pedestal basin

Size: 580x400x830 mm
Fixing to wall back



91085

Hedging washdown one-piece toilet

Size: 720x380x770 mm
S-trap,250 mm Roughing-in
P-trap,180 mm Roughing-in



91091

Pedestal basin

Size: 580x400x830 mm
Fixing to wall back



91086

Hedging washdown one-piece toilet

Size: 720x380x770 mm
S-trap,250 mm Roughing-in
P-trap,180 mm Roughing-in



91092

Pedestal basin

Size: 580x400x830 mm
Fixing to wall back



91217

Washdown one-piece toilet

Size: 720x385x760 mm
S-trap,250/300/400 mm Roughing-in
P-trap,180 mm Roughing-in



91216

Washdown one-piece toilet

Size: 720x390x770 mm
S-trap,250/300/400 mm Roughing-in
P-trap,180 mm Roughing-in



91214

Siphonic Washdown one-piece toilet

Size: 710x380x800 mm
S-trap,250/300/400 mm Roughing-in
P-trap,180 mm Roughing-in



91210

Siphonic Washdown one-piece toilet

Size: 680x370x790 mm
S-trap,250/300/400 mm Roughing-in
P-trap,180 mm Roughing-in



91209

Siphonic Washdown one-piece toilet

Size: 700x385x780 mm
S-trap,250/300/400 mm Roughing-in
P-trap,180 mm Roughing-in



91200

Washdown one-piece toilet

Size: 720x390x770 mm
S-trap,250/300/400 mm Roughing-in
P-trap,180 mm Roughing-in



91298

Siphonic Washdown one-piece toilet

Size: 720x380x800 mm
S-trap,250/300/400 mm Roughing-in
P-trap,180 mm Roughing-in



91296

Siphonic Washdown one-piece toilet

Size: 680x370x790 mm
S-trap,250/300/400 mm Roughing-in
P-trap,180 mm Roughing-in



91294

Siphonic Washdown one-piece toilet

Size: 700x385x780 mm
S-trap,250/300/400 mm Roughing-in
P-trap,180 mm Roughing-in



91291

Washdown one-piece toilet

Size: 690x360x800 mm
S-trap,250/300/400 mm Roughing-in
P-trap,180 mm Roughing-in

**91079****Washdown one-piece toilet**

Size: 700x385x745 mm
 S-trap, 250/300/400 mm Roughing-in
 P-trap, 180 mm Roughing-in

**91072****Washdown one-piece toilet**

Size: 700x380x770 mm
 S-trap, 250/300/400 mm Roughing-in
 P-trap, 180 mm Roughing-in

**92131****Washdown one-piece toilet**

Size: 670x400x730 mm
 S-trap, 250/300/400 mm Roughing-in
 P-trap, 180 mm Roughing-in

**91762****Washdown one-piece toilet**

Size: 680x365x745 mm
 S-trap, 250/300/400 mm Roughing-in
 P-trap, 180 mm Roughing-in

**91759****Washdown one-piece toilet**

Size: 680x370x790 mm
 S-trap, 250/300/400 mm Roughing-in
 P-trap, 180 mm Roughing-in

**91756****Washdown one-piece toilet**

Size: 700x385x780 mm
 S-trap, 250/300/400 mm Roughing-in
 P-trap, 180 mm Roughing-in

**91032****Washdown one-piece toilet**

Size: 710x380x800 mm
 S-trap, 250/300/400 mm Roughing-in
 P-trap, 180 mm Roughing-in

**91130****Washdown one-piece toilet**

Size: 670x365x770 mm
 S-trap, 250/300/400 mm Roughing-in
 P-trap, 180 mm Roughing-in

**92129****Washdown one-piece toilet**

Size: 680x365x785 mm
 S-trap, 250/300/400 mm Roughing-in
 P-trap, 180 mm Roughing-in

**92128****Washdown one-piece toilet**

Size: 675x370x750 mm
 S-trap, 250/300/400 mm Roughing-in
 P-trap, 180 mm Roughing-in

**92127****Washdown one-piece toilet**

Size: 695x370x740 mm
 S-trap, 250/300/400 mm Roughing-in
 P-trap, 180 mm Roughing-in

**92126****Washdown one-piece toilet**

Size: 690x375x785 mm
 S-trap, 250/300/400 mm Roughing-in
 P-trap, 180 mm Roughing-in

**92125****Washdown one-piece toilet**

Size: 695x370x740 mm
 S-trap, 250/300/400 mm Roughing-in
 P-trap, 180 mm Roughing-in

**92124****Washdown one-piece toilet**

Size: 705x370x790 mm
 S-trap, 250/300/400 mm Roughing-in
 P-trap, 180 mm Roughing-in

**92123****Washdown one-piece toilet**

Size: 680x370x840 mm
 S-trap, 250/300/400 mm Roughing-in
 P-trap, 180 mm Roughing-in

**92122****Washdown one-piece toilet**

Size: 710x380x800 mm
 S-trap, 250/300/400 mm Roughing-in
 P-trap, 180 mm Roughing-in

**92121****Washdown one-piece toilet**

Size: 770x365x765 mm
 S-trap, 250/300/400 mm Roughing-in
 P-trap, 180 mm Roughing-in

**92120****Washdown one-piece toilet**

Size: 660x360x765 mm
 S-trap, 250/300/400 mm Roughing-in
 P-trap, 180 mm Roughing-in

**92119****Washdown one-piece toilet**

Size: 660x360x850 mm
 S-trap, 250/300/400 mm Roughing-in
 P-trap, 180 mm Roughing-in

**92118****Washdown one-piece toilet**

Size: 680x330x760 mm
 S-trap, 250/300/400 mm Roughing-in
 P-trap, 180 mm Roughing-in

**92117****Washdown one-piece toilet**

Size: 680x380x765 mm
 S-trap,250/300/400 mm Roughing-in
 P-trap,180 mm Roughing-in

**92116****Washdown one-piece toilet**

Size: 710x390x770 mm
 S-trap,250/300/400 mm Roughing-in
 P-trap,180 mm Roughing-in

**92115****Washdown one-piece toilet**

Size: 700x380x720 mm
 S-trap,250/300/400 mm Roughing-in
 P-trap,180 mm Roughing-in

**92114****Washdown one-piece toilet**

Size: 695x365x805 mm
 S-trap,250/300/400 mm Roughing-in
 P-trap,180 mm Roughing-in

**92113****Washdown one-piece toilet**

Size: 680x350x800 mm
 S-trap,250/300/400 mm Roughing-in
 P-trap,180 mm Roughing-in

**92112****Washdown one-piece toilet**

Size: 660x350x805 mm
 S-trap,250/300/400 mm Roughing-in
 P-trap,180 mm Roughing-in

**92111****Washdown one-piece toilet**

Size: 695x380x770 mm
 S-trap,250/300/400 mm Roughing-in
 P-trap,180 mm Roughing-in

**91114****Washdown one-piece toilet**

Size: 750x470x635 mm
 S-trap,250/300/400 mm Roughing-in
 P-trap,180 mm Roughing-in

**92110****Washdown one-piece toilet**

Size:730x380x770 mm
 S-trap,250/300/400 mm Roughing-in
 P-trap,180 mm Roughing-in

**91760****Washdown one-piece toilet**

Size: 700x390x740 mm
 S-trap,250/300/400 mm Roughing-in
 P-trap,180 mm Roughing-in

**98901****Washdown one-piece toilet**

Size: 680x370x835 mm
 S-trap,250/300/400 mm Roughing-in
 P-trap,180 mm Roughing-in

**98900****Washdown one-piece toilet**

Size: 680x370x835 mm
 S-trap,250/300/400 mm Roughing-in
 P-trap,180 mm Roughing-in

**91126****Washdown one-piece toilet**

Size: 690x375x760 mm
 S-trap,250/300/400 mm Roughing-in
 P-trap,180 mm Roughing-in

**91124****Washdown one-piece toilet**

Size: 690x370x800 mm
 S-trap,250/300/400 mm Roughing-in
 P-trap,180 mm Roughing-in

**91121****Washdown one-piece toilet**

Size: 670x360x750 mm
 S-trap,250/300/400 mm Roughing-in
 P-trap,180 mm Roughing-in

**91026****Washdown one-piece toilet**

Size: 710x410x700 mm
 S-trap,250/300/400 mm Roughing-in
 P-trap,180 mm Roughing-in

**91024****Washdown one-piece toilet**

Size: 690x385x740 mm
 S-trap,250/300/400 mm Roughing-in
 P-trap,180 mm Roughing-in

**89009****Washdown one-piece toilet**

Size: 710x380x770 mm
 S-trap,250/300/400 mm Roughing-in
 P-trap,180 mm Roughing-in

**89008****Washdown one-piece toilet**

Size:710x400x730 mm
 S-trap,250/300/400 mm Roughing-in
 P-trap,180 mm Roughing-in

**89007****Washdown one-piece toilet**

Size: 700x400x790 mm
 S-trap,250/300/400 mm Roughing-in
 P-trap,180 mm Roughing-in



91122

Washdown one-piece toilet

Size: 690x400x750 mm
S-trap, 250/300/400 mm Roughing-in
P-trap, 180 mm Roughing-in



91123

Washdown one-piece toilet

Size: 680x360x780 mm
S-trap, 250/300/400 mm Roughing-in
P-trap, 180 mm Roughing-in



92109

Washdown one-piece toilet

Size: 700x350x670 mm
S-trap, 250/300/400 mm Roughing-in
P-trap, 180 mm Roughing-in



92108

Washdown one-piece toilet

Size: 685x370x720 mm
S-trap, 250/300/400 mm Roughing-in
P-trap, 180 mm Roughing-in



91757

Washdown one-piece toilet

Size: 710x410x730 mm
S-trap, 250/300/400 mm Roughing-in
P-trap, 180 mm Roughing-in



91025

Washdown one-piece toilet

Size: 685x375x670 mm
S-trap, 250/300/400 mm Roughing-in
P-trap, 180 mm Roughing-in



89028

Washdown one-piece toilet

Size: 700x375x620 mm
S-trap, 250/300/400 mm Roughing-in
P-trap, 180 mm Roughing-in



89025

Washdown one-piece toilet

Size: 720x390x770 mm
S-trap, 250/300/400 mm Roughing-in
P-trap, 180 mm Roughing-in



89023

Washdown one-piece toilet

Size: 705x390x840 mm
S-trap, 250/300/400 mm Roughing-in
P-trap, 180 mm Roughing-in



91077

Washdown one-piece toilet

Size: 720x380x730 mm
S-trap, 250/300/400 mm Roughing-in
P-trap, 180 mm Roughing-in

**92107****Washdown one-piece toilet**

Size: 590x380x730 mm
 S-trap, 250/300/400 mm Roughing-in
 P-trap, 180 mm Roughing-in

**91755****Washdown one-piece toilet**

Size: 705x375x815 mm
 S-trap, 250/300/400 mm Roughing-in
 P-trap, 180 mm Roughing-in

**89022****Washdown one-piece toilet**

Size: 680x370x790 mm
 S-trap, 250/300/400 mm Roughing-in
 P-trap, 180 mm Roughing-in

**91754****Washdown one-piece toilet**

Size: 700x385x780 mm
 S-trap, 250/300/400 mm Roughing-in
 P-trap, 180 mm Roughing-in

**91005****Washdown one-piece toilet**

Size: 710x380x750 mm
 S-trap, 250/300/400 mm Roughing-in
 P-trap, 180 mm Roughing-in

**91004****Washdown one-piece toilet**

Size: 720x400x670 mm
 S-trap, 250/300/400 mm Roughing-in
 P-trap, 180 mm Roughing-in

**89024****Washdown one-piece toilet**

Size: 705x390x840 mm
 S-trap, 250/300/400 mm Roughing-in
 P-trap, 180 mm Roughing-in

**89020****Washdown one-piece toilet**

Size: 710x380x800 mm
 S-trap, 250/300/400 mm Roughing-in
 P-trap, 180 mm Roughing-in

**91688****Washdown one-piece toilet**

Size: 710x365x715 mm
 S-trap, 250/300/400 mm Roughing-in
 P-trap, 180 mm Roughing-in

**91681****Washdown one-piece toilet**

Size: 720x390x765 mm
 S-trap, 250/300/400 mm Roughing-in
 P-trap, 180 mm Roughing-in

**89027****Siphonic one-piece toilet**

Size: 710x390x660 mm
 S-trap,250/300/400 mm Roughing-in

**89026****Siphonic one-piece toilet**

Size: 680x420x590 mm
 S-trap,250/300/400 mm Roughing-in

**91183****Siphonic one-piece toilet**

Size: 700x340x735 mm
 S-trap,250/300/400 mm Roughing-in

**91182****Siphonic one-piece toilet**

Size: 650x365x710 mm
 S-trap,250/300/400 mm Roughing-in

**91012****Siphonic one-piece toilet**

Size: 670x370x770 mm
 S-trap,250/300/400 mm Roughing-in

**91007****Siphonic one-piece toilet**

Size: 690x370x770 mm
 S-trap,250/300/400 mm Roughing-in

**92106****Super swirling one-piece toilet**

Size: 660x425x665 mm
 S-trap,250/300/400 mm Roughing-in

**92105****Washdown one-piece toilet**

Size: 660x420x660 mm
 S-trap,250/300/400 mm Roughing-in

**92014****Super swirling one-piece toilet**

Size: 655x425x660 mm
 S-trap,250/300/400 mm Roughing-in

**92103****Super swirling one-piece toilet**

Size: 670x410x650 mm
 S-trap,250/300/400 mm Roughing-in

**92102****Super swirling one-piece toilet**Size: 690x430x600 mm
S-trap, 250/300/400 mm Roughing-in**92101****Super swirling one-piece toilet**Size: 690x470x660 mm
S-trap, 250/300/400 mm Roughing-in**92100****Super swirling one-piece toilet**Size: 680x390x640 mm
S-trap, 250/300/400 mm Roughing-in**91684****Super swirling one-piece toilet**Size: 680x390x775 mm
S-trap, 250/300/400 mm Roughing-in**91683****Super swirling one-piece toilet**Size: 720x390x630 mm
S-trap, 250/300/400 mm Roughing-in**91674****Super swirling one-piece toilet**Size: 705x390x750 mm
S-trap, 250/300/400 mm Roughing-in**91684****Super swirling one-piece toilet**Size: 700x400x635 mm
S-trap, 250/300/400 mm Roughing-in**91683****Washdown one-piece toilet**Size: 680x375x725 mm
S-trap, 250/300/400 mm Roughing-in**91665****Super swirling one-piece toilet**Size: 680x380x760 mm
S-trap, 250/300/400 mm Roughing-in**91661****Super swirling one-piece toilet**Size: 650x360x730 mm
S-trap, 250/300/400 mm Roughing-in



8804
Drainage pipe



8805
Drainage pipe



8806
Clean tube



8807
Clean tube



8808
Be a leading

Color card:



WELCOME TO CUSTOMIZE

IMPORTANT:

■ These measurements are subject to change or can collection.No responsibility is assumed for use of superseded or voided pages.



SANITARY WARE



Quality
High-and
bathroom
Life

PRODUCT
CATALOGUE



92336

Washdown two-piece toilet

Size: 640x360x780 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in



92335

Pedestal basin

Size: 570x400x790 mm
Fixing to wall back



92334

Washdown two-piece toilet

Size: 640x360x780 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in



92333

Pedestal basin

Size: 570x400x790 mm
Fixing to wall back



92332

Washdown two-piece toilet

Size: 640x360x780 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in



92331

Pedestal basin

Size: 570x400x790 mm
Fixing to wall back



91234

Siphonic two-piece toilet

Size: 680x390x930 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in



91235

Pedestal basin

Size: 620x670x940 mm
Fixing to wall back



91232

Siphonic two-piece toilet

Size: 680x390x930 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in



91233

Pedestal basin

Size: 620x670x940 mm
Fixing to wall back



91236

Siphonic two-piece toilet

Size: 680x390x930 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in



91237

Pedestal basin

Size: 620x670x940 mm
Fixing to wall back



91238

Siphonic two-piece toilet

Size: 680x390x930 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in



91239

Pedestal basin

Size: 620x670x940 mm
Fixing to wall back



91240

Siphonic two-piece toilet

Size: 680x390x930 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in



91241

Pedestal basin

Size: 620x670x940 mm
Fixing to wall back



91242

Siphonic two-piece toilet

Size: 680x390x930 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in



91243

Pedestal basin

Size: 620x670x940 mm
Fixing to wall back



92329

Washdown two-piece toilet

Size: 630x370x680 mm
P-trap, 180 mm Roughing-in



92328

Washdown two-piece toilet

Size: 630x375x680 mm
P-trap, 180 mm Roughing-in

**92327****Hedging washdown
two-piece toilet**

Size: 610x385x800 mm
 S-trap, 220 mm Roughing-in
 P-trap, 180 mm Roughing-in

**92326****Hedging washdown
two-piece toilet**

Size: 645x380x760 mm
 S-trap, 220 mm Roughing-in
 P-trap, 180 mm Roughing-in

**92325****Hedging washdown
two-piece toilet**

Size: 612x385x816 mm
 S-trap, 250 mm Roughing-in
 P-trap, 180 mm Roughing-in

**92324****Washdown two-piece toilet**

Size: 780x390x865 mm
 S-trap, 220 mm Roughing-in
 P-trap, 180 mm Roughing-in

**92323****Washdown two-piece toilet**

Size: 680x360x760 mm
 S-trap, 250 mm Roughing-in
 P-trap, 180 mm Roughing-in

**92322****Washdown two-piece toilet**

Size: 780x390x865 mm
 S-trap, 220 mm Roughing-in
 P-trap, 180 mm Roughing-in

**92321****Washdown two-piece toilet**

Size: 665x350x750 mm
 S-trap, 250 mm Roughing-in
 P-trap, 180 mm Roughing-in

**92320****Washdown two-piece toilet**

Size: 620x365x820 mm
 S-trap, 250 mm Roughing-in
 P-trap, 180 mm Roughing-in

**92319****Washdown two-piece toilet**

Size: 650x365x785 mm
 S-trap, 250 mm Roughing-in
 P-trap, 180 mm Roughing-in

**92318****Washdown two-piece toilet**

Size: 650x365x785 mm
 S-trap, 250 mm Roughing-in
 P-trap, 180 mm Roughing-in

**92317****Washdown two-piece toilet**Size: 665x385x830 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in**92316****Washdown two-piece toilet**Size: 605x380x800 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in**92315****Washdown two-piece toilet**Size: 600x355x770 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in**92324****Washdown two-piece toilet**Size: 650x375x850 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in**92313****Washdown two-piece toilet**Size: 670x360x840 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in**92322****Washdown two-piece toilet**Size: 680x360x810 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in**92311****Washdown two-piece toilet**Size: 670x360x840 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in**92310****Washdown two-piece toilet**Size: 610x380x780 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in**92309****Washdown two-piece toilet**Size: 670x370x810 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in**92308****Washdown two-piece toilet**Size: 620x365x820 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in



91705

Washdown two-piece toilet

Size: 616x385x805 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in



91704

Washdown two-piece toilet

Size: 680x360x810 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in



91703

Washdown two-piece toilet

Size: 690x370x830 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in



91702

Washdown two-piece toilet

Size: 605x380x800 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in



91701

Washdown two-piece toilet

Size: 690x370x830 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in



91700

Washdown two-piece toilet

Size: 720x390x830 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in



91699

Washdown two-piece toilet

Size: 600x380x795 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in



91697

Washdown two-piece toilet

Size: 650x375x800 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in



91696

Washdown two-piece toilet

Size: 660x395x780 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in



91231

Washdown two-piece toilet

Size: 660x360x830 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in



91230

Washdown two-piece toilet

Size: 500x445x835 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in



91229

Washdown two-piece toilet

Size: 660x360x830 mm
P-trap, 180 mm Roughing-in



91228

Washdown two-piece toilet

Size: 660x360x860 mm
P-trap, 180 mm Roughing-in



91227

Washdown two-piece toilet

Size: 630x375x780 mm
P-trap, 180 mm Roughing-in



91226

Washdown two-piece toilet

Size: 610x345x810 mm
P-trap, 180 mm Roughing-in



91225

Washdown two-piece toilet

Size: 650x380x845 mm
P-trap, 180 mm Roughing-in



91224

Washdown two-piece toilet

Size: 660x360x860 mm
P-trap, 180 mm Roughing-in



91222

Washdown two-piece toilet

Size: 660x360x860 mm
P-trap, 180 mm Roughing-in



91221

Washdown two-piece toilet

Size: 660x365x810 mm
P-trap, 180 mm Roughing-in



91219

Washdown two-piece toilet

Size: 660x360x860 mm
P-trap, 180 mm Roughing-in

**91218****Washdown two-piece toilet**Size: 600x360x830 mm
S-trap, 180 mm Roughing-in**91140****Washdown two-piece toilet**Size: 710x360x780 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in**91134****Washdown two-piece toilet**Size: 670x360x710 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in**91134****Washdown two-piece toilet**Size: 670x360x710 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in**91131****Washdown two-piece toilet**Size: 680x370x830 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in**91053****Washdown two-piece toilet**Size: 710x355x845 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in**91052****Washdown two-piece toilet**Size: 700x365x830 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in**91051****Washdown two-piece toilet**Size: 620x345x800 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in**91048****Washdown two-piece toilet**Size: 660x360x820 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in**91047****Washdown two-piece toilet**Size: 660x360x820 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in

**91046****Washdown two-piece toilet**

Size: 650x340x770 mm
 S-trap, 250 mm Roughing-in
 P-trap, 180 mm Roughing-in

**91045****Washdown two-piece toilet**

Size: 650x340x770 mm
 S-trap, 250 mm Roughing-in
 P-trap, 180 mm Roughing-in

**91043****Washdown two-piece toilet**

Size: 670x445x860 mm
 S-trap, 250 mm Roughing-in
 P-trap, 180 mm Roughing-in

**89053****Washdown two-piece toilet**

Size: 730x510x940 mm
 S-trap, 250 mm Roughing-in
 P-trap, 180 mm Roughing-in

**89052****Washdown two-piece toilet**

Size: 700x370x800 mm
 S-trap, 250 mm Roughing-in
 P-trap, 180 mm Roughing-in

**89051****Washdown two-piece toilet**

Size: 670x360x770 mm
 S-trap, 250 mm Roughing-in
 P-trap, 180 mm Roughing-in

**91052****Washdown two-piece toilet**

Size: 700x370x800 mm
 S-trap, 250 mm Roughing-in
 P-trap, 180 mm Roughing-in

**91051****Washdown two-piece toilet**

Size: 670x360x770 mm
 S-trap, 250 mm Roughing-in
 P-trap, 180 mm Roughing-in

**89050****Washdown two-piece toilet**

Size: 650x370x795 mm
 S-trap, 250 mm Roughing-in
 P-trap, 180 mm Roughing-in

**89049****Washdown two-piece toilet**

Size: 700x380x790 mm
 S-trap, 250 mm Roughing-in
 P-trap, 180 mm Roughing-in



89046

Washdown two-piece toilet

Size: 650x370x760 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in



89045

Washdown two-piece toilet

Size: 665x350x840 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in



89044

Washdown two-piece toilet

Size: 673x355x880 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in



89043

Washdown two-piece toilet

Size: 630x345x770 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in



89042

Washdown two-piece toilet

Size: 680x380x790 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in



89039

Washdown two-piece toilet

Size: 720x390x765 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in



89037

Washdown two-piece toilet

Size: 710x400x810 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in



89036

Washdown two-piece toilet

Size: 710x435x850 mm
S-trap, 250 mm Roughing-in
P-trap, 180 mm Roughing-in



89035

Washdown two-piece toilet

Size: 670x380x770 mm
S-trap, 250/300 mm Roughing-in
P-trap, 180 mm Roughing-in



92307

Siphonic two-piece toilet

Size: 709x395x735 mm
S-trap, 300 mm Roughing-in

**92306****Siphonic two-piece toilet**

Size: 707x385x729 mm
S-trap,300 mm Roughing-in

**92305****Siphonic two-piece toilet**

Size: 735x410x780 mm
S-trap,300 mm Roughing-in

**92304****Siphonic two-piece toilet**

Size: 710x370x8765 mm
S-trap,300 mm Roughing-in

**92303****Siphonic two-piece toilet**

Size: 630x345x770 mm
S-trap,250/300 mm Roughing-in

**92302****Siphonic two-piece toilet**

Size: 700x400x820 mm
S-trap,250 mm Roughing-in
P-trap,180 mm Roughing-in

**92301****Siphonic two-piece toilet**

Size: 700x400x820 mm
S-trap,250 mm Roughing-in
P-trap,180 mm Roughing-in

**91763****Siphonic two-piece toilet**

Size: 690x400x760 mm
S-trap,300 mm Roughing-in

**91698****Siphonic two-piece toilet**

Size: 685x450x800 mm
S-trap,300 mm Roughing-in

**91136****Siphonic two-piece toilet**

Size: 670x380x760 mm
S-trap,300 mm Roughing-in

**89032****Siphonic two-piece toilet**

Size: 705x400x750 mm
S-trap,300 mm Roughing-in



8804
Drainage pipe



8805
Drainage pipe



8806
Clean tube



8807
Clean tube



8808
Be a leading

WELCOME TO CUSTOMIZE

IMPORTANT:

■ These measurements are subject to change or can collection.No responsibility is assumed for use of superseded or voided pages.