



TEL:
+86 135 0896 0041

WeChat:
+86 135 0896 0041

WhatsApp:
+86 135 0896 0041

Email:
sales001@86mingchen.com

Web:
<https://www.86douglas.com/>

ADD:
No.155 Industrial Park,Shangkou Town,
Shouguang City,Shandong Province

Professional

sunshade products supplier

Weifang Mingchen sunshade Technology Co., LTD



ZEBRA BLINDS FABRIC CATALOG

01

Zebra blinds blackout fabric


02


Zebra blinds semi-shading fabric



GF-1-5


Technical Parameter	
Composition	100% Polyester
Finished Width	300cm
Standard Packing	Blackout
Weight Per m ²	200g/m ² ±5%
Color Fastness	6 to 7 Grade
Repeat	6×10cm







AL-01-06

Technical Parameter	
Composition	100%Polyester
Width	300cm
Shading effect	Blackout
Weight Per m ²	173g/m ² ±5%
Color Fastness	6to7Grade
Repeat	6×9cm





Q-1



Q-2



Q-3



Q-4


Q-1-7

Technical Parameter

Composition	100% Polyester
Finished Width	300cm
Weight Per m ²	193g/m ² ±5%
Color Fastness	6 to 7 Grade
Repeat	6×9cm
Shading effect	Blackout




Q-5



Q-6



Q-7



GF-5001



GF-5002



GF-5003



GF-5004

GF-5001-5007

Technical Parameter	
Composition	100%Polyester
Width	300cm
Shading effect	Blackout
Weight Per m ²	204g/m ² ±5%
Color Fastness	6 to 7 Grade
Repeat	6×9cm




GF-5005




GF-5006




GF-5007




TD-501



TD-502



TD-503



TD-601

TD-501-702

Technical Parameter	
Composition	100%Polyester
Width	300cm
Shading effect	Semi-Blackout
Weight Per m ²	175g/m ² ±5%
Color Fastness	6 to 7 Grade
Repeat	6×9cm




TD-602



TD-701



TD-702



GF-5701



GF-5702



GF-5703


GF-5701-5705

Technical Parameter

Composition	100% Polyester
Width	300cm
Shading effect	Blackout
Weight Per m ²	246g/m ² ±5%
Color Fastness	6 to 7 Grade
Repeat	6×9cm



GF-5704



GF-5705



GF-501



GF-502



GF-503



GF-504

GF-501-504

Technical Parameter

Composition	100%Polyester
Width	300cm
Shading effect	Blackout
Weight Per m ²	220g/m ² ±5%
Color Fastness	6 to 7 Grade
Repeat	6×10cm

Advantages

Blackout:

Thickened fabric and physical shading layer structure, strong blocking of sunlight and ultraviolet, can better protect privacy.

Perspective Design:

Using more sophisticated weaving methods and designing yarns to make the fabric more exquisite and more ornamental.

Perfect Color Matching: Yarns are tested by Munsell Standard Observer, ensuring rich, pure colors and a perfect blend with the base fabric.

Environmentally Friendly:



Products are certified by multiple environmental organizations, ensuring a healthy lifestyle.

Easy Dimming:

The popular double-layer rainbow curtain structure offers versatile dimming and privacy.


Sunshade and Energy Saving:


Blocks strong sunlight and some UV rays, reducing energy exchange.



N-1-5

Technical Parameter	
Composition	100% Polyester
Finished Width	300cm
Repeat	6x9cm
Weight Per m ²	171g/m ² ±5%
Color Fastness	6 to 7 Grade
Shading effect	Semi-Blackout





L-1-5

Technical Parameter

Composition	100% Polyester
Finished Width	300cm
Weight Per m ²	157.5g/m ² ± 5%
Color Fastness	6 to 7 Grade
Repeat	6×10cm
Shading effect	Semi-Blackout







V-1



V-2



V-3



V-4

V-1-6

Technical Parameter

Composition	100% Polyester
Finished Width	300cm
Weight Per m ²	190g/m ² ±5%
Color Fastness	6 to 7 Grade
Repeat	6x10cm



V-5



V-6




K-1



K-2



K-3



K-4

K-1-4

Technical Parameter

Composition	100%Polyester
Width	300cm
Shading effect	Blackout
Weight Per m ²	172g/m ² ±5%
Color Fastness	6 to 7 Grade
Repeat	5×7.5cm

Advantages

High-grade quality, silky and soft:
Imported yarn from korea which is thinner and softer, making the fabric having high definition; colourful yarn matching makes the fabric having the feeling of silky and soft.

Better Blockout:
Three layers of structures can block out strong sunlight and ultraviolet light.

Green environmental:
Passing the test of EPA, green environmental and protecting healthy well.

Dimming conveniently:
Dimming the light with dislocation of two layers, and protecting your privacy well.

Sun-shading and saving energy:
Blocking out strong sunlight and ultraviolet light, rdeucing the exchange of energy.



K-5



K-6



K-7



K-8

K-5-8

Technical Parameter

Composition	100%Polyester
Width	300cm
Shading effect	Blackout
Weight Per m ²	172g/m ² ±5%
Color Fastness	6 to 7 Grade
Repeat	5×7.5cm

Advantages

- High-grade quality, silky and soft:**
Imported yarn from Korea which is thinner and softer, making the fabric having high definition; colourful yarn matching makes the fabric having the feeling of silky and soft.
- Better Blockout:**
Three layers of structures can block out strong sunlight and ultraviolet light.
- Green environmental:**
Passing the test of EPA, green environmental and protecting healthy well.
- Dimming conveniently:**
Dimming the light with dislocation of two layers, and protecting your privacy well.
- Sun-shading and saving energy:**
Blocking out strong sunlight and ultraviolet light, reducing the exchange of energy.




VIP-14



VIP-15



VIP-16



VIP-17

VIP-14-17

Technical Parameter

Composition	100%Polyester
Width	300cm
Shading effect	Blackout
Weight Per m ²	172g/m ² ±5%
Color Fastness	6 to 7Grade
Repeat	5×7.5cm

Advantages

Five functions:

Water resistance/Fire resistance/ High color fastness/Mildew proof/Free of formaldehyde .

Double-layer dimming: Adjust the light without occupying space .

Perfect color matching:

The yarm has been testde by munsell standard observer, and the color is full and pure, perfectly combining with the base cloth.

Environmental friendly:

The products have been certified by many environmental protection organizations to ensure your healthy life.

Dimming convenlently:

Popular double-layer rainbow curtain structure, with multi-function dimming, protects privacy well.

Shading and energy-saving:

The fabric blocks strong light and part of ultraviolet light and rdeuces energy exchange.



BL-1



BL-1



BL-1



BL-1

BL-01-04

Technical Parameter

Composition	100%Polyester
Width	300cm
Shading effect	Semi-Blackout
Weight Per m ²	116g/m ² ±5%
Color Fastness	6 to 7 Grade
Repeat	5×7.5cm

Advantages

Full Closure:

With the special weaving setting craft, it solves the closure problem and protect the privacy.

Dizzingess Prevention:

Application of the latest optical technology to remove the moire effect.


Long Durbility:

With the special weaving technique, it makes the fabric not easily to get teared like the stick shangri-la fabric.

Good flatness:

With the advanced producing processes, it makes the fabric with good flatness and hanging behavior.

High Definition, No Loose Edge.



LV-01



LV-02



LV-03



LV-04

LV-01-04

Technical Parameter

Composition	100%Polyester
Width	300cm
Shading effect	Semi-Blackout
Weight Per m ²	140g/m ² ±5%
Color Fastness	6 to 7Grade
Repeat	5×7.5cm

Advantages

High-grade quality, Silky and Soft:
Imported yarn from Korea which is thinner and softer, making the fabric having high definition; Colourful yarn matching makes the fabric having the feeling of silky and soft.

Green environmental:
Passing the test of EPA, green environmental and protecting healthy well.

Dimming conveniently:
Dimming the light with dislocation of two layers, and protecting your privacy well.

Sun-shading and saving energy:
Blocking out strong sunlight and ultraviolet light, reducing the exchange of energy.



LV-05



LV-06



LV-07

LV-05-07

Technical Parameter

Composition	100%Polyester
Width	300cm
Shading effect	Semi-Blackout
Weight Per m ²	140g/m ² ±5%
Color Fastness	6 to 7Grade
Repeat	5×7.5cm


Advantages

High-grade quality, Silky and Soft:
Imported yarn from Korea which is thinner and softer, making the fabric having high definition; Colourful yarn matching makes the fabric having the feeling of silky and soft.


Green environmental:
Passing the test of EPA, green environmental and protecting healthy well.

Dimming conveniently:
Dimming the light with dislocation of two layers, and protecting your privacy well.

Sun-shading and saving energy:
Blocking out strong sunlight and ultraviolet light, reducing the exchange of energy.



H-1



H-2



H-3

H-1-5

Technical Parameter

Composition	100% Polyester
Width	300cm
Shading effect	Semi-Blackout
Weight Per m ²	137g/m ² ±5%
Color Fastness	6 to 7 Grade
Repeat	5×7.5cm



H-4



H-5



H-6



H-7



H-8



H-9

H-6-9

Technical Parameter

Composition	100% Polyester
Width	300cm
Shading effect	Semi-Blackout
Weight Per m ²	137g/m ² ±5%
Color Fastness	6 to 7 Grade
Repeat	5×7.5cm

Advantages

Blackout:

Thickened fabric and physical shading layer structure, strong blocking of sunlight and ultraviolet, can better protect privacy.

Perspective Design:

Using more sophisticated weaving methods and designing yarns to make the fabric more exquisite and more ornamental.

Perfect Color Matching: Yarns are tested by Munsell Standard Observer, ensuring rich, pure colors and a perfect blend with the base fabric.

Environmentally Friendly:

Products are certified by multiple environmental organizations, ensuring a healthy lifestyle.

Easy Dimming:

The popular double-layer rainbow curtain structure offers versatile dimming and privacy.

Sunshade and Energy Saving:

Blocks strong sunlight and some UV rays, reducing energy exchange.



GF-5101-5103

Technical Parameter

Composition	100%Polyester
Width	300cm
Shading effect	Semi-Blackout
Weight Per m ²	177g/m ² ±5%
Color Fastness	6 to 7 Grade
Repeat	6×9cm

Advantages

China's first anti-mark embroidered rainbow curtain:
Crafted from high-elastic memory yarn with a cushioning function, it resists marking, maintains smoothness, and ensures a longer fabric lifespan.

Exquisite pattern:
The pattern size is moderate, and the color combination is beautiful.

Soft feel:
The special yarn and craftsmanship give the fabric a wool-like texture.

Environmentally friendly:
The product has been certified by multiple environmental organizations, ensuring a healthy lifestyle.

Perfect color matching:
The yarn has been tested by Munsell Standard Observer, ensuring rich and pure colors.

Convenient dimming:
The popular double-layer rainbow curtain structure offers multi-functional dimming and privacy protection.

Energy-saving sunshade:
Blocks strong sunlight and some ultraviolet rays, reducing energy exchange.



GF-5104



GF-5105



GF-5106



GF-5107

GF-5101-5103

Technical Parameter

Composition	100%Polyester
Width	300cm
Shading effect	Semi-Blackout
Weight Per m ²	177g/m ² ±5%
Color Fastness	6 to 7 Grade
Repeat	6×9cm

Advantages

China's first anti-mark embroidered rainbow curtain:
Crafted from high-elastic memory yarn with a cushioning function, it resists marking, maintains smoothness, and ensures a longer fabric lifespan.

Exquisite pattern:
The pattern size is moderate, and the color combination is beautiful.

Soft feel:
The special yarn and craftsmanship give the fabric a wool-like texture.

Environmentally friendly:
The product has been certified by multiple environmental organizations, ensuring a healthy lifestyle.


Perfect color matching:
The yarn has been tested by Munsell Standard Observer, ensuring rich and pure colors.

Convenient dimming:
The popular double-layer rainbow curtain structure offers multi-functional dimming and privacy protection.


Energy-saving sunshade:
Blocks strong sunlight and some ultraviolet rays, reducing energy exchange.




VIP-01



VIP-02



VIP-03



VIP-04

VIP-01-04

Technical Parameter

Composition	35%Polyester+65%PVC
Width	300cm
Shading effect	Semi-Blackout
Weight Per m ²	265g/m ² ±5%
Color Fastness	8
Repeat	5×7.5cm

Advantages

Five functions:

Water resistance/Fire resistance/ High color fastness/Mildew proof/Free of formaldehyde .

Double-layer dimming: Adjust the light without occupying space .

Perfect color matching:

The yarm has been testde by munsell standard observer, and the color is full and pure, perfectly combining with the base cloth.

Environmental friendly:


The products have been certified by many environmental protection organizations to ensure your healthy life.

Dimming conveniently:


Popular double-layer rainbow curtain structure, with multi-function dimming, protects privacy well.

Shading and energy-saving:


The fabric blocks strong light and part of ultraviolet light and rdeuces energy exchange.



VIP-05



VIP-06



VIP-07



VIP-08

VIP-01-04

Technical Parameter

Composition	35%Polyester+65%PVC
Width	300cm
Shading effect	Semi-Blackout
Weight Per m ²	265g/m ² ±5%
Color Fastness	8
Repeat	5×7.5cm

Advantages

Five functions:

Water resistance/Fire resistance/ High color fastness/Mildew proof/Free of formaldehyde .

Double-layer dimming: Adjust the light without occupying space .

Perfect color matching:

The yarm has been testde by munsell standard observer, and the color is full and pure, perfectly combining with the base cloth.

Environmental friendly:



The products have been certified by many environmental protection organizations to ensure your healthy life.

Dimming conveniently:

Popular double-layer rainbow curtain structure, with multi-function dimming, protects privacy well.

Shading and energy-saving:


The fabric blocks strong light and part of ultraviolet light and rdeuces energy exchange.




VIP-09-13

Technical Parameter

Composition	35%Polyester+65%PVC
Width	300cm
Shading effect	Semi-Blackout
Weight Per m ²	265g/m ² ±5%
Color Fastness	8
Repeat	10×14cm





VIP-18



VIP-19



VIP-20

VIP-18-23

Technical Parameter

Composition	35% Polyester + 65% PVC
Finished Width	300cm
Weight Per m ²	267g/m ² ± 5%
Color Fastness	8
Repeat	5×7.5cm
Shading effect	Semi-Blackout





VIP-21



VIP-22



VIP-23



VIP-24-27

Technical Parameter

Composition	40% Polyester + 60% PVC
Finished Width	300cm
Standard Packing	30M
Weight Per m ²	265g/m ² ± 5%
Color Fastness	8
ABS UV Resistance	ABS
Repeat	5×7.5cm

Advantages

Five functions:

Water Resistance/Fire Resistance/ High color fastness/Mildew proof/
Free of Formaldehyde .

Simple jacquard design: Latest internationalized designs.

New process, softer and smooth:

Using unique manufacturing process and higher quality yarn,
the fabrics softer and smooth.

Product differentiation:

Unique products of market, strong competition and high profit.

Convenient dimming:


Double layers structure can adjust the light easily.

Dust filtering:

It has the function of filtering dust.

Eco friendly:

Having passed many environmental certifications of authoritative agencies,
to ensure your healthy life.




G-1



G-2



G-3



G-4

G-1-7

Technical Parameter

Composition	100%Polyester
Width	300cm
Shading effect	Blackout
Weight Per m ²	201g/m ² ±5%
Color Fastness	6 to 7 Grade
Repeat	5×7.5cm




G-5



G-6




G-7




W-1-5

Technical Parameter

Composition	100% Polyester
Finished Width	300cm
Weight Per m ²	227g/m ² ±5%
Color Fastness	6 to 7 Grade
Repeat	6×10cm
Shading effect	Blackout





F-1-5


Technical Parameter

Composition	100%Polyester
Width	300cm
Shading effect	Blackout
Weight Per m ²	163g/m ² ±5%
Color Fastness	6 to 7 Grade
Repeat	9.8×13.3cm





F-7



F-11



F-12



F-7-12

Technical Parameter

Composition	100%Polyester
Width	300cm
Shading effect	Blackout
Weight Per m ²	163g/m ² ±5%
Color Fastness	6 to 7 Grade
Repeat	9.8×13.3cm

Advantages

- Blackout:**
Thickened fabric and physical shading layer structure, strong blocking of sunlight and ultraviolet, can better protect privacy.
- Perspective Design:**
Using more sophisticated weaving methods and designing yarns to make the fabric more exquisite and more ornamental.
- Perfect Color Matching:** Yarns are tested by Monsensor Standard Observer, ensuring rich, pure colors and a perfect blend with the base fabric.
- Environmentally Friendly:**
Products are certified by multiple environmental organizations, ensuring a healthy lifestyle.
- Easy Dimming:**
The popular double-layer rainbow curtain structure offers versatile dimming and privacy.
- Sunshade and Energy Saving:**
Blocks strong sunlight and some UV rays, reducing energy exchange.



D-1-4

Technical Parameter

Composition	100%Polyester
Width	300cm
Shading effect	Semi-Blackout
Weight Per m ²	177g/m ² ±5%
Color Fastness	6 to 7 Grade
Repeat	5×7.5cm

Advantages

Three-dimensional texture design:

Texture design has a sense of highlight, which makes the curtains more layered and three-dimensional in opening and closing. It can give you a sense of being in nature.

Black gauze design:

Black gauze design makes the curtain more classical and solemn while enhancing the shading and privacy.

Perfect color matching:

The yarn has been tested by munsell standard observer, and the color is full and pure, perfectly combining with the base cloth.

Environmental friendly:



The products have been certified by many environmental protection organizations to ensure your healthy life.

Dimming conveniently:

Popular double-layer zebra curtain structure, with multi-function dimming, protects privacy well.

Shading and energy-saving:




The fabric blocks strong light and part of ultraviolet light and reduces energy exchange.



FM-01-06


Technical Parameter

Composition	100% Polyester
Width	215/260/300cm
Weight Per m ²	140g/m ² ±5%
Color Fastness	6 to 7 Grade
Repeat	5×7.5cm





B-01



B-02




B-03


B-01-06

Technical Parameter


Composition	100% Polyester
Finished Width	215/260/300cm
Shading effect	Semi-Blackout
Weight Per m ²	120g/m ² ±5%
Color Fastness	5 to 6 Grade
Repeat	5×7.5cm



B-04



B-05



B-06



B-07-12


Technical Parameter

Composition	100% Polyester
Finished Width	215/260/300cm
Shading effect	Semi-Blackout
Weight Per m ²	120g/m ² ± 5%
Color Fastness	5 to 6 Grade
Repeat	5×7.5cm





B-14



B-15



B-16

B-14-19

Technical Parameter


Composition	100% Polyester
Finished Width	215/260/300cm
Shading effect	Semi-Blackout
Weight Per m ²	120g/m ² ±5%
Color Fastness	5 to 6 Grade
Repeat	5×7.5cm



B-17



B-18



B-19



B-20



B-21



B-22




B-23


B-20-25

Technical Parameter

Composition	100% Polyester
Finished Width	215/260/300cm
Shading effect	Semi-Blackout
Weight Per m ²	120g/m ² ±5%
Color Fastness	5 to 6 Grade
Repeat	5×7.5cm



B-24



B-25