

About Us



Tiantai Yongsheng Traffic facilities Co.,ltd. is a factory dedicated to the production of rubber material facilities products and the development of products using exclusive rubber production technologies. We are a domestic production base for the large-scale production of rubber transportation facilities, integrating production, processing, and customization. The company also integrates chemical products and relies on high-quality rubber materials to establish a foothold in the rubber traffic facilities market.

With over 2,000 tons of rubber traffic facilities annually, our products are mainly exported to the United States, Australia, Canada, United Kingdom, Spain, Italy, the Netherlands, South Korea, Russia, Germany, etc. Many of our cooperative customers in dozens of countries sell rubber traffic facilities and rubber ramps and have become important suppliers of their traffic facilities in China.

We are a company committed to building long-term partnerships with our customers all around the world. Our goal is to be your primary source for all kinds of traffic safety and parking lot products. Our tenets are integrity, Innovation, Diligence and Humanity.

RAMP



YStreetsafety.com



Contents

- 01 TRA Threshold Ramp
- 02 TRB Threshold Ramp
- 03 TRC Wheelchair Ramp
- 04 TRC Wheelchair Ramp
- 05 TRC Wheelchair Ramp
- 06 TRD Threshold Ramp
- 07 TRG Threshold Ramp
- 08 RTR Threshold Ramp
- 09 TRF Threshold Ramp
- 10 TPR Threshold Ramp
- 11 TRC06 Ramp
- 12 TRC08 Ramp
- 13 TRC99 Ramp
- 14 SLR50 Ramp
- 15 CRA Kerb Ramp
- 16 CRB Kerb Ramp
- 17 CRC Kerb Ramp
- 18 CRD Kerb Ramp
- 19 CRE Kerb Ramp
- 20 HRA Kerb Ramp
- 21 HRB Kerb Ramp
- 22 HRD Kerb Ramp
- 23 HRE Kerb Ramp
- 24 HRF Kerb Ramp
- 25 Rubber Base
- 26 Modular Ramp
- 27 Heavy Duty Mud Ground Mat



Tiantai Yongsheng Traffic facilities Co.,ltd, established in 2011 , is a professional engaged in the research, development, sale and service of Speed bump, cable protector , curb ramp .

Selling well in all cities and provinces around China, our products are also exported to clients in such countries and regions as America , Europe and Australia. We also welcome OEM and ODM orders. Whether selecting a current product from our catalog or seeking engineering assistance for your application, you can talk to our customer service center about your sourcing requirements.

TRA Threshold Ramp

- Durable rubber construction
- Beveled sides provide smooth transition
- Great for indoor or outdoor use and homes or businesses



- Rubber threshold ramps help you move through entryways by eliminating bumps to go over. To provide a smooth and secure transition, position the rubber threshold ramp against the door threshold.

MODEL	Length	Width	Height	Weight	Material	Capacity
TRA25	1100mm	210mm	25mm	4.2kg	Rubber	1000kg
TRA38	1100mm	320mm	38mm	8.4kg	Rubber	1000kg
TRA50	1100mm	410mm	50mm	12kg	Rubber	1000kg
TRA64	1100mm	420mm	64mm	14.7kg	Rubber	1000kg
TRA75	900mm	450mm	75mm	14.6kg	Rubber	1000kg
TRA88	900mm	530mm	88mm	19.5kg	Rubber	1000kg
TRA100	900mm	610mm	100mm	25.4kg	Rubber	1000kg
TRA125	900mm	800mm	125mm	33.5kg	Rubber	1000kg
TRA150	900mm	1000mm	150mm	50kg	Rubber	1000kg

TRB Threshold Ramp



Matte surface improve anti-slip

- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications.

Model	Length	Width	Height	Weight	Material	Capacity
TRB10	1000mm	40mm	10mm	0.5kg	Rubber	1000kg
TRB15	1000mm	60mm	15mm	0.8kg	Rubber	1000kg
TRB20	1000mm	80mm	20mm	1.5kg	Rubber	1000kg
TRB25	1000mm	80mm	25mm	1.5kg	Rubber	1000kg
TRB30	1000mm	100mm	30mm	2.5kg	Rubber	1000kg
TRB35	1000mm	100mm	35mm	2.5kg	Rubber	1000kg
TRB40	1000mm	120mm	40mm	3kg	Rubber	1000kg
TRB45	1000mm	120mm	45mm	3.6kg	Rubber	1000kg
TRB50	1000mm	120mm	50mm	3.8kg	Rubber	1000kg
TRB55	1000mm	120mm	55mm	4.4kg	Rubber	1000kg
TRB60	1000mm	150mm	60mm	5.5kg	Rubber	1000kg
TRB65	1000mm	150mm	65mm	6kg	Rubber	1000kg

TRC Wheelchair Ramp



TRC01

TRC02

TRC03

- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications. A grooved surface provides traction both indoors and outdoors, and two holes at the front of the ramp allow it to be permanently mounted.



Safe area effectively protects cables, threshold

MODEL	Length	Width	Height	Weight	Material	Capacity
TRC01	700mm	400mm	110mm	14kg	Rubber	5000kg
TRC02	500mm	390mm	75mm	6.5kg	Rubber	5000kg
TRC03	800mm	400mm	80mm	13kg	Rubber	5000kg
TRC04	800mm	500mm	100mm	17kg	Rubber	5000kg



TRC Wheelchair Ramp



Rollator Walker



Cars



Trolley



Wheelchair




Safe area effectively protects cables, threshold

- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications. A grooved surface provides traction both indoors and outdoors, and two holes at the front of the ramp allow it to be permanently mounted.

MODEL	Length	Width	Height	Weight	Material	Capacity	Channel
TRC05	820mm	380mm	38mm	6.2kg	Rubber	30000kg	120*(25-80)mm
TRC07	900mm	380mm	70mm	9.5kg	Rubber	30000kg	175*(50-90)mm
TRC09	810mm	500mm	63mm	10.5kg	Rubber	30000kg	145*(30-60)mm
TRC10	860mm	500mm	70mm	12.5kg	Rubber	30000kg	145*(50-90)mm
TRC11	910mm	500mm	80mm	14.5kg	Rubber	30000kg	145*(60-90)mm

TRD Threshold Ramp



- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications.

MODEL	Length	Width	Height	Weight	Material	Capacity
TRD20	1000mm	160mm	20mm	1.9kg	Rubber	5000kg
TRD30	1000mm	300mm	30mm	6.2kg	Rubber	5000kg
TRD40	1000mm	400mm	40mm	8.1kg	Rubber	5000kg
TRD50	1000mm	500mm	50mm	11.6kg	Rubber	5000kg
TRD60	1000mm	600mm	60mm	16.3kg	Rubber	5000kg
TRD70	1000mm	700mm	70mm	20.9kg	Rubber	5000kg

TRG Threshold Ramp



Grid Structure Design
Skid-proof&Stand stably




Lightweight Ramp
Easy transport & storage

- Rubber threshold ramps help you move through entryways by eliminating bumps to go over. To provide a smooth and secure transition, position the rubber threshold ramp against the door threshold.
- Provides a transition to elevated surfaces up to 2-1/2"Textured surface for traction
- Works great for pedestrian traffic, wheelchairs, power chairs, and scooters

MODEL	Length	Width	Height	Weight	Material	Capacity
TRG65	1060mm	610mm	65mm	18kg	Rubber	5000kg
TRG75	1060mm	610mm	75mm	22kg	Rubber	5000kg
TRG100	1060mm	610mm	100mm	28kg	Rubber	5000kg

RTR Threshold Ramp



- Curb ramps create a gentle slope, minimizing vehicle impact and reducing wear and tear on tires and suspension systems. Curb ramps enhance accessibility, making it easier for individuals with mobility challenges, parents with strollers, or anyone pushing a cart to traverse the curb seamlessly.

MODEL	Length	Width	Height	Weight	Material	Capacity
RTR25	1100mm	210mm	25mm	4.3kg	Rubber	5000kg
RTR38	1100mm	320mm	38mm	6.4kg	Rubber	5000kg
RTR50	1100mm	410mm	50mm	9kg	Rubber	5000kg
RTR75	900mm	450mm	75mm	11.2kg	Rubber	5000kg
RTR88	900mm	530mm	88mm	16.5kg	Rubber	5000kg
RTR100	900mm	610mm	100mm	17.6kg	Rubber	5000kg

TRF Threshold Ramp




- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications.



MODEL	Length	Width	Height	Weight	Material	Capacity
TRF08	900mm	80mm	8mm	0.65kg	Rubber	1000kg
TRF15	900mm	140mm	15mm	1.7kg	Rubber	1000kg
TRF20	900mm	150mm	20mm	2.6kg	Rubber	1000kg
TRF25	900mm	200mm	25mm	3.2kg	Rubber	1000kg
TRF30	900mm	200mm	30mm	4.9kg	Rubber	1000kg
TRF35	900mm	200mm	35mm	5.6kg	Rubber	1000kg
TRF40	900mm	200mm	40mm	6.5kg	Rubber	1000kg
TRF45	900mm	250mm	45mm	8.7kg	Rubber	1000kg



TPR Threshold Ramp



● Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications.



MODEL	Size	Weight	MODEL	Size	Weight
TPR04	900*40*4mm	0.1kg	TPR32	900*200*32mm	2.9kg
TPR06	900*60*6mm	0.3kg	TPR36	900*200*36mm	3.6kg
TPR08	900*80*8mm	0.5kg	TPR40	900*250*40mm	3.9kg
TPR10	900*100*10mm	0.8kg	TPR44	900*250*44mm	4.3kg
TPR12	900*120*12mm	1.1kg	TPR48	900*250*48mm	5.2kg
TPR16	900*150*16mm	1.2kg	TPR52	900*300*52mm	5.8kg
TPR20	900*150*20mm	1.9kg	TPR56	900*300*56mm	6.5kg
TPR24	900*150*24mm	2kg	TPR60	900*300*60mm	7.7kg
TPR28	900*200*28mm	2.2kg			

TRC06 Ramp



- Curb ramps create a gentle slope, minimizing vehicle impact and reducing wear and tear on tires and suspension systems. Curb ramps enhance accessibility, making it easier for individuals with mobility challenges, parents with strollers, or anyone pushing a cart to traverse the curb seamlessly.




Easy installation

Easy installation



Non-slip Surface

Customized LOGO



Shock Absorption

**Allow water flow
through bottom channel**



Bright Color Strip

High Visibility

MODEL	Length	Width	Height	Weight	Material	Capacity
TRC06	1220mm	410mm	65mm	16kg	Rubber	1000kg

TRC08 Ramp



- Curb ramps create a gentle slope, minimizing vehicle impact and reducing wear and tear on tires and suspension systems. Curb ramps enhance accessibility, making it easier for individuals with mobility challenges, parents with strollers, or anyone pushing a cart to traverse the curb seamlessly.




Customized LOGO



Easy installation




Textured rubber to ensure maximum traction



Integrated water channel for optimal drainage

MODEL	Length	Width	Height	Weight	Material	Capacity
TRC08	1200mm	410mm	65mm	20kg	Rubber	1000kg

TRC99 Ramp



- Curb ramps create a gentle slope, minimizing vehicle impact and reducing wear and tear on tires and suspension systems. Curb ramps enhance accessibility, making it easier for individuals with mobility challenges, parents with strollers, or anyone pushing a cart to traverse the curb seamlessly.



Easy installation



Textured rubber to ensure maximum traction




Integrated water channel for optimal drainage

MODEL	Length	Width	Height	Weight	Material	Capacity
TRC99	1210mm	410mm	65mm	16.7kg	Rubber	1000kg

SLR50 Ramp




MINE



VS Others


- *100% rubber
- *pressure production
- *High load capacity; 30 tons
- *Longer service life 24-36 months if used on scissor lift

- *Rubber particles
- *Glue production
- *Low load capacity; 5 tons
- *Be broken quickly in 1 month if used on scissor lift



MODEL	Length	Width	Height	Weight	Material	Capacity
SLR50	1000mm	500mm	50mm	20kg	Rubber	5000kg

CRA Kerb Ramp




- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications.

MODEL	Length	Width	Height	Weight	Material	Capacity
CRA01	480mm	340mm	100mm	7.8kg	Rubber	5000kg
CRA02	480mm	420mm	105mm	14.5kg	Rubber	5000kg
CRA03	480mm	320mm	135mm	10.6kg	Rubber	5000kg
CRA04	490mm	410mm	140mm	14.3kg	Rubber	5000kg
CRA05	500mm	400mm	160mm	15.6kg	Rubber	5000kg
CRA06	500mm	240mm	100mm	6.8kg	Rubber	5000kg
CRA07	600mm	240mm	100mm	7.9kg	Rubber	5000kg




CRB Kerb Ramp




- Using to bicycle, wheelchair's and Car ramp(Roadway<->Sidewalk).
- Easy to install move and sustain performance of strength force up to 20 ton.
- Available to keep the vehicle inside and using to install for emergency situation.
- High performance of face grip and high brightness reflective sheet on the product.

MODEL	Length	Width	Height	Weight	Material	Capacity
CRB01	500mm	265mm	80mm	6.4kg	Rubber	5000kg
CRB02	480mm	300mm	100mm	8.5kg	Rubber	5000kg
CRB03	490mm	375mm	155mm	13.4kg	Rubber	5000kg
CRB04	400mm	490mm	190mm	18.1kg	Rubber	5000kg
CRB05	400mm	250mm	130mm	6kg	Rubber	5000kg
CRB06	600mm	285mm	100mm	8.1kg	Rubber	5000kg
CRB07	600mm	385mm	150mm	15.2kg	Rubber	5000kg

CRC Kerb Ramp



- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications. A grooved surface provides traction both indoors and outdoors, and two holes at the front of the ramp allow it to be permanently mounted.



MODEL	Length	Width	Height	Weight	Material	Capacity
CRC01	1000mm	250mm	60mm	11.9kg	Rubber	5000kg
CRC02	1000mm	250mm	40mm	6.5kg	Rubber	5000kg
CRC03	1000mm	150mm	50mm	5.5kg	Rubber	5000kg
CRC04	1000mm	180mm	60mm	7kg	Rubber	5000kg
CRC05	1000mm	150mm	30mm	3.4kg	Rubber	5000kg
CRC06	1000mm	250mm	70mm	12kg	Rubber	5000kg
CRC07	1000mm	250mm	50mm	9.2kg	Rubber	5000kg

CRD Kerb Ramp



- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications. A grooved surface provides traction both indoors and outdoors, and two holes at the front of the ramp allow it to be permanently mounted.

MODEL	Length	Width	Height	Weight	Material	Capacity
CRD01	300mm	600mm	160mm	10.3kg	Rubber	5000kg
CRD02	300mm	600mm	190mm	13kg	Rubber	5000kg
CRD03	300mm	650mm	230mm	16.6kg	Rubber	5000kg
CRD04	450mm	270mm	70mm	3.3kg	Rubber	5000kg
CRD05	500mm	310mm	110mm	9kg	Rubber	5000kg
CRD06	500mm	310mm	110mm	9kg	Rubber+Plastic	5000kg



CRE Kerb Ramp



CRE01



CRE02



CRE03



CRE04

- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications.

MODEL	Length	Width	Height	Weight	Material	Capacity
CRE01	800mm	500mm	160mm	10kg	Rubber	5000kg
CRE02	500mm	250mm	120mm	6.5kg	Rubber	5000kg
CRE03	600mm	400mm	140mm	8kg	Rubber	5000kg
CRE04	800mm	500mm	190mm	12kg	Rubber	5000kg

HRA Kerb Ramp



- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications.

MODEL	Length	Width	Height	Weight	Material	Capacity
HRA50	500mm	500mm	50mm	7kg	Rubber	5000kg
HRA60	500mm	500mm	60mm	7.5kg	Rubber	5000kg
HRA70	500mm	500mm	70mm	8kg	Rubber	5000kg

HRB Kerb Ramp



MODEL	Length	Width	Height	Weight	Material	Capacity
HRB70	500mm	600mm	70mm	13kg	Rubber	5000kg
HRB80	500mm	600mm	80mm	13.5kg	Rubber	5000kg
HRB90	500mm	600mm	90mm	14kg	Rubber	5000kg
HRB100	500mm	600mm	100mm	15kg	Rubber	5000kg
HRB110	500mm	600mm	110mm	15.5kg	Rubber	5000kg
HRB120	500mm	600mm	120mm	15.8kg	Rubber	5000kg
HRB130	500mm	600mm	130mm	16kg	Rubber	5000kg
HRB140	500mm	600mm	140mm	16kg	Rubber	5000kg
HRB150	500mm	600mm	150mm	16kg	Rubber	5000kg
HRB180	500mm	600mm	180mm	20kg	Rubber	5000kg
HRB190	500mm	600mm	190mm	20.5kg	Rubber	5000kg
HRB200	500mm	600mm	200mm	21kg	Rubber	5000kg


HRC Kerb Ramp



MODEL	Length	Width	Height	Weight	Material	Capacity
HRC90	500mm	800mm	90mm	19.5kg	Rubber	5000kg
HRC100	500mm	800mm	100mm	20kg	Rubber	5000kg
HRC110	500mm	800mm	110mm	20.5kg	Rubber	5000kg
HRC120	500mm	800mm	120mm	21.5kg	Rubber	5000kg
HRC130	500mm	800mm	130mm	22kg	Rubber	5000kg
HRC140	500mm	800mm	140mm	22.5kg	Rubber	5000kg




HRD Kerb Ramp



MODEL	Length	Width	Height	Weight	Material	Capacity
HRD100	500mm	800mm	100mm	21kg	Rubber	5000kg
HRD110	500mm	800mm	110mm	21.5kg	Rubber	5000kg
HRD120	500mm	800mm	120mm	22kg	Rubber	5000kg
HRD130	500mm	800mm	130mm	23.5kg	Rubber	5000kg
HRD140	500mm	800mm	140mm	24kg	Rubber	5000kg
HRD150	500mm	800mm	150mm	24.5kg	Rubber	5000kg
HRD160	500mm	800mm	160mm	25kg	Rubber	5000kg
HRD170	500mm	800mm	170mm	25.5kg	Rubber	5000kg
HRD180	500mm	800mm	180mm	26kg	Rubber	5000kg
HRD190	500mm	800mm	190mm	26.5kg	Rubber	5000kg
HRD200	500mm	800mm	200mm	27kg	Rubber	5000kg

HRE Kerb Ramp



- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications.

MODEL	Length	Width	Height	Weight	Material	Capacity
HRE100	500mm	1000mm	100mm	23kg	Rubber	5000kg
HRE110	500mm	1000mm	110mm	23.5kg	Rubber	5000kg
HRE120	500mm	1000mm	120mm	24kg	Rubber	5000kg
HRE130	500mm	1000mm	130mm	24.5kg	Rubber	5000kg
HRE140	500mm	1000mm	140mm	25kg	Rubber	5000kg
HRE150	500mm	1000mm	150mm	25.5kg	Rubber	5000kg

HRF Kerb Ramp




- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications.

Model	Length	Width	Height	Weight	Material	Capacity
HRF100	500mm	1500mm	100mm	32kg	Rubber	5000kg
HRF110	500mm	1500mm	110mm	32.5kg	Rubber	5000kg
HRF120	500mm	1500mm	120mm	33kg	Rubber	5000kg
HRF130	500mm	1500mm	130mm	37.5kg	Rubber	5000kg
HRF140	500mm	1500mm	140mm	38kg	Rubber	5000kg
HRF150	500mm	1500mm	150mm	39kg	Rubber	5000kg
HRF180	500mm	1500mm	180mm	50kg	Rubber	5000kg
HRF190	500mm	1500mm	190mm	50.5kg	Rubber	5000kg
HRF200	500mm	1500mm	200mm	51kg	Rubber	5000kg
HRF210	500mm	1500mm	210mm	55kg	Rubber	5000kg
HRF220	500mm	1500mm	220mm	55kg	Rubber	5000kg
HRF230	500mm	1500mm	230mm	56kg	Rubber	5000kg

Rubber Plate Base

Rubber Base



- There are lots of modular ramp sizes to meet end user's requirement basing on the rubber base.



Model	Length	Width	Height	Weight	Material	Capacity
Rubber base-1	500mm	1000mm	100mm	35kg	Rubber	5000kg
Rubber base-2	500mm	1000mm	50mm	20.5kg	Rubber	5000kg
Rubber base-3	500mm	500mm	150mm	29kg	Rubber	5000kg

Modular Ramp

- Rubber base and HR series are used together to customize the size you want, showing a variety of combinations



Modular ramp-A (sideways rubber base with ramp)



Modular ramp-B (endways rubber base with ramp)



Modular ramp-C (endways or sideways rubber base with two ramps)

- Unaffected by heat or cold
- Easy to transport, carry, lay out and store
- Unbreakable up to 30 tonnes
- Avoid costs of environmental damage

Heavy Duty Mud Ground Mat



- Ground mats not only protect your expensive turf but also provide access and traction over mud, sand, snow and other difficult surfaces .
- Ground mats can be used to create temporary roadways for all types of vehicles and equipment, large work pads for drilling, administrative compounds, bone yards, temporary flooring, oil drilling rig mats and other industrial application.



Model	Length	Width	Height	Weight	Load Capacity
HDPE-M-01	2440mm	1100mm	12.7mm	36kg	For muddy, 20Tons
HDPE-M-02	2000mm	1100mm	40mm	20kg	For concrete, 80Tons

Events Safety





Tiantai Yongsheng Traffic facilities Co.,ltd, established in 2011 , is a professional engaged in the research, development, sale and service of Speed bump, cable protector , curb ramp .

Selling well in all cities and provinces around China, our products are also exported to clients in such countries and regions as America , Europe and Australia. We also welcome OEM and ODM orders. Whether selecting a current product from our catalog or seeking engineering assistance for your application, you can talk to our customer service center about your sourcing requirements.

Contents

- 01 1-Channel Small Cable Cover
- 02 Drop Over Cable Cover
- 03 1-Channel Big Cable Cover
- 04 Hose Bridge
- 05 Rubber Cable Cover
- 06 2-Channel Cable Cover
- 07 3-Channel Cable Cover
- 08 4-Channel Cable Cover
- 09 5-Channel Cable Cover
- 10 ADA Cable Cover
- 11 Fold Cable Cover
- 12 Blue Rubber+Plastic Cable Cover
- 13 Rubber+Plastic Cable Cover
- 14 Crowd Control Stanchion
- 15 Wall Mount Bracker+Receiver Clipe

1-Channel Small Cable Cover



1xc02-bend



1xc02




1xc06


- INDOOR/OUTDOOR USE
- Protect cables from foot traffic and vehicles at golf, charity and sporting events.
- Industrial all-weather polyurethane resists oil and abrasions.
- Textured surface. Interlocking connectors.
- Full top and bottom protection. Hinged lid.

Model	Length	Width	Height	Weight	Material	Channel	Channel size
1XC02	1000mm	150mm	30mm	3kg	Rubber	1	20*20mm
1XC06	1000mm	135mm	20mm	2kg	Rubber	1	35*15mm
1XC07	1000mm	220mm	35mm	3.5kg	Rubber	1	85*25mm

Drop Over Cable Cover



Big Cable Cover



L-Shaped Connection is convenient and firm



Small Cable Cover

- Drop Over Cable cover are a quick and easy solution of cable management. The durable polyurethane is ideal for constant pedestrian foot traffic. A low profile cover provide maximum traction to help reduce the hazards of tripping or slipping. These drop over cable covers are a fast and effective way of protecting small cables and cords in your home, office, or warehouse.

Model	Length	Width	Height	Weight	Material	Channel	Channel size
1XC04	1000mm	120mm	25mm	1kg	PVC	1	40*15mm
1XC05	1000mm	280mm	40mm	2.4kg	PVC	1	100*30mm
2XC10	1000mm	280mm	40mm	2.2kg	PVC	2	50*30mm



1-Channel Big Cable Cover



1xc09

1xc10

1xc11

- Using to bicycle, wheelchair's and Car ramp(Roadway<->Sidewalk).
- Easy to install move and sustain performance of strength force up to 20 ton.
- Available to keep the vehicle inside and using to install for emergency situation.
- High performance of face grip and high brightness reflective sheet on the product.

Model	Length	Width	Height	Weight	Material	Channel	Channel size
1XC09	1000mm	220mm	30mm	5.0kg	Rubber&PVC	1	70*20mm
1XC10	1000mm	250mm	60mm	7.2kg	Rubber&PVC	1	70*47mm
1XC11	1000mm	600mm	125mm	20.5kg	Rubber&PVC	1	110*105mm

Hose Bridge



2xc11

2xc12

- The 2-Channel Hose Bridge oses up to 10cm diameter, protecting them from heavy vehicle traffic. Hose bridges are a high traffic areas by protecting master streamlines from bulges caused when heavy vehicles run over the lines.
- Using to bicycle,wheelchair's and Car ramp(Roadway<->Sidewalk).
- Easy to install move and sustain performance of strength force up to 20 ton.
- Available to keep the vehicle inside and using to install for emergency situation.
- High performance of face grip and high brightness reflective sheet on the product.



Model	Length	Width	Height	Weight	Material	Channel	Channel size
2XC11	850mm	300mm	125mm	16.8kg	Rubber	2	100*95mm
2XC12	860mm	300mm	60mm	14.5kg	Rubber	2	100*70mm

Rubber Cable Cover



2xc01

2xc02

- INDOOR/OUTDOOR USE
- Protect cables from foot traffic and vehicles at golf, charity and sporting events.
- Industrial all-weather polyurethane resists oil and abrasions.
- Textured surface. Interlocking connectors.
- Full top and bottom protection. Hinged lid.

Model	Length	Width	Height	Weight	Material	Channel	Channel size
2XC01	1000mm	150mm	30mm	3.2kg	Rubber	2	20*20mm
2XC02	1000mm	220mm	45mm	2kg	Rubber	2	30*30mm

2-Channel Cable Cover



- These heavy duty Rubber cable protectors have multiple channels for protection of many wires. Hinged lid is good for top loading of cables and convenience. Made of durable recycle rubber it is suitable for outdoors and indoors in diverse weather conditions. The black body with a yellow lid is highly visible. These units will protect your cables from vehicles up to 15,000 pounds per axle.

Model	Length	Width	Height	Weight	Material	Channel	Channel size
2XC04	1000mm	250mm	50mm	6kg	Rubber&PVC	2	34*34mm
2XC05	1000mm	250mm	50mm	6kg	Rubber&PVC	2	32*32mm
2XC07	1000mm	250mm	50mm	7.6kg	Rubber&PVC	2	32*32mm
2XC08	1000mm	350mm	70mm	9.8kg	Rubber&PVC	2	50*50mm
2XC09	900mm	600mm	90mm	18.6kg	Rubber&PVC	2	95*75mm

3-Channel Cable Cover




- These heavy duty Rubber cable protectors have multiple channels for protection of many wires. Hinged lid is good for top loading of cables and convenience. Made of durable recycle rubber it is suitable for outdoors and indoors in diverse weather conditions. The black body with a yellow lid is highly visible. These units will protect your cables from vehicles up to 15,000 pounds per axle.

Model	Length	Width	Height	Weight	Material	Channel	Channel size
3XC01	1000mm	300mm	50mm	8.5kg	Rubber&PVC	3	30*30mm
3XC02	1000mm	300mm	50mm	9kg	Rubber&PVC	3	32*32mm
3XC03	900mm	500mm	70mm	15kg	Rubber&PVC	3	65*55mm
3XC04	900mm	500mm	85mm	17kg	Rubber&PVC	3	75*65mm
3XC05	1000mm	300mm	50mm	8.5kg	Rubber&PVC	3	35*30mm

4-Channel Cable Cover



4xc01



4xc03




Bend

Model	Length	Width	Height	Weight	Material	Channel	Channel size
4XC01	800mm	500mm	70mm	13.7kg	Rubber&PVC	4	50*50mm
Bend	200mm	500mm	70mm	3.6kg	Rubber&PVC	4	50*50mm
4XC03	900mm	500mm	65mm	15kg	Rubber&PVC	4	50*42mm

- These heavy duty Rubber cable protectors have multiple channels for protection of many wires. Hinged lid is good for top loading of cables and convenience. Made of durable recycle rubber it is suitable for outdoors and indoors in diverse weather conditions. The black body with a yellow lid is highly visible. These units will protect your cables from vehicles up to 15,000 pounds per axle.

5-Channel Cable Cover



5xc02



5xc03



5xc02-bend





- These heavy duty Rubber cable protectors have multiple channels for protection of many wires. Hinged lid is good for top loading of cables and convenience. Made of durable recycle rubber it is suitable for outdoors and indoors in diverse weather conditions. The black body with a yellow lid is highly visible. These units will protect your cables from vehicles up to 15,000 pounds per axle.

Model	Length	Width	Height	Weight	Material	Channel	Channel size
5XC02	900mm	500mm	50mm	11.5kg	Rubber&PVC	5	35*35mm
Bend	300mm	500mm	50mm	3.2kg	Rubber&PVC	5	35*35mm
5XC03	900mm	500mm	50mm	12.kg	Rubber&PVC	5	35*35mm



ADA Cable Cover





YS-LY5XC-1

Model	Length	Width	Height	Weight	Material	Channel	Channel size
YS-LY5XC-1	1100mm	750mm	50mm	20.5kg	Rubber&PVC	5	35*35mm

- The 5-Channel ADA Cable Protector is ADA compliant and features a low profile gentle slope, creating an easy cable crossing point for wheelchair and pedestrian traffic. The ADA Cable Protector is engineered to withstand the abuse of heavy pedestrian and vehicle traffic areas.

5-Channel ADA Cable Protectors feature:

- Heavy-duty, rubber construction
- High traction tread design
- Radius end dividers to minimize cable snags
- Easy to use inter-connects





Net Weight: 19kg/41.8lbs
Capacity: 15000kg/33000lbs


Fold Cable Cover



- Modular interlocking
- Excellent load capacity
- Flip-open design
- Vigilant color



After Fold




ZD3XC06



Model	Length	Width	Height	Weight	Material	Channel	Channel size
ZD2XC01	830mm	250mm	50mm	3.1kg	Rubber&PVC	2	35*35mm
ZD3XC06	770mm	280mm	50mm	4.9kg	Rubber&PVC	3	35*35mm

Blue Rubber+Plastic Cable Cover




Model	Length	Width	Height	Weight	Material	Channel	Channel size
2XC06-BLUE	1000mm	250mm	50mm	5.5kg	Rubber+Plastic&PVC	2	35*35mm

Rubber+Plastic Cable Cover




2xc06



3xc07



4xc05



5xc04

- INDOOR/OUTDOOR USE
- Protect cables from foot traffic and vehicles at golf, charity and sporting events.
- Industrial all-weather polyurethane resists oil and abrasions.
- Textured surface. Interlocking connectors.
- Full top and bottom protection. Hinged lid.

Model	Length	Width	Height	Weight	Material	Channel	Channel
1XC03	1000mm	220mm	35mm	4.2kg	Rubber+Plastic&PVC	1	70*18mm
1XC04	1000mm	260mm	60mm	5.8kg	Rubber+Plastic&PVC	1	70*45mm
2XC06	1000mm	250mm	50mm	5.5kg	Rubber+Plastic&PVC	2	32*32mm
2XC13	1000mm	350mm	70mm	8.5kg	Rubber+Plastic&PVC	2	60*55mm
3XC06	1000mm	300mm	50mm	6kg	Rubber+Plastic&PVC	3	35*30mm
3XC07	900mm	500mm	75mm	11.5kg	Rubber+Plastic&PVC	3	70*57mm
4XC05	900mm	500mm	70mm	11kg	Rubber+Plastic&PVC	4	45*45mm
5XC04	900mm	500mm	50mm	10.5kg	Rubber+Plastic&PVC	5	38*38mm

Crowd Control Stanchion




Model:YMX-A
Height:970mm
Weight:6kg



Model:YMX-B
Height:930mm
Weight:6kg

- 1. Different surface color for your choice, like yellow, red, blue and green.
- 2. Many belt colors for your options, logo printed on the belt is available.
- 3. Light weight design post is very easy to handle and carry.
- 4. 2 different bases for your choice, water filled and Rubber base.
- 5. Bottom lock system is much for stable and easy install.
- 6. Anti-slippery designed base.
- 7. Logo can be moulded on the base





Wall Mount Bracker+Receiver Clipe




Product Description

- 1.These support brackets are available in two versions,Fixing By screw or Adhesie Tape, and allow you to securely hold a Skipper retractable Topper unit in place without the need for a cone or a post.
- 2.These receiver clips are available in two versions, Fixing By Screw or Adhesive Tape, and allow the retractable tape end to attach directly.
- 3.The bracket is ideal for attaching to any vehicle or metal shelving while the wall fixing version is intended as a more permanent fixture and simplyscrews into position.



Traffic Safety






Tiantai Yongsheng Traffic facilities Co.,ltd, established in 2011 , is a professional engaged in the research, development, sale and service of Speed bump, cable protector , curb ramp.

Selling well in all cities and provinces around China, our products are also exported to clients in such countries and regions as America , Europe and Australia. We also welcome OEM and ODM orders. Whether selecting a current product from our catalog or seeking engineering assistance for your application, you can talk to our customer service center about your sourcing requirements.

Contents

01	183cm Speed Bump	28	PE Fleixble Post
02	50cm Speed Bump	29	Plastic Chain Post
03	50cm Speed Bump	30	T-TOP Safety Bollard
04	100cm Speed Bump	31	BS Fleixble Post
05	100cm Speed Bump	32	Rubber Fleixble Post
06	100cm Speed Bump	33	Convex Mirror
07	50cm Speed Bump	34	Message Cone & Sign
08	50cm Speed Bump	35	Traffic Sign
09	50cm Speed Bump	36	Marking Tape
10	Portable Speed Bump		
11	Portable Rubber Speed Bump		
12	Rumble Bar		
13	Speed Cushion		
14	PVC Traffic Cone		
15	PVC Traffic Cone _Black Base		
16	PE Traffic Cone		
17	Collapsible Cone		
18	Plastic Fence Barrier		
19	Expandable Barrier		
20	Water-filled Barriers		
21	Water-filled Barriers		
22	Water-filled Barriers		
23	Round Water-filled Barrier		
24	Lane Divider		
25	Traffic Vertical Panel		
26	PU/TPU Fleixble Post		
27	PE Fleixble Post		

183cm Speed Bump



122sb01



183sb01



183sb02



END CAP



- Includes virgin rubber - protects the recycled rubber from wear and tear
- Yellow road marking tape is molded into stripes on the unit
- Can be installed on asphalt or concrete
- Shapes to surface it's installed on
- There are two bottom channels for draining that can protect a wire hose or pipe 3/4" diameter

Model	Length	Width	Height	Weight	Material	Capacity	Reflector
122SB01	1220mm	300mm	50mm	15kg	Rubber	15,000kg	Yellow Glass bead
183SB01	1830mm	300mm	50mm	23kg	Rubber	15,000kg	Yellow Glass bead
183SB02	1830mm	300mm	60mm	23kg	Rubber	15,000kg	Yellow Glass bead
END CAP	150mm	300mm	50/60mm	1.3kg	Rubber	15,000kg	/

50cm Speed Bump



50SB03&04&05&23



END CAP

- Heavy duty 60 tonnes load
- Made of durable natural rubber that will not chip or wear
- Rubber construction conforms to uneven surfaces
- Fix modules together for any length desired
- Easy DIY Installation
- Safety yellow anti-slip insert panels increase visibility and improve pedestrian safety
- Suitable for use in indoor and outdoor carparks, driveways and ramps

Model	Length	Width	Height	Weight	Material	Capacity	Reflector
50SB03	490mm	340mm	38mm	7kg	Rubber	15,000kg	Yellow rubber skin
50SB04	490mm	340mm	48mm	12kg	Rubber	15,000kg	Yellow rubber skin
50SB05	500mm	350mm	50mm	14kg	Rubber	15,000kg	Yellow rubber skin
50SB23	500mm	350mm	75mm	27kg	Rubber	15,000kg	Yellow rubber skin
END CAP	175mm				Rubber	15,000kg	Yellow rubber skin

50cm Speed Bump



50SB21



50SB08

- Heavy duty 60 tonnes load
- Made of durable natural rubber that will not chip or wear
- Rubber construction conforms to uneven surfaces
- Fix modules together for any length desired
- Easy DIY Installation
- Safety yellow anti-slip insert panels increase visibility and improve pedestrian safety
- Suitable for use in indoor and outdoor carparks, driveways and ramps

Model	Length	Width	Height	Weight	Material	Capacity	Reflector
50SB08	500mm	400mm	55mm	20kg	Rubber	15,000kg	Yellow rubber skin
50SB21	500mm	430mm	55mm	21kg	Rubber	15,000kg	Yellow rubber skin
END CAP	175mm				Rubber	15,000kg	Yellow rubber skin

100cm Speed Bump



- Heavy duty 60 tonnes load
- Made of durable natural rubber that will not chip or wear
- Rubber construction conforms to uneven surfaces
- Fix modules together for any length desired
- Easy DIY Installation
- Safety yellow anti-slip insert panels increase visibility and improve pedestrian safety
- Suitable for use in indoor and outdoor carparks, driveways and ramps

Model	Length	Width	Height	Weight	Material	Capacity	Reflector
100SB17	1000mm	350mm	40mm	9kg	Rubber	15,000kg	Yellow rubber skin
100SB18	1000mm	350mm	50mm	12.5kg	Rubber	15,000kg	Yellow rubber skin
100SB21	1000mm	350mm	70mm	17kg	Rubber	15,000kg	Yellow rubber skin
END CAP	180mm	350mm	40/50/70mm	1.5kg	Rubber	15,000kg	Yellow rubber skin

100cm Speed Bump



- Includes virgin rubber - protects the recycled rubber from wear and tear
- Yellow road marking tape is molded into stripes on the unit
- Can be installed on asphalt or concrete
- Shapes to surface it's installed on
- There are two bottom channels for draining that can protect a wire hose or pipe 3/4" diameter

Model	Length	Width	Height	Weight	Material	Capacity	Reflector
100SB01	1000mm	100mm	20mm	2kg	Rubber	15,000kg	Yellow rubber skin
100SB03	1000mm	100mm	20mm	2kg	Rubber	15,000kg	Yellow rubber skin
100SB07	1000mm	150mm	35mm	3.7kg	Rubber	15,000kg	Yellow rubber skin
100SB11	1000mm	200mm	30mm	4kg	Rubber	15,000kg	Yellow rubber skin
100SB22	1000mm	300mm	36mm	6.5kg	Rubber	15,000kg	Yellow rubber skin
100SB24	1000mm	300mm	48mm	11kg	Rubber	15,000kg	Yellow rubber skin
100SB35	1000mm	300mm	60mm	13kg	Rubber	15,000kg	Yellow rubber skin

100cm Speed Bump



100SB26&29&30




END CAP

- Heavy duty 60 tonnes load
- Made of durable natural rubber that will not chip or wear
- Rubber construction conforms to uneven surfaces
- Fix modules together for any length desired
- Easy DIY Installation
- Safety yellow anti-slip insert panels increase visibility and improve pedestrian safety
- Suitable for use in indoor and outdoor carparks, driveways and ramps

Model	Length	Width	Height	Weight	Material	Capacity	Reflector
100SB26	1000mm	300mm	48mm	13kg	Rubber	15,000kg	Yellow rubber skin
100SB29	1000mm	380mm	45mm	12kg	Rubber	15,000kg	Yellow rubber skin
100SB30	1000mm	380mm	50mm	14kg	Rubber	15,000kg	Yellow rubber skin
END CAP	180mm	300/380mm	48/45/50mm	1.5kg	Rubber	15,000kg	Yellow rubber skin

50cm Speed Bump



- Heavy duty 60 tonnes load
- Made of durable natural rubber that will not chip or wear
- Rubber construction conforms to uneven surfaces
- Fix modules together for any length desired
- Easy DIY Installation
- Safety yellow anti-slip insert panels increase visibility and improve pedestrian safety
- Suitable for use in indoor and outdoor carparks, driveways and ramps

Model	Length	Width	Height	Unit weight PER PIECE	Material	Capacity	Reflector
50SB12	500mm	500mm	50mm	11kg	Rubber	15,000kg	Yellow Glass bead
END CAP	200mm	500mm	50mm	4kg	Rubber	15,000kg	/

50cm Speed Bump



50SB13&20



50SB14&19

- Heavy duty 60 tonnes load
- Made of durable natural rubber that will not chip or wear
- Rubber construction conforms to uneven surfaces
- Fix modules together for any length desired
- Easy DIY Installation
- Safety yellow anti-slip insert panels increase visibility and improve pedestrian safety
- Suitable for use in indoor and outdoor carparks, driveways and ramps

Model	Length	Width	Height	Unit weight PER PIECE	Material	Capacity	Reflector
50SB13	500mm	600mm	30mm	8kg	Rubber	15,000kg	Yellow Glass bead
50SB14	500mm	600mm	30mm	9.5kg	Rubber	15,000kg	Yellow Glass bead
END CAP	250mm	600mm	30mm	3kg	Rubber	15,000kg	/
50SB19	500mm	600mm	50mm	12.5kg	Rubber	15,000kg	Yellow Glass bead
50SB20	500mm	600mm	50mm	12.5kg	Rubber	15,000kg	Yellow Glass bead
END CAP	500mm	600mm	50mm	5kg	Rubber	15,000kg	/

50cm Speed Bump



50SB17



50SB18

- Heavy duty 60 tonnes load
- Made of durable natural rubber that will not chip or wear
- Rubber construction conforms to uneven surfaces
- Fix modules together for any length desired
- Easy DIY Installation
- Safety yellow anti-slip insert panels increase visibility and improve pedestrian safety
- Suitable for use in indoor and outdoor carparks, driveways and ramps


Model	Length	Width	Height	Unit weight PER PIECE	Material	Capacity	Reflector
50SB17	500mm	900mm	50mm	20kg	Rubber	15,000kg	Yellow Glass bead
50SB18	500mm	900mm	50mm	20kg	Rubber	15,000kg	Yellow Glass bead
END CAP	500mm	900mm	50mm	7.5kg	Rubber	15,000kg	/

Portable Speed Bump



EYE CATCHING STRIPE

Reflective Stripes on Both Sides



Anti-slip Mat In The Back

- The highly visible system is designed for temporary speed control applications, where it is desired to slow traffic speeds to 40km/hr. The secret behind the success of the system is its unique 'waffle-style' rubber underlay, which maximises adhesion to the road surface as vehicles traverse..It has been designed for use around highway work zones to assist in reducing speeds and therefore creating a safer work environment for road workers.

Model	Length	Width	Height	Weight	Material	Capacity	Reflector
200sb01	2000mm	220mm	50mm	10kg	PE	15,000kg	engineering
300sb01	3000mm	220mm	50mm	15kg	PE	15,000kg	engineering

Portable Rubber Speed Bump



- The highly visible system is designed for temporary speed control applications, where it is desired to slow traffic speeds to 40km/hr.
- Made of 100% durable solid rubber, Easy take to use and take away after using. Install on ground with 5 pre-holes to use for a long time
- It has been designed for use around highway work zones to assist in reducing speeds and therefore creating a safer work environment for road workers.



Model	Length	Width	Height	Weight	Material	Capacity	Reflector
183sb04	1830mm	220mm	50mm	15kg	Rubber	15,000kg	Yellow Glass bead


Rumble Bar



Rumble Bar-30




Rumble Bar-60



- Rumble Bars are made of ABS material and widely used on the road to lower the speed or a road direction guide.
- 1. There are cat eyes on the both sides and easy to see them at night
- 2. Three different sizes for your choice
- 3. ABS material can be supported about 20 tons
- 4. Easy to install


Model	Length	Width	Height	Weight	Material	Capacity
Rumble Bar-30	300mm	170mm	50mm	1.5kg	Rubber	15,000kg
Rumble Bar-60	600mm	170mm	50mm	3.0kg	Rubber	15,000kg

Speed Cushion



Rubber Speed cushion accessories

- Rubber Speed Cushions are made of recycled rubber tires. Rubber is lighter and easier to work with than asphalt and concrete, significantly minimizing the number of hours that need to be invested to install the solutions. Embedded reflective material increases visibility and safety, day or night.



Model	Each section Length	Each section Width	Each section Height	Each section Weight	Material	Capacity
SCH	900mm	1000mm	65mm	45kg	Rubber	15,000kg

PVC Traffic Cone



- Single Piece Made of Fluorescence Orange PVC
- Environmentally-friendly 100% recyclable
- Extreme durability&superior flexibilit



Model	Height	Base Size	Reflective film Size	Weight	Material	Color
PCV30	300mm	210*210mm	80mm*1	0.4kg	PVC	Red
PCV40	400mm	275*275mm	80mm*1	0.8kg	PVC	Red
PCV45	450mm	280*280mm	80mm*1	1kg	PVC	Red
PCV50	500mm	295*295mm	80mm*1	1kg	PVC	Red
PCV68	680mm	360*360mm	100mm*2	1.8kg	PVC	Red
PCV70	700mm	360*360mm	100mm*2	2.3kg	PVC	Red
PCV90	900mm	360*360mm	100mm*2	3.3kg	PVC	Red

PVC Traffic Cone Black Base



- The PVC cone could be twisted and pressed in 180 degrees. It could also reinstate when you make its top touch the floor, with high flexibility against the run over and impact of the cars. Because of good weather resistance, it won't deform in high temperature 65°C and craze in low temperature -30°C.

Model	Height	Base Size	Reflective film Size	Weight	Material	Color
PCV45R	450mm	280*280mm	80mm*1	1.6kg	PVC+Rubber	Red&Black
PCV70R	700mm	360*360mm	100mm*2	2.8kg	PVC+Rubber	Red&Black
PCV75R	750mm	360*360mm	100mm*2	3.3kg	PVC+Rubber	Red&Black
PCV90R	900mm	360*360mm	100mm*2	4kg	PVC+Rubber	Red&Black

PE Traffic Cone



- Blowing Traffic cone, made of PE material and Rubber black base with different height and weight, there are 50cm, 75cm and 100cm for your choice. Base and cone can be locked together with special design, can be packed separately.
- Can be made of different colors and height, weight for your choice.
- Interlocking design for cone and base, easy to install and shipping.
- Can be fix the LED light on top of the cone.
- More competitive price with good quality.

Model	Height	Base Size	Reflective film Size	Weight	Material	Color
PE50R	500mm	280*280mm	100mm*1	1.5kg	PE+Rubber	Red&Black
PE75R	750mm	380*380mm	220mm*1	2.5kg	PE+Rubber	Red&Black
PE100R	1000mm	490*490mm	320mm*1	5kg	PE+Rubber	Red&Black

Collapsible Cone



Retractable road cone is small in size, easy to operate and carry. The vertebral body is made of waterproof and reflective Oxford cloth. It is flexible and has the advantages of anti-aging, heat resistance, cold resistance, no cracking color and long service life. The base is made of PE material and the body is with a good reflection at night for its reflective bands.



Collapsible from 70cm to 5cm

LED Light Included



With super reflection at night




Top LED Light Stored in Base

- Collapsible traffic cones are highly visible during the day, even more so at night since they are illuminated from the inside by a battery powered LED light. It could be collapsed so take up very little room in a vehicle when not in use.

Model	Height	Base Size	Weight	Material	Color
PP30	300mm	190*190*25mm	0.25kg	PP	Orange
PP40	400mm	245*245*35mm	0.39kg	PP	Orange
PP45	450mm	245*245*35mm	0.4kg	PP	Orange
PP50	500mm	245*245*35mm	0.41kg	PP	Orange
PP55	550mm	305*305*50mm	0.65kg	PP	Orange
PP70	700mm	305*305*50mm	0.7kg	PP	Orange
ABS90	900mm	420*420*60mm	2kg	ABS	Orange

Plastic Fence Barrier



Red&Yellow&Blue Chapter 8 Barrier



Free standing with 360°swivel feet



Connection is quick and easy to use

About Our Barrie

- 1,Manufactured in High Density Polyethylene:These barriers are blow moulded.
- 2, Barriers' high visibility colours act as an early warning of hazards for both pedestrians and road users, with an additional reflective strip to enhance visibility after dark or in poor weather conditions.
- 3,The Color Of Leg Can Be Customized

The color of leg can be customized to RED/YELLOW/BLUE,The foot can roate freely for easy syacking, free standing with 360 swivel feet.


The special structure of the sole of the foot increases friction and has a grip effect, and can be used on steeper roads.

There are grooves in the middle of the feet to allow water to flow through



Model	Length	Width	Height	Weight	Material	Color
HL02	2000mm	55mm	1000mm	10.5kg	PVC	Blue&Yellow&Red

Expandable Barrier



With super reflection at night




HL01



HL04



HL03



Model	Length	Closed	Height	Weight	Material	Color
HL01	2500mm	240mm	960mm	2.7kg	PE	Yellow&Red
HL03	1500mm	/	1000mm	/	Iron	Yellow&Black
HL04	1500mm	/	1000mm	8.5kg	PE	Yellow

Water-filled Barriers



- Traffic Management: Water-filled barriers are primarily employed to delineate lanes, redirect traffic, and create safe work zones in construction areas.
- Construction Sites: In construction sites, these barriers act as protective shields, separating workers from ongoing construction activities and potential hazards such as heavy machinery or falling debris.
- Event Management: During events, concerts, or festivals, By strategically placing these barriers, event organizers can manage pedestrian flow, restrict access to restricted areas, and ensure the safety of attendees.

Model	Length	Top Width	Bottom Width	Height	Weight	Material
WB01	560mm	130mm	350mm	560mm	3kg	Plastic+PE
WB02	600mm	150mm	430mm	600mm	4kg	Plastic+PE

Water-filled Barriers



WB05&06



WB19



● Three-hole water barriers are hollow plastic objects installed on highways and urban roads where cars and roads are prone to collision, such as: road turns, roadside booths, toll booths and entrances and exits of elevated roads, parking lots, communities, gardens, gas stations, municipal engineering sites, etc., which play a role in isolation and collision prevention.

Rotational three-hole water barriers are made of highly elastic and high-strength imported PE plastic. When a car collides with the equipment, it can effectively reduce the impact force. Water or sand is added to the hollow to increase the deadweight. Reflective film can be attached to its surface to make it more eye-catching at night.

Model	Length	Width	Width(up*down)	Weight	Material	Color
WB05	1250mm	700mm	120*240mm	5kg	PVC	Yellow&Red
WB06	1450mm	800mm	140*280mm	7kg	PVC	Yellow&Red
WB19	2000mm	800mm	120*390mm	17kg	PE	Yellow

Water-filled Barriers



WB11



WB12

- The water barriers are hollow plastic objects installed on highways and urban roads where cars and roads are prone to collision, such as: road turns, roadside booths, toll booths and entrances and exits of elevated roads, parking lots, communities, gardens, gas stations, municipal engineering sites, etc., which play a role in isolation and collision prevention.



Model	Length	Width	Height	Weight	Material	Color
WB11	1150mm	/	900mm	5.5kg	PE	Yellow
WB12	900mm	350mm	1800mm	8.5kg	PE	Yellow

Round Water-filled Barrier



WB17 WB16

WB18

- The water barriers are hollow plastic objects installed on highways and urban roads where cars and roads are prone to collision, such as: road turns, roadside booths, toll booths and entrances and exits of elevated roads, parking lots, communities, gardens, gas stations, municipal engineering sites, etc., which play a role in isolation and collision prevention.



Model	Length	Height	Width	Weight	Material	Color
WB16	580mm	800mm	/	9kg	PE	Yellow
WB17	900mm	920mm	/	9kg	PE	Yellow
WB18	900mm	900mm	900mm	36kg	PE	Yellow

Lane Divider



- Springback Post & Panel For Options!
- The Lane Separators Base is manufactured from recycled Rubber, perform a wide variety of uses in traffic management. They can be used to indicate lane separation, cycle lanes, parking bay indication, traways, marking of traffic lanes in carpark entrance and exit ramps etc

Model	Length	Height	Width	Bend size	Weight	Material	Color
FDT02	780mm	210mm	112mm	/	9.6kg	Rubber	Yellow
FDT02-A	750mm	210mm	110mm	/	6.7kg	Rubber+Plastic	Red
FDT03	1100mm	/	/	500*240*85mm	10kg	Rubber	Yellow&Black
FDT04	1000mm	200mm	85mm	/	3.5kg	PVC	Yellow&Red
FDT05	1000mm	250mm	100mm	/	10.4kg	Rubber	Yellow&Black

Traffic Vertical Panel



FDT06



FDT07



FDT01

The engineering components at the bottom have high resilience, which will not cause damage to people and vehicles when it is impacted. Large area 3M reflective film, better warning effect at night; smaller base size, suitable for more road scenes; good weather resistance, impact resistance, high temperature and severe cold.

- The entrance sign is crafted with sturdy construction, ensuring its long-lasting use in various settings.
- The road diverter sign is an ideal choice for installation in underground, parking lots and more.
- The traffic direction sign has bright colors, making it easily visible and understandable from a distance.
- The traffic cone is convenient to install and does not require additional tools or equipment.
- The warning sign is resistant to wear, allowing for extended use without losing its effectiveness.



Model	Length	Height	Width	Base size	Weight	Material	Color
FDT01	220mm	290mm	150mm	/	0.5kg	EVA	Yellow
FDT06	500mm	1100mm	500mm	/	13kg	PE	Red
FDT07	700mm	930mm	200mm	370*320*100mm	10kg	PE	Yellow&Black

PU/TPU Fleixble Post



With super reflection at night



Multi-colors are accepted



- High Impact Resistance and returns to vertical after impact.
- Composed of TPU flexible post, interlock, and 3 Types in round, square and rectangular.
- Four cat eyes in the rectangular base improve the visibility in night time.



Model	Length	Width	Height	Reflective film Size	Weight	Material	Color
BPU45	450mm	80mm	200mm	71mm*2	0.6kg	PU	Red/Orange/Yellow/Black
BPU75	750mm	80mm	200mm	71mm*3	1kg	PU	Red/Orange/Yellow/Black
BTPU45	450mm	80mm	200mm	71mm*2	0.9kg	TPU	Red/Orange/Yellow/Black
BTPU75	750mm	80mm	200mm	71mm*3	1.3kg	TPU	Red/Orange/Yellow/Black
BTPU100	1000mm	80mm	200mm	71mm*4	1.78kg	TPU	Red/Orange/Yellow/Black

PE Fleixble Post



- High Impact Resistance and returns to vertical after impact
- Convenient T-top carry handle and molded in bolt hole for flashing light
- Stronger ribs provide maximum band protection
- The reflective coating meets night visibility requirements

Model	Length	Width	Base Size	Reflective film Size	Weight	Material
BPE01	500mm	100mm	260*260mm	150mm*1	2.9kg	Rubber+PE
BPE02	800mm	100mm	260*260mm	300mm*1	3.1kg	Rubber+PE
BPE03	1200mm	100mm	260*260mm	450mm*1	3.3kg	Rubber+PE

PE Fleixble Post



Reinforced Base



Reflective Film

- Convenient T-top carry handle and molded in bolt hole for flashing light;
- Improved recesses create a deeper area for reflective bands;
- Stronger ribs provide maximum band protection.

Model	Length	Width	Height	Base Size	Reflective film Size	Weight	Material
BPE04	1150mm	95mm	220mm	420*420*35mm	300mm*1	6.8kg	Rubber+PE
BPE05	1150mm	95mm	220mm	420*420*35mm	300mm*1	6.8kg	Rubber+PE
BPE06	1150mm	95mm	220mm	420*420*35mm	150mm*2	6.08kg	Rubber+PE

Plastic Chain Post



- HIGH-VISIBILITY WARNING COLORS: Designed with White and red stripes to maximize visibility, these stanchions serve as an effective warning signal. Easily connect them using the included S-hooks and chains to create a clear safety barrier.
- DURABLE, HIGH-QUALITY MATERIAL: Crafted from high-strength PP and PE materials, these traffic cones are built to resist sun damage, fading, corrosion, and cracking.
- STABLE & FILLABLE BASE: Each traffic cone features a fillable base that holds up to 8 lbs of water or 12 lbs of sand, providing excellent stability even in severe weather conditions. The base is designed with convenient inlets and outlets for easy filling and drainage.
- MULTIPURPOSE DESIGN: Standing 32 5/8" tall, these delineator cones are versatile and ideal for use in parking lots, construction zones, garages, stadiums, and hotels.

Model	Length	Base Size	Weight	Material
BPT07	1100mm/900mm (Customization)	280*280mm	0.65kg	PP+PE



T-TOP Safety Bollard



- High Impact Resistance and returns to vertical after impact
- Convenient T-top carry handle and molded in bolt hole for flashing light
- Stronger ribs provide maximum band protection
- The reflective coating meets night visibility requirements

Model	Length	Width	Height	Base Size	Reflective film Size	Weight	Material
BPE08	740mm	100mm	140mm	420*420mm	100mm*1	6kg	Rubber+PE
BPE09	1100mm	100mm	240mm	480*480mm	100mm*2	6.1kg	Rubber+PE
BPE10	1180mm	100mm	240mm	480*480mm	100mm*4	6.1kg	Rubber+PE

BS Flexible Post





Chain Hook Design

- Chain Hook Design
The top of the post is designed with hooks. After installation, if a protective chain is required, it can be directly connected, which is convenient and practical.

- Easy to Install
It is easy to fix them on the ground with accompanying expansion bolts.

- Yellow Reflective Collars
Alerts pedestrians and motorists about cautions and guide traffic
The reflective coating meets night visibility requirements



Model	Length	Width	Base Size	Reflective film Size	Weight	Material
BS50	500mm	114mm	160mm	80mm*2	2kg	Iron
BS60	600mm	114mm	160mm	80mm*2	2.4kg	Iron
BS70	700mm	114mm	160mm	80mm*3	3kg	Iron

Rubber Fleixble Post



- Detachable base, easy to replace parts.
- High intensity reflective band, easy to identify.
- Anti-collision and pressure resistance, sturdy and durable.
- Commonly used for traffic warning, guidance and marking.
- Suitable for highways, parks, communities, intersections, parking lots and street entrances, etc.
- It is weather-resistant and can be used in outdoor environments for a long time.
- Each bollard base has 4 pre-drilled holes for easy installation.

Model	Length	Width	Base Size	Reflective film Size	Weight	Material
BR01	600mm	114mm	250mm	25mm*3	6kg	Rubber
BR02	800mm	114mm	250mm	25mm*3	7kg	Rubber
BR03	800mm	114mm	160*180mm	150mm*2	4kg	Rubber



Removable base and easy using

Convex Mirror



Indoor

Outdoor

- Convex mirror offers a wide-angle view up to 160 degrees
- The image is clear, convex mirror is of excellent quality, not easy to be damaged
- The safety mirror cap is designed to effectively block rain and sunlight on sunny days, and pedestrians can see them clearly
- It is used to eliminate blind spots, prevent accidents and injuries, prevent accidents and prevent theft.

Suitable for street corners, garages, parking lots, driveways, supermarkets

Type	Model	Size	Weight	Material
Indoor	ICM30	300mm	0.5kg	PC+ABS
	ICM45	450mm	0.78kg	PC+ABS
	ICM60	600mm	1.26kg	PC+ABS
	ICM80	800mm	3.42kg	PC+ABS
Outdoor	OCM30	300mm	0.5kg	PC+ABS
	OCM45	450mm	1.28kg	PC+ABS
	OCM60	600mm	1.76kg	PC+ABS
	OCM80	800mm	3.38kg	PC+ABS
	OCM100	1000mm	4.74kg	PC+ABS
	OCM120	1200mm	9.5kg	PC+ABS

Message Cone & Sign



- Print Warning Message Or Advertisement
- Light weight, versatile sign are excellent for effective safety communication with employees or customers.
- Any other Text could be custom-made.



Model	Length	Width	Top Width	Weight
A PANEL	610mm	300mm	/	0.6kg
B PANEL	750mm	280mm	85mm	0.6kg
C PANEL	1000mm	280mm	250mm	0.85kg


Traffic Sign




Fast Installation:




Marking Tape



Structure of PVC Floor Marking Tape



- Caution Tape are a quick & effective way to create a visual fortress around temporary hazards.
- This lightweight tape can be tied, stapled or nailed to posts, fences or barricades.
- Ideal for outdoor or indoor application such as crowd and traffic control.
- Available in 50mm, 75mm and 100mm Width Each Roll.



Parking Safety





Contents

- 01 Short Wheel Stopper
- 02 Glass Bead Wheel Stopper
- 03 Mid-length Wheel Stopper
- 04 Long Wheel Stopper
- 05 Australia Parking Curbs
- 06 Longer Parking Curbs
- 07 Car Parking Guide Mat
- 08 Rubber+Plastic Wheel Stopper
- 09 Wheel Chock
- 10 Wheel Chock
- 11 Wheel Chock
- 12 Wheel Chock
- 13 Reflective film Wheel Chock
- 14 Plastic Wheel Chock
- 15 Aircraft Wheel Chock
- 16 Aircraft Wheel Chock
- 17 Aircraft Wheel Chock-Customized
- 18 Rubber Corner Guard
- 19 Rubber Corner Guard
- 20 Rubber Corner Guard
- 21 Parking Lock
- 22 Parking Lock
- 23 Parking Lock
- 24 Car clamps
- 25 Car clamps

Tiantai Yongsheng Traffic facilities Co.,ltd, established in 2011 , is a professional engaged in the research, development, sale and service of Speed bump, cable protector , curb ramp .

Selling well in all cities and provinces around China, our products are also exported to clients in such countries and regions as America , Europe and Australia. We also welcome OEM and ODM orders. Whether selecting a current product from our catalog or seeking engineering assistance for your application, you can talk to our customer service center about your sourcing requirements.

Short Wheel Stopper


ON THE GROUND



- Wheel Stops are fabricated from premium quality recycle rubber. They have high resistance to severe impact & brutal weather conditions. They will help regulating the layout of your residential and parking lots. They can be installed onto the ground of the allotted/painted Parking Slots to prevent the car from going beyond its limited location thus to protect wall/glass glazing structures & the car itself from damages.

Model	Length	Width	Height	Weight	Material	Capacity	Reflective film
WS02	550mm	160mm	93mm	4.2kg	Rubber	15,000kg	Regular reflector
WS04	540mm	150mm	90mm	6kg	Rubber	15,000kg	Regular reflector
WS22	540mm	150mm	100mm	4.5kg	Rubber	15,000kg	Regular reflector
WS23	550mm	150mm	90mm	5kg	Rubber	15,000kg	Regular reflector
WS26	480mm	150mm	90mm	3.8kg	Rubber	15,000kg	Regular reflector
WS29	490mm	150mm	90mm	3.7kg	Rubber	15,000kg	Regular reflector
WS36	560mm	150mm	90mm	2.75kg	Rubber+Plastic	15,000kg	Regular reflector

Glass Bead Wheel Stopper



WS27



WS30



WS32



WS42

- Wheel Stops are fabricated from premium quality recycle rubber. They have high resistance to severe impact&brutal weather conditions. They will help regulating the layout of your residential and parking lots. They can be installed onto the ground of the allotted/painted Parking Slots to prevent the car from going beyond it's limited location thus to protect wall/glass glazing structures&the car itself from damages.

Model	Length	Width	Height	Weight	Material	Capacity	Reflective film
WS27	560mm	160mm	100mm	5.0kg	Rubber	15,000kg	Glass Bead
WS30	550mm	150mm	150mm	6.2kg	Rubber	15,000kg	Glass Bead
WS32	570mm	120mm	80mm	3.7kg	Rubber	15,000kg	Glass Bead
WS42	550mm	150mm	100mm	3.2kg	Rubber+plastic	15,000kg	Glass Bead

Mid-length Wheel Stopper



WS28



WS24



WS31



WS05

- Wheel Stops are fabricated from premium quality recycle rubber. They have high resistance to severe impact&brutal weather conditions. They will help regulating the layout of your residential and parking lots. They can be installed onto the ground of the allotted/painted Parking Slots to prevent the car from going beyond it's limited location thus to protect wall/glass glazing structures&the car itself from damages.

Model	Length	Width	Height	Weight	Material	Capacity	Reflective film
WS28	750mm	160mm	100mm	7kg	Rubber	15,000kg	Regular reflector
WS24	750mm	150mm	90mm	7kg	Rubber	15,000kg	Regular reflector
WS05	900mm	150mm	100mm	8.2kg	Rubber	15,000kg	Glass Bead
WS31	1000mm	180mm	150mm	20kg	Rubber	15,000kg	Glass Bead

Long Wheel Stopper



WS01&06&25

WS37

WS47

- Durable Material: Wheel Stops are made from 100% recycled rubber .
- REFLECTIVE: Reflective highway tape is molded into the rubber and provides high visibility at night. Reflectivity increases safety for both drivers and pedestrians.
- DURABLE: Resistant to extreme temperature variations, UV light, oils, moisture, road salt and damage. Rubber Wheel Stops will not rust, chip, crack, crumble, corrode or need repainting.
- INSTALLATION: Includes pre-drilled holes for easy installation. Use rebar spikes to install on asphalt surfaces and lag bolts and shields for concrete surfaces.

Model	Length	Width	Height	Weight	Material	Capacity	Reflective film
WS25	1650mm	150mm	100mm	14kg	Rubber	15,000kg	Glass Bead
WS01	1780mm	150mm	100mm	15kg	Rubber	15,000kg	Glass Bead
WS06	1830mm	150mm	100mm	16kg	Rubber	15,000kg	Glass Bead
WS37	1830mm	150mm	100mm	10.3kg	Rubber+plastic	15,000kg	Glass Bead
WS47	2000mm	150mm	100mm	11kg	Rubber+plastic	15,000kg	Glass Bead

Australia Parking Curbs



WS33

WS34



Model	Length	Width	Height	Weight	Material	Capacity	Reflective film
WS33	1650mm	150mm	100mm	14kg	Rubber	15,000kg	Glass Bead
WS34	1650mm	150mm	100mm	12.8kg	Rubber+plastic	15,000kg	Glass Bead

Longer Parking Curbs



WS43



WS44



WS45



WS46

- Wheel Stops are fabricated from premium quality recycle rubber. They have high resistance to severe impact&brutal weather conditions. They will help regulating the layout of your residential and parking lots. They can be installed onto the ground of the allotted/painted Parking Slots to prevent the car from going beyond it's limited location thus to protect wall/glass glazing structures&the car itself from damages.

Model	Length	Width	Height	Weight	Material	Capacity	Reflective film
WS43	1000mm	250mm	200mm	30kg	Rubber	15,000kg	Regular reflector
WS44	2000mm	135mm	100mm	13.5kg	Rubber	15,000kg	Regular reflector
WS45	2000mm	150mm	100mm	16kg	Rubber	15,000kg	Regular reflector
WS46	1000mm	130mm	100mm	16kg	Rubber	15,000kg	Regular reflector

Car Parking Guide Mat



- Durable Material: Ours is made of 100% rubber, sturdy and durable, not easily damaged and moved.
- Perfect parking tool: Guaranteed parking in the same spot every day for the best protection for your vehicle, garage and belongings.
- Easy Use: The parking guide mat is designed with two tire bumps - the first small bump lets you know you're on the mat, and the second large bump alerts you to stop.
- Easy to install: There are super strong adhesive stickers on the underside, just peel off the non-slip tape and press down hard on the parking pad to the floor. It is equipped with mounting holes, which can be fixed with screws if long-term fixed use is required.
- Wide Use Range: Fit all vehicles such as Cars, Pickup Trucks, SUVs, Vans, Work Vehicles, RVs, golf carts, riding mowers, and more.

Model	Length	Width	Height	Weight	Material	Capacity	Reflective film
WS41	600mm	400mm	70mm	3.2kg	Rubber	15,000kg	Glass Bead

Rubber+Plastic Wheel Stopper



Model	Length	Width	Height	Weight	Material	Capacity	Regular film
WS09	480mm	140mm	90mm	2.2kg	Rubber+Plastic	15,000kg	Regular reflector
WS15	560mm	160mm	100mm	3kg	Rubber+Plastic	15,000kg	Regular reflector
WS19	740mm	150mm	110mm	5.2kg	Rubber+Plastic	15,000kg	Regular reflector
WS20	760mm	150mm	110mm	6.2kg	Rubber+Plastic	15,000kg	Regular reflector
WS36	560mm	150mm	90mm	2.75kg	Rubber+Plastic	15,000kg	Regular reflector
WS38	900mm	150mm	100mm	7.35kg	Rubber+Plastic	15,000kg	Regular reflector
WS40	560mm	150mm	90mm	4kg	Rubber+Plastic	15,000kg	Regular reflector
WS42	550mm	150mm	100mm	3.2kg	Rubber+Plastic	15,000kg	Regular reflector
WS48	720mm	175mm	145mm	8.24kg	Rubber+Plastic	15,000kg	Regular reflector

Wheel Chock



WC17

WC02

WC04

- Non-Slip surface. All-weather Construction. Oil and salt resistance. Easy to rust and bend steel rings. High-quality rubber handle, can be used in pairs with ropes.
- More convenient to carry, use and summarize.
- Easy placement or positioning; rubber traction pad with oil resistant surface to prevent slippage.

Model	Length	Width	Height	Weight	Material	Capacity	Reflective film
WC02	170mm	100mm	100mm	0.8kg	Rubber	15,000kg	/
WC04	240mm	200mm	150mm	3.0kg	Rubber	15,000kg	/
WC17	290mm	150mm	195mm	4.7kg	Rubber	15,000kg	/

Wheel Chock



WC01



WC03

WC16

- Wheel Chocks with triangular design allows the chock to be easily placed against the wheel for enhancing stability.
- Rubber chocks can be used for a wide range of purposes, perfect for chocking cars, trucks, trailers, small airplanes, RVs, dumpsters, boats, horse trailers, vans, and more to prevent your vehicle rolling away.

Model	Length	Width	Height	Weight	Material	Capacity	Reflective film
WC01	130mm	80mm	60mm	0.4kg	Rubber	15,000kg	/
WC03	170mm	150mm	110mm	1.5kg	Rubber	15,000kg	/
WC16	240mm	200mm	160mm	5.2kg	Rubber	15,000kg	/

Wheel Chock



WC05



WC06



WC07



WC14

- Hyper Tough Solid Rubber Heavy Duty Black Wheel Chock. The vehicle wedge avoids the traditional hard-to-grip .Easy to rust and bend steel rings. High-quality rubber handle that can be used in pairs with ropes. Sturdy handle makes it more convenient to carry, use and summarize. Made of high quality rubber material for good durability; long-lasting usage. Safety device to use with ramps or other lifting devices.

Model	Length	Width	Height	Weight	Material	Capacity	Reflective film
WC05	200mm	100mm	150mm	2.0kg	Rubber	15,000kg	/
WC06	270mm	120mm	190mm	2.4kg	PU	15,000kg	/
WC07	270mm	120mm	180mm	3.0kg	Rubber	15,000kg	/
WC14	270mm	115mm	175mm	3.5kg	Rubber	15,000kg	/

Wheel Chock



WC18

WC19

WC20

- Wheel Chocks with triangular design allows the chock to be easily placed against the wheel for enhancing stability.
- Rubber chocks can be used for a wide range of purposes, perfect for chocking cars, trucks, trailers, small airplanes, RVs, dumpsters, boats, horse trailers, vans, and more to prevent your vehicle rolling away.

Model	Length	Width	Height	Weight	Material	Capacity	Reflective film
WC18	250mm	205mm	265mm	4.0kg	Rubber	15,000kg	/
WC19	300mm	250mm	150mm	4.0kg	Rubber	15,000kg	/
WC20	285mm	150mm	195mm	5.5kg	Rubber	15,000kg	/

Reflective film Wheel Chock



WC08&09



WC10



WC11



WC12



WC13




WC15

- Wheel Chocks with triangular design allows the chock to be easily placed against the wheel for enhancing stability.
- Rubber chocks can be used for a wide range of purposes, perfect for chocking cars, trucks, trailers, small airplanes, RVs, dumpsters, boats, horse trailers, vans, and more to prevent your vehicle rolling away.

Model	Length	Width	Height	Weight	Material	Capacity	Reflective film
WC08	285mm	155mm	185mm	3.2kg	Rubber	15,000kg	Regular reflector
WC09	285mm	155mm	185mm	5.0kg	Rubber	15,000kg	Regular reflector
WC10	250mm	250mm	180mm	5.5kg	Rubber	15,000kg	Regular reflector
WC11	250mm	250mm	180mm	7.0kg	Rubber	15,000kg	Regular reflector
WC12	320mm	290mm	260mm	12.0kg	Rubber	15,000kg	Regular reflector
WC13	330mm	290mm	270mm	11.0kg	Rubber	15,000kg	Regular reflector
WC15	240mm	170mm	195mm	4.0kg	Rubber	15,000kg	Regular reflector


Plastic Wheel Chock



- Plastic Wheel Chocks are an essential component in loading areas for ensuring worker safety. These plastic chocks are extremely lightweight but also durable for use with heavy trailers.

Model	Length	Width	Height	Weight	Material	Capacity
PWC01	440mm	200mm	240mm	1.9kg	Plastic	5000kg
PWC02	440mm	200mm	250mm	1.9kg	Plastic	5000kg
PWC03	380mm	160mm	170mm	1kg	Plastic	5000kg
PWC04	300mm	160mm	180mm	0.85kg	Plastic	5000kg
PWC05	300mm	160mm	180mm	1.1kg	Plastic	5000kg
PWC06	200mm	120mm	110mm	0.4kg	Plastic	5000kg

Aircraft Wheel Chock



- Aircraft wheel chock are designed for heavy duty loads for all weather and all surfaces. The wheel chocks are heavy enough to stay put while not too heavy to move around easily. Heavy duty nylon rope adds rubber wheel chocks convenience for placement and carry. High visibility safety reflective tapes ensure a safe working environment. Triangular design with ribbed and textured at the bottom offer the desired grip and friction stronger that lets you quickly chock a full axle of tires.

Model	Length	Width	Height	Weight	Material	Capacity	Reflective film
AWC01	200mm	115mm	105mm	1.9kg	Rubber	15,000kg	Regular reflector
AWC02	300mm	140mm	125mm	3.5kg	Rubber	15,000kg	Regular reflector

Aircraft Wheel Chock



Big Aircraft Wheel Chock





Small Aircraft Wheel Chock



- Keep airplanes, RVs and boat trailers securely parked.
- Safety reflectors for visibility.
- Twin rubber chocks connected by 36" rope for easy handling.
- Designed to chock both sides of wheel.

Model	Length	Width	Height	Weight	Material	Capacity	Reflective film
AWC03	300mm	160mm	140mm	5kg	Rubber	15,000kg	Regular reflector
AWC04	450mm	160mm	140mm	6.8kg	Rubber	15,000kg	Regular reflector
AWC05	450mm	180mm	165mm	9kg	Rubber	15,000kg	Regular reflector
AWC06	610mm	178mm	178mm	11kg	Rubber	15,000kg	Regular reflector

Aircraft Wheel Chock-Customized



Customized

Customized colors and mould are acceptable for large quantity.



Model	Length	Width	Height	Weight	Material	Capacity	Reflective film
AWC06	610mm	178mm	178mm	11kg	Rubber	15,000kg	Regular reflector

[SHOW DETAILS](#)

Round Rubber Corner Guard



● Corner Guards are constructed from high impact resistance natural rubber. They are designed to protect the edges of columns in structures. Corner guards relieve the tension of chipped&broken corners of pillars / columns.

Model	Height	Width	Thickness	Weight	Material	Capacity	Reflective film
CG01	600mm	100mm	10mm	1.25kg	Rubber	15,000kg	Regular reflector
CG02	800mm	100mm	10mm	2.4kg	Rubber	15,000kg	Regular reflector
CG03	1000mm	100mm	10mm	3kg	Rubber	15,000kg	Regular reflector
CG04	1200mm	100mm	10mm	3kg	Rubber	15,000kg	Regular reflector
CG05	1500mm	100mm	10mm	3.3kg	Rubber	15,000kg	Regular reflector
CG15	800mm	150mm	10mm	2.5kg	Rubber	15,000kg	Regular reflector

Square Rubber Corner Guard



● Corner Guards are constructed from high impact resistance natural rubber. They are designed to protect the edges of columns in structures. Corner guards relieve the tension of chipped&broken corners of pillars / columns.



Model	Height	Width	Thickness	Weight	Material	Capacity	Reflective film
CG08	600mm	100mm	10mm	0.7kg	Rubber	15,000kg	Regular reflector
CG09	800mm	100mm	10mm	2kg	Rubber	15,000kg	Regular reflector
CG10	1000mm	100mm	10mm	2kg	Rubber	15,000kg	Regular reflector
CG11	1200mm	100mm	10mm	2.2kg	Rubber	15,000kg	Regular reflector
CG12	1500mm	100mm	10mm	3kg	Rubber	15,000kg	Regular reflector
CG06	1000mm	145mm	10mm	4.2kg	Rubber	15,000kg	Regular reflector
CG07	1200mm	140mm	10mm	4kg	Rubber	15,000kg	Regular reflector
CG13	600mm	150mm	50mm	9kg	Rubber	15,000kg	Regular reflector
CG17	800mm	50mm	5mm	0.5kg	Rubber	15,000kg	Regular reflector
CG18	1000mm	50mm	5mm	0.8kg	Rubber	15,000kg	Regular reflector
CG19	1200mm	50mm	5mm	0.85kg	Rubber	15,000kg	Regular reflector
CG22	1000mm	100mm	10mm	2kg	Rubber	15,000kg	Regular reflector


Rubber Corner Guard



- Corner Guards are constructed from high impact resistance natural rubber. They are designed to protect the edges of columns in structures. Corner guards relieve the tension of chipped&broken corners of pillars / columns.

Model	Height	Width	Thickness	Weight	Material	Capacity	Reflective film	Color
CG23	800mm	95mm	9mm	1.5kg	EVA	15,000kg	Regular reflector	Red&Yellow&Grey

Parking Lock



Pull-Up Auto-Lock



Spring Loaded Bump Stops



Thickened 4.5mm



Full Copper Lock Cylinder



Mounting Screws Included

- Sturdy & Durable: Our safety bollard post uses high-quality Q235 steel material. The steel bollard is strong and durable through excellent design and processing technology.
- High Visibility Safety Bollards: Bright yellow can improve visibility. Improve safety by preventing accidents.
- Easy to Assemble: The bollard post is easy to install with the pre-drilled holes in the bottom base. Every bollard matches 3 anchor bolts and a wrench in a package.
- Versatile Application: This bollard post can be widely used indoors and outdoors for a variety of facilities including roads, sidewalks, parking lots, schools, hotels, banks and etc.

Model	Height	Weight	Material
PLA01	600mm	3kg	Iron
PLA02	600mm	3.6kg	Iron
PLA03	700mm	3.6kg	Iron
PLA04	700mm	4kg	Iron

Parking Lock



PLB01



PLB02

- PARKING LOCK SAFETY DESIGN: arc slope design does not damage the tires, and one-time die-cast slope design prevents injuries from vehicles running over the tires.
- FLOOR LOCK COMPRESSION RESISTANCE: The base is die-cast in one go. The base is made of thickened 2.3MM cold-rolled steel plate. The one-time die-casting base is evenly stressed and can effectively withstand 8 tons of rolling without deformation.
- SECURE PARKING LOCKS: Our parking locks are ideal for managing parking spaces in high-rise residential complexes, shopping malls, hotels, offices and airports.

Model	Length	Width	Height	Weight	Material
PLB01	600mm	220mm	350mm	6.8kg	Iron
PLB02	400mm	300mm	400mm	6kg	Iron

Parking Lock



Pull up to automatically lock
Quickly locks when pulled up,
No need to manually lock like a padlock



One-piece molding without welding
Directly machined from a single steel pipe
Greatly improve load-bearing pressure and impact resistance



- T-shaped lock parking fence. Prevent other vehicles from occupying, reserve parking spaces
- 2 colors, choose according to your needs. Bollards Height: 40cm; Width: 53cm
- High-quality three-layer computer paint technology, anti-corrosion, prolong service life
- The warning column is made of cold-rolled steel. Elbow primary molding, strong and beautiful
- Folding rail post ,at up/down function. Equipped with automatic lock, durable bumper

Model	Length	Width	Height	Weight	Material
PLB03	550mm	400mm	70mm	4kg	Iron
PLB04	550mm	400mm	70mm	4.4kg	Iron
PLB05	550mm	400mm	70mm	3.8kg	Iron

Car Clamps



- Anti Corro sion Material: Wheel lock is made of aluminium alloy.
- Wide Fitment: This wheel lock can be adjusted to fit 7 to 11 inch wide tire , , truck, motorcycle, ATV, RVS, etc. Make sure the wheel lock size fits your tire width.
- Easy Installment: Open the tire lock and attach it to the trailer tire, adjust it to the proper hole, then push the lock core. You can also quickly unlock and remove the device.

Model	Height	Holes	Maxexpansion wdt	Weight	Material
WL01	460mm	9	300mm	2kg	steel
WL02	460mm	10	330mm	2.1kg	steel
WL03	460mm	11	370mm	2.2kg	steel
WL04	460mm	12	380mm	2.3kg	steel



Car Clamps



WL05



WL06&07

- Made of heavy-duty steel and covered by rust-resistant coating, this clamp lock is quite durable, reliable and weather-resistant
- With Disc Covers Lug Nuts-Heavy gauge steel disk covers lug nuts to prevent tire removal, and prevents tire removal and theft
- Wheel Clamp Locks are easy to fit or remove, resists cutting and sawing and stops the vehicle wheel from rotating
- Pay attention to the tire radius less than 14". Suitable for most trailer, car, SUV, Caravan, ATV, RV 24/7.

Model	Length	Width	Sucking disc Diameter	Suction movable	Weight	Material
WL05	420mm	250mm	310mm	90-140mm	3.4kg	steel
WL06	750mm	300mm	310mm	90-140mm	6kg	steel
WL07	1000mm	300mm	310mm	90-140mm	9kg	steel

Dock Safety



YStrafficsafety.com





Contents

- 01 Truck Dock Bumper
- 02 Heavy Duty Dock Bumper
- 03 Loading Rubber Bumper
- 04 Steel-Faced Bumper
- 05 Bumper strip
- 06 Laminated Rubber Bumper
- 07 Fender

Tiantai Yongsheng Traffic facilities Co.,ltd, established in 2011 , is a professional engaged in the research, development, sale and service of Speed bump, cable protector , curb ramp .

Selling well in all cities and provinces around China, our products are also exported to clients in such countries and regions as America , Europe and Australia. We also welcome OEM and ODM orders. Whether selecting a current product from our catalog or seeking engineering assistance for your application, you can talk to our customer service center about your sourcing requirements.

Truck Dock Bumper



RBA01



RBA02



RBA03



RBA04



RBA05

- Extruded Dock Bumpers can be used in a variety of indoor and outdoor applications to provide protection for tow trucks, heavy duty construction equipment and trailers. Our extruded bumpers are available in a variety of styles to offer you greater flexibility for in-plant wall protection from material handling vehicles. Made from weather and abrasion resistant materials, this loading dock equipment is designed to last.

Model	Length	Width	Height	Holes Spacing	Weight	Material	Capacity
RBA01	120mm	80mm	85mm	65mm	0.8kg	Rubber	15,000kg
RBA02	200mm	80mm	80mm	90mm	1.2kg	Rubber	15,000kg
RBA03	250mm	80mm	90mm	120mm	1.8kg	Rubber	15,000kg
RBA04	350mm	100mm	100mm	200mm	3.8kg	Rubber	15,000kg
RBA05	410mm	110mm	100mm	315mm	5kg	Rubber	15,000kg

Heavy Duty Dock Bumper



RBA06



RBA08



RBA10



RBA11



RBA12



RBA14

- Heavy duty rubber bumper stop with rear void
- Molded angle design to absorb and distribute impact
- Reduces damage to loading dock bays / trucks

Model	Length	Width	Height	Holes Spacing	Weight	Material	Capacity
RBA06	300mm	200mm	90mm	165mm	5.8kg	Rubber	15,000kg
RBA08	400mm	200mm	100mm	290mm	10kg	Rubber	15,000kg
RBA10	450mm	250mm	100mm	250mm	13.5kg	Rubber	15,000kg
RBA11	450mm	250mm	150mm	250mm	19kg	Rubber	15,000kg
RBA12	500mm	250mm	90mm	250mm	14.5kg	Rubber	15,000kg
RBA14	500mm	250mm	100mm	320mm	15kg	Rubber	15,000kg
RBA18	700mm	300mm	100mm			Rubber	15,000kg

Loading Dock Bumper



RBA07

RBA09&13

RBA15

- Reduce damage to loading dock bays from truck trailer impacts with heavy duty molded rubber Dock Bumpers. Each rubber bumper stop is designed to mount vertically to the sides of a dock leveler by mounting holes with 2" deep washer countersinks. The molded angle extrusion is intended to absorb and distribute the collision and features a bottom void allowing the rubber dock guards to flex along with the impact. Rubber bumper stops also work great for in-plant wall protection in low material handling traffic areas.

Model	Length	Width	Height	Holes Spacing	Weight	Material	Capacity
RBA07	330mm	300mm	95mm		12kg	Rubber	15,000kg
RBA09	400mm	200mm	100mm	210mm	12.5kg	Rubber	15,000kg
RBA13	500mm	250mm	100mm	335mm	18kg	Rubber	15,000kg
RBA15	300mm	300mm	100mm		8.4kg	Rubber	15,000kg

Steel-Faced Bumper



Rubber&10mm thickness steel



Rubber& UHMWPE plate

- Molded Rubber Bumpers help protect the rear of a truck or trailer when backing to a loading dock or delivery bay. Bumpers are an ideal addition to any piece of equipment that has a high frequency of contact, such as a loading dock or delivery bay. Designed for high-impact resistance, the durable bumpers are constructed +UHMWPE from heavy-duty compression-molded rubber and won't rust or dent.
- These bumpers are also perfect for bridging the gap between tall trucks and docks with long overhangs.



Model	Length	Width	Height	Holes Spacing	Weight	Material	Capacity
RBA14S	500mm	250mm	110mm	320mm	20kg	Rubber&10mm thickness steel	30,000kg
RBA16	450mm	250mm	160mm		21.4kg	Rubber& UHMWPE plate	30,000kg
RBA17	450mm	250mm	110mm		10.8kg	Rubber& UHMWPE plate	30,000kg

Bumper strip



Model	Length	Width	Height	Reflector	Weight	Material	Capacity
RBB01	1000mm	160mm	50mm	Glass bead	4.65kg	Rubber	15,000kg
RBB02	1000mm	130mm	45mm	Glass bead	5kg	Rubber	15,000kg
RBB03	1000mm	200mm	25mm	Glass bead	4.3kg	Rubber	15,000kg
RBB04	1000mm	200mm	25mm	Glass bead	4.3kg	Rubber	15,000kg
RBB05	1000mm	250mm	25mm	Glass bead	6.2kg	Rubber	15,000kg
RBB06	1000mm	200mm	50mm	Glass bead	8.2kg	Rubber	15,000kg
RBB07	1000mm	250mm	45mm	Glass bead	10kg	Rubber	15,000kg
RBB08	1000mm	200mm	85mm	Glass bead	14kg	Rubber	15,000kg
RBB09	1000mm	200mm	85mm	Glass bead	14kg	Rubber	15,000kg

Laminated Rubber Bumper



- This unit is constructed of fabric reinforced rubber from recycled truck tires. The pads are laminated between painted structural angles and held together with steel tie rods.
- Specially designed to absorb and distribute collision impact, these horizontal dock bumpers are made from durable, stacked rubber.
- These bumpers are also perfect for bridging the gap between tall trucks and docks with long overhangs.

Model	Length	Width	Height	Steel size	Weight	Material	Capacity
RBC01	150mm	300mm	100mm	50*50mm	5kg	Rubber	15,000kg
RBC02	250mm	350mm	100mm	50*50mm	9kg	Rubber	15,000kg
RBC03	300mm	300mm	100mm	50*50mm	10kg	Rubber	15,000kg
RBC04	300mm	350mm	100mm	50*50mm	12kg	Rubber	15,000kg
RBC05	300mm	400mm	100mm	50*50mm	12.5kg	Rubber	15,000kg
RBC06	300mm	500mm	100mm	50*50mm	17.5kg	Rubber	15,000kg
RBC07	300mm	350mm	150mm	75*75mm	14.2kg	Rubber	15,000kg
RBC08	300mm	400mm	150mm	50*50mm	15.5kg	Rubber	15,000kg
RBC09	400mm	300mm	100mm	50*50mm	12kg	Rubber	15,000kg
RBC10	400mm	350mm	100mm	50*50mm	13kg	Rubber	15,000kg
RBC11	250mm	400mm	100mm	75*75mm	10.5kg	Rubber	15,000kg
RBC12	450mm	350mm	100mm	50*50mm	13.7kg	Rubber	15,000kg
RBC13	250mm	300mm	100mm	50*50mm	8kg	Rubber	15,000kg
RBC14	400mm	350mm	100mm	50*50mm	21kg	Rubber	15,000kg
RBC15	300mm	300mm	200mm	50*50mm	18.7kg	Rubber	15,000kg
RBC16	500mm	350mm	100mm	50*50mm	15.5kg	Rubber	15,000kg
RBC17	400mm	400mm	100mm	50*50mm	15.5kg	Rubber	15,000kg

Fender



RBD01



RBD02



RBD03



RBD04



RBD05



RBD10



RBD08



RBD09

Model	Length	Width	Height	Inside	Weight	Material	Capacity
RBD01	1000mm	100mm	100mm	Solid	10kg	Rubber	15,000kg
RBD02	1000mm	150mm	150mm	Solid	20kg	Rubber	15,000kg
RBD03	900mm	100mm	100mm	Empty	8kg	Rubber	15,000kg
RBD04	900mm	150mm	150mm	Empty	11.5kg	Rubber	15,000kg
RBD05	1000mm	100mm	100mm	Empty	9kg	Rubber	15,000kg
RBD06	1000mm	150mm	150mm	Empty	17kg	Rubber	15,000kg
RBD07	1000mm	200mm	200mm	Empty	33kg	Rubber	15,000kg
RBD08	1000mm	200mm	150mm	Solid	36.5kg	Rubber	15,000kg
RBD10	1000mm	150mm	90mm	Empty		Rubber	15,000kg



Tiantai Yongsheng Traffic facilities Co.,ltd.

Add: No. 73, Hongchou West Road, Hongchou Town, Tiantai County,

Taizhou City, Zhejiang, China

Zip: 317210

E-Mail: info@ystrafficsafety.com

Tel: +86-18968682471

<https://www.ystrafficsafety.com>

天台县永盛交通设施有限公司

地址: 中国浙江省台州市天台县洪畴镇洪畴西路73号

邮编: 317210

电子邮件: info@ystrafficsafety.com

电话: +86-18968682471

网址: <https://www.ystrafficsafety.com>

