


Traffic Safety



About Us



Tiantai Yongsheng Traffic facilities Co.,ltd. is a factory dedicated to the production of rubber material facilities products and the development of products using exclusive rubber production technologies. We are a domestic production base for the large-scale production of rubber transportation facilities, integrating production, processing, and customization. The company also integrates chemical products and relies on high-quality rubber materials to establish a foothold in the rubber traffic facilities market.

With over 2,000 tons of rubber traffic facilities annually, our products are mainly exported to the United States, Australia, Canada, United Kingdom, Spain, Italy, the Netherlands, South Korea, Russia, Germany, etc. Many of our cooperative customers in dozens of countries sell rubber traffic facilities and rubber ramps and have become important suppliers of their traffic facilities in China.

We are a company committed to building long-term partnerships with our customers all around the world. Our goal is to be your primary source for all kinds of traffic safety and parking lot products. Our tenets are integrity, Innovation, Diligence and Humanity.



Tiantai Yongsheng Traffic facilities Co.,ltd, established in 2011 , is a professional engaged in the research, development, sale and service of Speed bump, cable protector , curb ramp.

Selling well in all cities and provinces around China, our products are also exported to clients in such countries and regions as America , Europe and Australia. We also welcome OEM and ODM orders. Whether selecting a current product from our catalog or seeking engineering assistance for your application, you can talk to our customer service center about your sourcing requirements.

Contents

01	183cm Speed Bump	28	PE Fleixble Post
02	50cm Speed Bump	29	Plastic Chain Post
03	50cm Speed Bump	30	T-TOP Safety Bollard
04	100cm Speed Bump	31	BS Fleixble Post
05	100cm Speed Bump	32	Rubber Fleixble Post
06	100cm Speed Bump	33	Convex Mirror
07	50cm Speed Bump	34	Message Cone & Sign
08	50cm Speed Bump	35	Traffic Sign
09	50cm Speed Bump	36	Marking Tape
10	Portable Speed Bump		
11	Portable Rubber Speed Bump		
12	Rumble Bar		
13	Speed Cushion		
14	PVC Traffic Cone		
15	PVC Traffic Cone _Black Base		
16	PE Traffic Cone		
17	Collapsible Cone		
18	Plastic Fence Barrier		
19	Expandable Barrier		
20	Water-filled Barriers		
21	Water-filled Barriers		
22	Water-filled Barriers		
23	Round Water-filled Barrier		
24	Lane Divider		
25	Traffic Vertical Panel		
26	PU/TPU Fleixble Post		
27	PE Fleixble Post		

183cm Speed Bump




122sb01



183sb01



183sb02



END CAP



- Includes virgin rubber - protects the recycled rubber from wear and tear
- Yellow road marking tape is molded into stripes on the unit
- Can be installed on asphalt or concrete
- Shapes to surface it's installed on
- There are two bottom channels for draining that can protect a wire hose or pipe 3/4" diameter

Model	Length	Width	Height	Weight	Material	Capacity	Reflector
122SB01	1220mm	300mm	50mm	15kg	Rubber	15,000kg	Yellow Glass bead
183SB01	1830mm	300mm	50mm	23kg	Rubber	15,000kg	Yellow Glass bead
183SB02	1830mm	300mm	60mm	23kg	Rubber	15,000kg	Yellow Glass bead
END CAP	150mm	300mm	50/60mm	1.3kg	Rubber	15,000kg	/

50cm Speed Bump



50SB03&04&05&23



END CAP

- Heavy duty 60 tonnes load
- Made of durable natural rubber that will not chip or wear
- Rubber construction conforms to uneven surfaces
- Fix modules together for any length desired
- Easy DIY Installation
- Safety yellow anti-slip insert panels increase visibility and improve pedestrian safety
- Suitable for use in indoor and outdoor carparks, driveways and ramps

Model	Length	Width	Height	Weight	Material	Capacity	Reflector
50SB03	490mm	340mm	38mm	7kg	Rubber	15,000kg	Yellow rubber skin
50SB04	490mm	340mm	48mm	12kg	Rubber	15,000kg	Yellow rubber skin
50SB05	500mm	350mm	50mm	14kg	Rubber	15,000kg	Yellow rubber skin
50SB23	500mm	350mm	75mm	27kg	Rubber	15,000kg	Yellow rubber skin
END CAP	175mm				Rubber	15,000kg	Yellow rubber skin

50cm Speed Bump



50SB21



50SB08

- Heavy duty 60 tonnes load
- Made of durable natural rubber that will not chip or wear
- Rubber construction conforms to uneven surfaces
- Fix modules together for any length desired
- Easy DIY Installation
- Safety yellow anti-slip insert panels increase visibility and improve pedestrian safety
- Suitable for use in indoor and outdoor carparks, driveways and ramps

Model	Length	Width	Height	Weight	Material	Capacity	Reflector
50SB08	500mm	400mm	55mm	20kg	Rubber	15,000kg	Yellow rubber skin
50SB21	500mm	430mm	55mm	21kg	Rubber	15,000kg	Yellow rubber skin
END CAP	175mm				Rubber	15,000kg	Yellow rubber skin


100cm Speed Bump



- Heavy duty 60 tonnes load
- Made of durable natural rubber that will not chip or wear
- Rubber construction conforms to uneven surfaces
- Fix modules together for any length desired
- Easy DIY Installation
- Safety yellow anti-slip insert panels increase visibility and improve pedestrian safety
- Suitable for use in indoor and outdoor carparks, driveways and ramps

Model	Length	Width	Height	Weight	Material	Capacity	Reflector
100SB17	1000mm	350mm	40mm	9kg	Rubber	15,000kg	Yellow rubber skin
100SB18	1000mm	350mm	50mm	12.5kg	Rubber	15,000kg	Yellow rubber skin
100SB21	1000mm	350mm	70mm	17kg	Rubber	15,000kg	Yellow rubber skin
END CAP	180mm	350mm	40/50/70mm	1.5kg	Rubber	15,000kg	Yellow rubber skin

100cm Speed Bump



- Includes virgin rubber - protects the recycled rubber from wear and tear
- Yellow road marking tape is molded into stripes on the unit
- Can be installed on asphalt or concrete
- Shapes to surface it's installed on
- There are two bottom channels for draining that can protect a wire hose or pipe 3/4" diameter

Model	Length	Width	Height	Weight	Material	Capacity	Reflector
100SB01	1000mm	100mm	20mm	2kg	Rubber	15,000kg	Yellow rubber skin
100SB03	1000mm	100mm	20mm	2kg	Rubber	15,000kg	Yellow rubber skin
100SB07	1000mm	150mm	35mm	3.7kg	Rubber	15,000kg	Yellow rubber skin
100SB11	1000mm	200mm	30mm	4kg	Rubber	15,000kg	Yellow rubber skin
100SB22	1000mm	300mm	36mm	6.5kg	Rubber	15,000kg	Yellow rubber skin
100SB24	1000mm	300mm	48mm	11kg	Rubber	15,000kg	Yellow rubber skin
100SB35	1000mm	300mm	60mm	13kg	Rubber	15,000kg	Yellow rubber skin

100cm Speed Bump




100SB26&29&30

END CAP

- Heavy duty 60 tonnes load
- Made of durable natural rubber that will not chip or wear
- Rubber construction conforms to uneven surfaces
- Fix modules together for any length desired
- Easy DIY Installation
- Safety yellow anti-slip insert panels increase visibility and improve pedestrian safety
- Suitable for use in indoor and outdoor carparks, driveways and ramps

Model	Length	Width	Height	Weight	Material	Capacity	Reflector
100SB26	1000mm	300mm	48mm	13kg	Rubber	15,000kg	Yellow rubber skin
100SB29	1000mm	380mm	45mm	12kg	Rubber	15,000kg	Yellow rubber skin
100SB30	1000mm	380mm	50mm	14kg	Rubber	15,000kg	Yellow rubber skin
END CAP	180mm	300/380mm	48/45/50mm	1.5kg	Rubber	15,000kg	Yellow rubber skin

50cm Speed Bump




50SB12


- Heavy duty 60 tonnes load
- Made of durable natural rubber that will not chip or wear
- Rubber construction conforms to uneven surfaces
- Fix modules together for any length desired
- Easy DIY Installation
- Safety yellow anti-slip insert panels increase visibility and improve pedestrian safety
- Suitable for use in indoor and outdoor carparks, driveways and ramps

Model	Length	Width	Height	Unit weight PER PIECE	Material	Capacity	Reflector
50SB12	500mm	500mm	50mm	11kg	Rubber	15,000kg	Yellow Glass bead
END CAP	200mm	500mm	50mm	4kg	Rubber	15,000kg	/

50cm Speed Bump



50SB13&20




50SB14&19

- Heavy duty 60 tonnes load
- Made of durable natural rubber that will not chip or wear
- Rubber construction conforms to uneven surfaces
- Fix modules together for any length desired
- Easy DIY Installation
- Safety yellow anti-slip insert panels increase visibility and improve pedestrian safety
- Suitable for use in indoor and outdoor carparks, driveways and ramps

Model	Length	Width	Height	Unit weight PER PIECE	Material	Capacity	Reflector
50SB13	500mm	600mm	30mm	8kg	Rubber	15,000kg	Yellow Glass bead
50SB14	500mm	600mm	30mm	9.5kg	Rubber	15,000kg	Yellow Glass bead
END CAP	250mm	600mm	30mm	3kg	Rubber	15,000kg	/
50SB19	500mm	600mm	50mm	12.5kg	Rubber	15,000kg	Yellow Glass bead
50SB20	500mm	600mm	50mm	12.5kg	Rubber	15,000kg	Yellow Glass bead
END CAP	500mm	600mm	50mm	5kg	Rubber	15,000kg	/

50cm Speed Bump



50SB17




50SB18

- Heavy duty 60 tonnes load
- Made of durable natural rubber that will not chip or wear
- Rubber construction conforms to uneven surfaces
- Fix modules together for any length desired
- Easy DIY Installation
- Safety yellow anti-slip insert panels increase visibility and improve pedestrian safety
- Suitable for use in indoor and outdoor carparks, driveways and ramps

Model	Length	Width	Height	Unit weight PER PIECE	Material	Capacity	Reflector
50SB17	500mm	900mm	50mm	20kg	Rubber	15,000kg	Yellow Glass bead
50SB18	500mm	900mm	50mm	20kg	Rubber	15,000kg	Yellow Glass bead
END CAP	500mm	900mm	50mm	7.5kg	Rubber	15,000kg	/

Portable Speed Bump



EYE CATCHING STRIPE

Reflective Stripes on Both Sides



Anti-slip Mat In The Back

- The highly visible system is designed for temporary speed control applications, where it is desired to slow traffic speeds to 40km/hr. The secret behind the success of the system is its unique 'waffle-style' rubber underlay, which maximises adhesion to the road surface as vehicles traverse..It has been designed for use around highway work zones to assist in reducing speeds and therefore creating a safer work environment for road workers.

Model	Length	Width	Height	Weight	Material	Capacity	Reflector
200sb01	2000mm	220mm	50mm	10kg	PE	15,000kg	engineering
300sb01	3000mm	220mm	50mm	15kg	PE	15,000kg	engineering

Portable Rubber Speed Bump



- The highly visible system is designed for temporary speed control applications, where it is desired to slow traffic speeds to 40km/hr.
- Made of 100% durable solid rubber, Easy take to use and take away after using. Install on ground with 5 pre-holes to use for a long time
- It has been designed for use around highway work zones to assist in reducing speeds and therefore creating a safer work environment for road workers.



Model	Length	Width	Height	Weight	Material	Capacity	Reflector
183sb04	1830mm	220mm	50mm	15kg	Rubber	15,000kg	Yellow Glass bead


Rumble Bar



Rumble Bar-30





Rumble Bar-60



- Rumble Bars are made of ABS material and widely used on the road to lower the speed or a road direction guide.
- 1. There are cat eyes on the both sides and easy to see them at night
- 2. Three different sizes for your choice
- 3. ABS material can be supported about 20 tons
- 4. Easy to install


Model	Length	Width	Height	Weight	Material	Capacity
Rumble Bar-30	300mm	170mm	50mm	1.5kg	Rubber	15,000kg
Rumble Bar-60	600mm	170mm	50mm	3.0kg	Rubber	15,000kg

Speed Cushion



Rubber Speed cushion accessories

- Rubber Speed Cushions are made of recycled rubber tires. Rubber is lighter and easier to work with than asphalt and concrete, significantly minimizing the number of hours that need to be invested to install the solutions. Embedded reflective material increases visibility and safety, day or night.



Model	Each section Length	Each section Width	Each section Height	Each section Weight	Material	Capacity
SCH	900mm	1000mm	65mm	45kg	Rubber	15,000kg

PVC Traffic Cone



- Single Piece Made of Fluorescence Orange PVC
- Environmentally-friendly 100% recyclable
- Extreme durability&superior flexibilit



Model	Height	Base Size	Reflective film Size	Weight	Material	Color
PCV30	300mm	210*210mm	80mm*1	0.4kg	PVC	Red
PCV40	400mm	275*275mm	80mm*1	0.8kg	PVC	Red
PCV45	450mm	280*280mm	80mm*1	1kg	PVC	Red
PCV50	500mm	295*295mm	80mm*1	1kg	PVC	Red
PCV68	680mm	360*360mm	100mm*2	1.8kg	PVC	Red
PCV70	700mm	360*360mm	100mm*2	2.3kg	PVC	Red
PCV90	900mm	360*360mm	100mm*2	3.3kg	PVC	Red

PVC Traffic Cone Black Base



- The PVC cone could be twisted and pressed in 180 degrees. It could also reinstate when you make its top touch the floor, with high flexibility against the run over and impact of the cars. Because of good weather resistance, it won't deform in high temperature 65°C and craze in low temperature -30°C.

Model	Height	Base Size	Reflective film Size	Weight	Material	Color
PCV45R	450mm	280*280mm	80mm*1	1.6kg	PVC+Rubber	Red&Black
PCV70R	700mm	360*360mm	100mm*2	2.8kg	PVC+Rubber	Red&Black
PCV75R	750mm	360*360mm	100mm*2	3.3kg	PVC+Rubber	Red&Black
PCV90R	900mm	360*360mm	100mm*2	4kg	PVC+Rubber	Red&Black

PE Traffic Cone



- Blowing Traffic cone, made of PE material and Rubber black base with different height and weight, there are 50cm, 75cm and 100cm for your choice. Base and cone can be locked together with special design, can be packed separately.
- Can be made of different colors and height, weight for your choice.
- Interlocking design for cone and base, easy to install and shipping.
- Can be fix the LED light on top of the cone.
- More competitive price with good quality.

Model	Height	Base Size	Reflective film Size	Weight	Material	Color
PE50R	500mm	280*280mm	100mm*1	1.5kg	PE+Rubber	Red&Black
PE75R	750mm	380*380mm	220mm*1	2.5kg	PE+Rubber	Red&Black
PE100R	1000mm	490*490mm	320mm*1	5kg	PE+Rubber	Red&Black

Collapsible Cone



Retractable road cone is small in size, easy to operate and carry. The vertebral body is made of waterproof and reflective Oxford cloth. It is flexible and has the advantages of anti-aging, heat resistance, cold resistance, no cracking color and long service life. The base is made of PE material and the body is with a good reflection at night for its reflective bands.



Collapsible from 70cm to 5cm



With super reflection at night



Top LED Light Stored in Base

- Collapsible traffic cones are highly visible during the day, even more so at night since they are illuminated from the inside by a battery powered LED light. It could be collapsed so take up very little room in a vehicle when not in use.

Model	Height	Base Size	Weight	Material	Color
PP30	300mm	190*190*25mm	0.25kg	PP	Orange
PP40	400mm	245*245*35mm	0.39kg	PP	Orange
PP45	450mm	245*245*35mm	0.4kg	PP	Orange
PP50	500mm	245*245*35mm	0.41kg	PP	Orange
PP55	550mm	305*305*50mm	0.65kg	PP	Orange
PP70	700mm	305*305*50mm	0.7kg	PP	Orange
ABS90	900mm	420*420*60mm	2kg	ABS	Orange

Plastic Fence Barrier



Red&Yellow&Blue Chapter 8 Barrier

About Our Barrie

- 1,Manufactured in High Density Polyethylene:These barriers are blow moulded.
- 2, Barriers' high visibility colours act as an early warning of hazards for both pedestrians and road users, with an additional reflective strip to enhance visibility after dark or in poor weather conditions.
- 3,The Color Of Leg Can Be Customized

The color of leg can be customized to RED/YELLOW/BLUE,The foot can roate freely for easy syacking, free standing with 360 swivel feet.



The special structure of the sole of the foot increases friction and has a grip effect, and can be used on steeper roads.

There are grooves in the middle of the feet to allow water to flow through




Model	Length	Width	Height	Weight	Material	Color
HL02	2000mm	55mm	1000mm	10.5kg	PVC	Blue&Yellow&Red

Expandable Barrier




With super reflection at night



HL01



HL04



HL03

Model	Length	Closed	Height	Weight	Material	Color
HL01	2500mm	240mm	960mm	2.7kg	PE	Yellow&Red
HL03	1500mm	/	1000mm	/	Iron	Yellow&Black
HL04	1500mm	/	1000mm	8.5kg	PE	Yellow

Water-filled Barriers



● Traffic Management: Water-filled barriers are primarily employed to delineate lanes, redirect traffic, and create safe work zones in construction areas.

Construction Sites: In construction sites, these barriers act as protective shields, separating workers from ongoing construction activities and potential hazards such as heavy machinery or falling debris.

Event Management: During events, concerts, or festivals, By strategically placing these barriers, event organizers can manage pedestrian flow, restrict access to restricted areas, and ensure the safety of attendees.

Model	Length	Top Width	Bottom Width	Height	Weight	Material
WB01	560mm	130mm	350mm	560mm	3kg	Plastic+PE
WB02	600mm	150mm	430mm	600mm	4kg	Plastic+PE

Water-filled Barriers



WB05&06



WB19



● Three-hole water barriers are hollow plastic objects installed on highways and urban roads where cars and roads are prone to collision, such as: road turns, roadside booths, toll booths and entrances and exits of elevated roads, parking lots, communities, gardens, gas stations, municipal engineering sites, etc., which play a role in isolation and collision prevention.

Rotational three-hole water barriers are made of highly elastic and high-strength imported PE plastic. When a car collides with the equipment, it can effectively reduce the impact force. Water or sand is added to the hollow to increase the deadweight. Reflective film can be attached to its surface to make it more eye-catching at night.

Model	Length	Width	Width(up*down)	Weight	Material	Color
WB05	1250mm	700mm	120*240mm	5kg	PVC	Yellow&Red
WB06	1450mm	800mm	140*280mm	7kg	PVC	Yellow&Red
WB19	2000mm	800mm	120*390mm	17kg	PE	Yellow

Water-filled Barriers



WB11



WB12

- The water barriers are hollow plastic objects installed on highways and urban roads where cars and roads are prone to collision, such as: road turns, roadside booths, toll booths and entrances and exits of elevated roads, parking lots, communities, gardens, gas stations, municipal engineering sites, etc., which play a role in isolation and collision prevention.



Model	Length	Width	Height	Weight	Material	Color
WB11	1150mm	/	900mm	5.5kg	PE	Yellow
WB12	900mm	350mm	1800mm	8.5kg	PE	Yellow

Round Water-filled Barrier



WB17

WB16



WB18

- The water barriers are hollow plastic objects installed on highways and urban roads where cars and roads are prone to collision, such as: road turns, roadside booths, toll booths and entrances and exits of elevated roads, parking lots, communities, gardens, gas stations, municipal engineering sites, etc., which play a role in isolation and collision prevention.

Model	Length	Height	Width	Weight	Material	Color
WB16	580mm	800mm	/	9kg	PE	Yellow
WB17	900mm	920mm	/	9kg	PE	Yellow
WB18	900mm	900mm	900mm	36kg	PE	Yellow



Lane Divider



FDT02



FDT03



FDT04



FDT05

- Springback Post & Panel For Options!
- The Lane Separators Base is manufactured from recycled Rubber, perform a wide variety of uses in traffic management. They can be used to indicate lane separation, cycle lanes, parking bay indication, traways, marking of traffic lanes in carpark entrance and exit ramps etc

Model	Length	Height	Width	Bend size	Weight	Material	Color
FDT02	780mm	210mm	112mm	/	9.6kg	Rubber	Yellow
FDT02-A	750mm	210mm	110mm	/	6.7kg	Rubber+Plastic	Red
FDT03	1100mm	/	/	500*240*85mm	10kg	Rubber	Yellow&Black
FDT04	1000mm	200mm	85mm	/	3.5kg	PVC	Yellow&Red
FDT05	1000mm	250mm	100mm	/	10.4kg	Rubber	Yellow&Black

Traffic Vertical Panel



FDT06

FDT07



FDT01


The engineering components at the bottom have high resilience, which will not cause damage to people and vehicles when it is impacted. Large area 3M reflective film, better warning effect at night; smaller base size, suitable for more road scenes; good weather resistance, impact resistance, high temperature and severe cold.

- The entrance sign is crafted with sturdy construction, ensuring its long-lasting use in various settings.
- The road diverter sign is an ideal choice for installation in underground, parking lots and more.
- The traffic direction sign has bright colors, making it easily visible and understandable from a distance.
- The traffic cone is convenient to install and does not require additional tools or equipment.
- The warning sign is resistant to wear, allowing for extended use without losing its effectiveness.




Model	Length	Height	Width	Base size	Weight	Material	Color
FDT01	220mm	290mm	150mm	/	0.5kg	EVA	Yellow
FDT06	500mm	1100mm	500mm	/	13kg	PE	Red
FDT07	700mm	930mm	200mm	370*320*100mm	10kg	PE	Yellow&Black

PU/TPU Fleixble Post



- High Impact Resistance and returns to vertical after impact.
- Composed of TPU flexible post, interlock, and 3 Types in round, square and rectangular.
- Four cat eyes in the rectangular base improve the visibility in night time.



Model	Length	Width	Height	Reflective film Size	Weight	Material	Color
BPU45	450mm	80mm	200mm	71mm*2	0.6kg	PU	Red/Orange/Yellow/Black
BPU75	750mm	80mm	200mm	71mm*3	1kg	PU	Red/Orange/Yellow/Black
BTPU45	450mm	80mm	200mm	71mm*2	0.9kg	TPU	Red/Orange/Yellow/Black
BTPU75	750mm	80mm	200mm	71mm*3	1.3kg	TPU	Red/Orange/Yellow/Black
BTPU100	1000mm	80mm	200mm	71mm*4	1.78kg	TPU	Red/Orange/Yellow/Black



PE Fleixble Post



- High Impact Resistance and returns to vertical after impact
- Convenient T-top carry handle and molded in bolt hole for flashing light
- Stronger ribs provide maximum band protection
- The reflective coating meets night visibility requirements

Model	Length	Width	Base Size	Reflective film Size	Weight	Material
BPE01	500mm	100mm	260*260mm	150mm*1	2.9kg	Rubber+PE
BPE02	800mm	100mm	260*260mm	300mm*1	3.1kg	Rubber+PE
BPE03	1200mm	100mm	260*260mm	450mm*1	3.3kg	Rubber+PE

PE Fleixble Post



BPE04

BPE05

BPE06



Reinforced Base



Reflective Film

- Convenient T-top carry handle and molded in bolt hole for flashing light;
- Improved recesses create a deeper area for reflective bands;
- Stronger ribs provide maximum band protection.

Model	Length	Width	Height	Base Size	Reflective film Size	Weight	Material
BPE04	1150mm	95mm	220mm	420*420*35mm	300mm*1	6.8kg	Rubber+PE
BPE05	1150mm	95mm	220mm	420*420*35mm	300mm*1	6.8kg	Rubber+PE
BPE06	1150mm	95mm	220mm	420*420*35mm	150mm*2	6.08kg	Rubber+PE

Plastic Chain Post



- HIGH-VISIBILITY WARNING COLORS: Designed with White and red stripes to maximize visibility, these stanchions serve as an effective warning signal. Easily connect them using the included S-hooks and chains to create a clear safety barrier.
- DURABLE, HIGH-QUALITY MATERIAL: Crafted from high-strength PP and PE materials, these traffic cones are built to resist sun damage, fading, corrosion, and cracking.
- STABLE & FILLABLE BASE: Each traffic cone features a fillable base that holds up to 8 lbs of water or 12 lbs of sand, providing excellent stability even in severe weather conditions. The base is designed with convenient inlets and outlets for easy filling and drainage.
- MULTIPURPOSE DESIGN: Standing 32 5/8" tall, these delineator cones are versatile and ideal for use in parking lots, construction zones, garages, stadiums, and hotels.

Model	Length	Base Size	Weight	Material
BPT07	1100mm/900mm (Customization)	280*280mm	0.65kg	PP+PE



T-TOP Safety Bollard



BPE08



BPE09




BPE10



- High Impact Resistance and returns to vertical after impact
- Convenient T-top carry handle and molded in bolt hole for flashing light
- Stronger ribs provide maximum band protection
- The reflective coating meets night visibility requirements

Model	Length	Width	Height	Base Size	Reflective film Size	Weight	Material
BPE08	740mm	100mm	140mm	420*420mm	100mm*1	6kg	Rubber+PE
BPE09	1100mm	100mm	240mm	480*480mm	100mm*2	6.1kg	Rubber+PE
BPE10	1180mm	100mm	240mm	480*480mm	100mm*4	6.1kg	Rubber+PE

BS Fleixble Post



Easy to Install



Chain Hook Design

- Chain Hook Design

The top of the post is designed with hooks. After installation, if a protective chain is required, it can be directly connected, which is convenient and practical.

- Easy to Install

It is easy to fix them on the ground with accompanying expansion bolts.

- Yellow Reflective Collars

Alerts pedestrians and motorists about cautions and guide traffic.

The reflective coating meets night visibility requirements



Model	Length	Width	Base Size	Reflective film Size	Weight	Material
BS50	500mm	114mm	160mm	80mm*2	2kg	Iron
BS60	600mm	114mm	160mm	80mm*2	2.4kg	Iron
BS70	700mm	114mm	160mm	80mm*3	3kg	Iron

Rubber Flexible Post



- Detachable base, easy to replace parts.
- High intensity reflective band, easy to identify.
- Anti-collision and pressure resistance, sturdy and durable.
- Commonly used for traffic warning, guidance and marking.
- Suitable for highways, parks, communities, intersections, parking lots and street entrances, etc.
- It is weather-resistant and can be used in outdoor environments for a long time.
- Each bollard base has 4 pre-drilled holes for easy installation.

Model	Length	Width	Base Size	Reflective film Size	Weight	Material
BR01	600mm	114mm	250mm	25mm*3	6kg	Rubber
BR02	800mm	114mm	250mm	25mm*3	7kg	Rubber
BR03	800mm	114mm	160*180mm	150mm*2	4kg	Rubber



Installation with screws Base thickend and widened



Removable base and easy using

Convex Mirror



Indoor



Outdoor

- Convex mirror offers a wide-angle view up to 160 degrees
- The image is clear, convex mirror is of excellent quality, not easy to be damaged
- The safety mirror cap is designed to effectively block rain and sunlight on sunny days, and pedestrians can see them clearly
- It is used to eliminate blind spots, prevent accidents and injuries, prevent accidents and prevent theft.

Suitable for street corners, garages, parking lots, driveways, supermarkets

Type	Model	Size	Weight	Material
Indoor	ICM30	300mm	0.5kg	PC+ABS
	ICM45	450mm	0.78kg	PC+ABS
	ICM60	600mm	1.26kg	PC+ABS
	ICM80	800mm	3.42kg	PC+ABS
Outdoor	OCM30	300mm	0.5kg	PC+ABS
	OCM45	450mm	1.28kg	PC+ABS
	OCM60	600mm	1.76kg	PC+ABS
	OCM80	800mm	3.38kg	PC+ABS
	OCM100	1000mm	4.74kg	PC+ABS
	OCM120	1200mm	9.5kg	PC+ABS

Message Cone & Sign



- Print Warning Message Or Advertisement
- Light weight, versatile sign are excellent for effective safety communication with employees or customers.
- Anyother Text could be custom-made.



Model	Length	Width	Top Width	Weight
A PANEL	610mm	300mm	/	0.6kg
B PANEL	750mm	280mm	85mm	0.6kg
C PANEL	1000mm	280mm	250mm	0.85kg


Traffic Sign




Fast Installation:




Marking Tape



Structure of PVC Floor Marking Tape



- Caution Tape are a quick & effective way to create a visual fortress around temporary hazards.
- This lightweight tape can be tied, stapled or nailed to posts, fences or barricades.
- Ideal for outdoor or indoor application such as crowd and traffic control.
- Available in 50mm, 75mm and 100mm Width Each Roll.





Tiantai Yongsheng Traffic facilities Co.,ltd.

Add: No. 73, Hongchou West Road, Hongchou Town, Tiantai County,

Taizhou City, Zhejiang, China

Zip: 317210

E-Mail: info@ystrafficsafety.com

Tel: +86-18968682471

<https://www.ystrafficsafety.com>

天台县永盛交通设施有限公司

地址: 中国浙江省台州市天台县洪畴镇洪畴西

路73号

邮编: 317210

电子邮件: info@ystrafficsafety.com

电话: +86-18968682471

网址: <https://www.ystrafficsafety.com>

