

Dock Safety



About Us



Tiantai Yongsheng Traffic facilities Co.,ltd. is a factory dedicated to the production of rubber material facilities products and the development of products using exclusive rubber production technologies. We are a domestic production base for the large-scale production of rubber transportation facilities, integrating production, processing, and customization. The company also integrates chemical products and relies on high-quality rubber materials to establish a foothold in the rubber traffic facilities market.

With over 2,000 tons of rubber traffic facilities annually, our products are mainly exported to the United States, Australia, Canada, United Kingdom, Spain, Italy, the Netherlands, South Korea, Russia, Germany, etc. Many of our cooperative customers in dozens of countries sell rubber traffic facilities and rubber ramps and have become important suppliers of their traffic facilities in China.

We are a company committed to building long-term partnerships with our customers all around the world. Our goal is to be your primary source for all kinds of traffic safety and parking lot products. Our tenets are integrity, Innovation, Diligence and Humanity.



Tiantai Yongsheng Traffic facilities Co.,ltd, established in 2011 , is a professional engaged in the research, development, sale and service of Speed bump, cable protector , curb ramp .

Selling well in all cities and provinces around China, our products are also exported to clients in such countries and regions as America , Europe and Australia. We also welcome OEM and ODM orders. Whether selecting a current product from our catalog or seeking engineering assistance for your application, you can talk to our customer service center about your sourcing requirements.

Contents

- 01 Truck Dock Bumper
- 02 Heavy Duty Dock Bumper
- 03 Loading Rubber Bumper
- 04 Steel-Faced Bumper
- 05 Bumper strip
- 06 Laminated Rubber Bumper
- 07 Fender

Truck Dock Bumper



RBA01



RBA02



RBA03



RBA04



RBA05

- Extruded Dock Bumpers can be used in a variety of indoor and outdoor applications to provide protection for tow trucks, heavy duty construction equipment and trailers. Our extruded bumpers are available in a variety of styles to offer you greater flexibility for in-plant wall protection from material handling vehicles. Made from weather and abrasion resistant materials, this loading dock equipment is designed to last.

Model	Length	Width	Height	Holes Spacing	Weight	Material	Capacity
RBA01	120mm	80mm	85mm	65mm	0.8kg	Rubber	15,000kg
RBA02	200mm	80mm	80mm	90mm	1.2kg	Rubber	15,000kg
RBA03	250mm	80mm	90mm	120mm	1.8kg	Rubber	15,000kg
RBA04	350mm	100mm	100mm	200mm	3.8kg	Rubber	15,000kg
RBA05	410mm	110mm	100mm	315mm	5kg	Rubber	15,000kg

Heavy Duty Dock Bumper



RBA06



RBA08



RBA10



RBA11



RBA12



RBA14

- Heavy duty rubber bumper stop with rear void
- Molded angle design to absorb and distribute impact
- Reduces damage to loading dock bays / trucks

Model	Length	Width	Height	Holes Spacing	Weight	Material	Capacity
RBA06	300mm	200mm	90mm	165mm	5.8kg	Rubber	15,000kg
RBA08	400mm	200mm	100mm	290mm	10kg	Rubber	15,000kg
RBA10	450mm	250mm	100mm	250mm	13.5kg	Rubber	15,000kg
RBA11	450mm	250mm	150mm	250mm	19kg	Rubber	15,000kg
RBA12	500mm	250mm	90mm	250mm	14.5kg	Rubber	15,000kg
RBA14	500mm	250mm	100mm	320mm	15kg	Rubber	15,000kg
RBA18	700mm	300mm	100mm			Rubber	15,000kg

Loading Dock Bumper



RBA07



RBA09&13



RBA15

- Reduce damage to loading dock bays from truck trailer impacts with heavy duty molded rubber Dock Bumpers. Each rubber bumper stop is designed to mount vertically to the sides of a dock leveler by mounting holes with 2" deep washer countersinks. The molded angle extrusion is intended to absorb and distribute the collision and features a bottom void allowing the rubber dock guards to flex along with the impact. Rubber bumper stops also work great for in-plant wall protection in low material handling traffic areas.

Model	Length	Width	Height	Holes Spacing	Weight	Material	Capacity
RBA07	330mm	300mm	95mm		12kg	Rubber	15,000kg
RBA09	400mm	200mm	100mm	210mm	12.5kg	Rubber	15,000kg
RBA13	500mm	250mm	100mm	335mm	18kg	Rubber	15,000kg
RBA15	300mm	300mm	100mm		8.4kg	Rubber	15,000kg

Steel-Faced Bumper



- Molded Rubber Bumpers help protect the rear of a truck or trailer when backing to a loading dock or delivery bay. Bumpers are an ideal addition to any piece of equipment that has a high frequency of contact, such as a loading dock or delivery bay. Designed for high-impact resistance, the durable bumpers are constructed +UHMWPE from heavy-duty compression-molded rubber and won't rust or dent.
- These bumpers are also perfect for bridging the gap between tall trucks and docks with long overhangs.




Model	Length	Width	Height	Holes Spacing	Weight	Material	Capacity
RBA14S	500mm	250mm	110mm	320mm	20kg	Rubber&10mm thickness steel	30,000kg
RBA16	450mm	250mm	160mm		21.4kg	Rubber&UHMWPE plate	30,000kg
RBA17	450mm	250mm	110mm		10.8kg	Rubber&UHMWPE plate	30,000kg

Bumper strip



RBB01



RBB02



RBB03&04&05



RBB06&07



RBB08



RBB09

Model	Length	Width	Height	Reflector	Weight	Material	Capacity
RBB01	1000mm	160mm	50mm	Glass bead	4.65kg	Rubber	15,000kg
RBB02	1000mm	130mm	45mm	Glass bead	5kg	Rubber	15,000kg
RBB03	1000mm	200mm	25mm	Glass bead	4.3kg	Rubber	15,000kg
RBB04	1000mm	200mm	25mm	Glass bead	4.3kg	Rubber	15,000kg
RBB05	1000mm	250mm	25mm	Glass bead	6.2kg	Rubber	15,000kg
RBB06	1000mm	200mm	50mm	Glass bead	8.2kg	Rubber	15,000kg
RBB07	1000mm	250mm	45mm	Glass bead	10kg	Rubber	15,000kg
RBB08	1000mm	200mm	85mm	Glass bead	14kg	Rubber	15,000kg
RBB09	1000mm	200mm	85mm	Glass bead	14kg	Rubber	15,000kg

Laminated Rubber Bumper



- This unit is constructed of fabric reinforced rubber from recycled truck tires. The pads are laminated between painted structural angles and held together with steel tie rods.
- Specially designed to absorb and distribute collision impact, these horizontal dock bumpers are made from durable, stacked rubber.
- These bumpers are also perfect for bridging the gap between tall trucks and docks with long overhangs.

Model	Length	Width	Height	Steel size	Weight	Material	Capacity
RBC01	150mm	300mm	100mm	50*50mm	5kg	Rubber	15,000kg
RBC02	250mm	350mm	100mm	50*50mm	9kg	Rubber	15,000kg
RBC03	300mm	300mm	100mm	50*50mm	10kg	Rubber	15,000kg
RBC04	300mm	350mm	100mm	50*50mm	12kg	Rubber	15,000kg
RBC05	300mm	400mm	100mm	50*50mm	12.5kg	Rubber	15,000kg
RBC06	300mm	500mm	100mm	50*50mm	17.5kg	Rubber	15,000kg
RBC07	300mm	350mm	150mm	75*75mm	14.2kg	Rubber	15,000kg
RBC08	300mm	400mm	150mm	50*50mm	15.5kg	Rubber	15,000kg
RBC09	400mm	300mm	100mm	50*50mm	12kg	Rubber	15,000kg
RBC10	400mm	350mm	100mm	50*50mm	13kg	Rubber	15,000kg
RBC11	250mm	400mm	100mm	75*75mm	10.5kg	Rubber	15,000kg
RBC12	450mm	350mm	100mm	50*50mm	13.7kg	Rubber	15,000kg
RBC13	250mm	300mm	100mm	50*50mm	8kg	Rubber	15,000kg
RBC14	400mm	350mm	100mm	50*50mm	21kg	Rubber	15,000kg
RBC15	300mm	300mm	200mm	50*50mm	18.7kg	Rubber	15,000kg
RBC16	500mm	350mm	100mm	50*50mm	15.5kg	Rubber	15,000kg
RBC17	400mm	400mm	100mm	50*50mm	15.5kg	Rubber	15,000kg

Fender



RBD01



RBD02



RBD03



RBD04



RBD05



RBD10



RBD08



RBD09

Model	Length	Width	Height	Inside	Weight	Material	Capacity
RBD01	1000mm	100mm	100mm	Solid	10kg	Rubber	15,000kg
RBD02	1000mm	150mm	150mm	Solid	20kg	Rubber	15,000kg
RBD03	900mm	100mm	100mm	Empty	8kg	Rubber	15,000kg
RBD04	900mm	150mm	150mm	Empty	11.5kg	Rubber	15,000kg
RBD05	1000mm	100mm	100mm	Empty	9kg	Rubber	15,000kg
RBD06	1000mm	150mm	150mm	Empty	17kg	Rubber	15,000kg
RBD07	1000mm	200mm	200mm	Empty	33kg	Rubber	15,000kg
RBD08	1000mm	200mm	150mm	Solid	36.5kg	Rubber	15,000kg
RBD10	1000mm	150mm	90mm	Empty		Rubber	15,000kg



Tiantai Yongsheng Traffic facilities Co.,ltd.

Add: No. 73, Hongchou West Road, Hongchou Town, Tiantai County,

Taizhou City, Zhejiang, China

Zip: 317210

E-Mail: info@ystrafficsafety.com

Tel: +86-18968682471

<https://www.ystrafficsafety.com>

天台县永盛交通设施有限公司

地址: 中国浙江省台州市天台县洪畴镇洪畴西路73号

邮编: 317210

电子邮件: info@ystrafficsafety.com

电话: +86-18968682471

网址: <https://www.ystrafficsafety.com>

