

About Us



Tiantai Yongsheng Traffic facilities Co.,ltd. is a factory dedicated to the production of rubber material facilities products and the development of products using exclusive rubber production technologies. We are a domestic production base for the large-scale production of rubber transportation facilities, integrating production, processing, and customization. The company also integrates chemical products and relies on high-quality rubber materials to establish a foothold in the rubber traffic facilities market.

With over 2,000 tons of rubber traffic facilities annually, our products are mainly exported to the United States, Australia, Canada, United Kingdom, Spain, Italy, the Netherlands, South Korea, Russia, Germany, etc. Many of our cooperative customers in dozens of countries sell rubber traffic facilities and rubber ramps and have become important suppliers of their traffic facilities in China.

We are a company committed to building long-term partnerships with our customers all around the world. Our goal is to be your primary source for all kinds of traffic safety and parking lot products. Our tenets are integrity, Innovation, Diligence and Humanity.

RAMP



YTrafficSafety.com



Contents

- 01 TRA Threshold Ramp
- 02 TRB Threshold Ramp
- 03 TRC Wheelchair Ramp
- 04 TRC Wheelchair Ramp
- 05 TRC Wheelchair Ramp
- 06 TRD Threshold Ramp
- 07 TRG Threshold Ramp
- 08 RTR Threshold Ramp
- 09 TRF Threshold Ramp
- 10 TPR Threshold Ramp
- 11 TRC06 Ramp
- 12 TRC08 Ramp
- 13 TRC99 Ramp
- 14 SLR50 Ramp
- 15 CRA Kerb Ramp
- 16 CRB Kerb Ramp
- 17 CRC Kerb Ramp
- 18 CRD Kerb Ramp
- 19 CRE Kerb Ramp
- 20 HRA Kerb Ramp
- 21 HRB Kerb Ramp
- 22 HRD Kerb Ramp
- 23 HRE Kerb Ramp
- 24 HRF Kerb Ramp
- 25 Rubber Base
- 26 Modular Ramp
- 27 Heavy Duty Mud Ground Mat



Tiantai Yongsheng Traffic facilities Co.,ltd, established in 2011 , is a professional engaged in the research, development, sale and service of Speed bump, cable protector , curb ramp .

Selling well in all cities and provinces around China, our products are also exported to clients in such countries and regions as America , Europe and Australia. We also welcome OEM and ODM orders. Whether selecting a current product from our catalog or seeking engineering assistance for your application, you can talk to our customer service center about your sourcing requirements.

TRA Threshold Ramp

- Durable rubber construction
- Beveled sides provide smooth transition
- Great for indoor or outdoor use and homes or businesses



- Rubber threshold ramps help you move through entryways by eliminating bumps to go over. To provide a smooth and secure transition, position the rubber threshold ramp against the door threshold.



| Model | Length | Width | Height | Weight | Material | Capacity |
|--------|--------|--------|--------|--------|----------|----------|
| TRA25 | 1100mm | 210mm | 25mm | 4.2kg | Rubber | 1000kg |
| TRA38 | 1100mm | 320mm | 38mm | 8.4kg | Rubber | 1000kg |
| TRA50 | 1100mm | 410mm | 50mm | 12kg | Rubber | 1000kg |
| TRA64 | 1100mm | 420mm | 64mm | 14.7kg | Rubber | 1000kg |
| TRA75 | 900mm | 450mm | 75mm | 14.6kg | Rubber | 1000kg |
| TRA88 | 900mm | 530mm | 88mm | 19.5kg | Rubber | 1000kg |
| TRA100 | 900mm | 610mm | 100mm | 25.4kg | Rubber | 1000kg |
| TRA125 | 900mm | 800mm | 125mm | 33.5kg | Rubber | 1000kg |
| TRA150 | 900mm | 1000mm | 150mm | 50kg | Rubber | 1000kg |

TRB Threshold Ramp



Matte surface improve anti-slip

- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications.

| Model | Length | Width | Height | Weight | Material | Capacity |
|-------|--------|-------|--------|--------|----------|----------|
| TRB10 | 1000mm | 40mm | 10mm | 0.5kg | Rubber | 1000kg |
| TRB15 | 1000mm | 60mm | 15mm | 0.8kg | Rubber | 1000kg |
| TRB20 | 1000mm | 80mm | 20mm | 1.5kg | Rubber | 1000kg |
| TRB25 | 1000mm | 80mm | 25mm | 1.5kg | Rubber | 1000kg |
| TRB30 | 1000mm | 100mm | 30mm | 2.5kg | Rubber | 1000kg |
| TRB35 | 1000mm | 100mm | 35mm | 2.5kg | Rubber | 1000kg |
| TRB40 | 1000mm | 120mm | 40mm | 3kg | Rubber | 1000kg |
| TRB45 | 1000mm | 120mm | 45mm | 3.6kg | Rubber | 1000kg |
| TRB50 | 1000mm | 120mm | 50mm | 3.8kg | Rubber | 1000kg |
| TRB55 | 1000mm | 120mm | 55mm | 4.4kg | Rubber | 1000kg |
| TRB60 | 1000mm | 150mm | 60mm | 5.5kg | Rubber | 1000kg |
| TRB65 | 1000mm | 150mm | 65mm | 6kg | Rubber | 1000kg |

TRC Wheelchair Ramp



TRC01



TRC02



TRC03



- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications. A grooved surface provides traction both indoors and outdoors, and two holes at the front of the ramp allow it to be permanently mounted.

| MODEL | Length | Width | Height | Weight | Material | Capacity |
|-------|--------|-------|--------|--------|----------|----------|
| TRC01 | 700mm | 400mm | 110mm | 14kg | Rubber | 5000kg |
| TRC02 | 500mm | 390mm | 75mm | 6.5kg | Rubber | 5000kg |
| TRC03 | 800mm | 400mm | 80mm | 13kg | Rubber | 5000kg |
| TRC04 | 800mm | 500mm | 100mm | 17kg | Rubber | 5000kg |



TRC Wheelchair Ramp



Rollator Walker



Cars



Trolley




Wheelchair



- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications. A grooved surface provides traction both indoors and outdoors, and two holes at the front of the ramp allow it to be permanently mounted.

| MODEL | Length | Width | Height | Weight | Material | Capacity | Channel |
|-------|--------|-------|--------|--------|----------|----------|---------------|
| TRC05 | 820mm | 380mm | 38mm | 6.2kg | Rubber | 30000kg | 120*(25-80)mm |
| TRC07 | 900mm | 380mm | 70mm | 9.5kg | Rubber | 30000kg | 175*(50-90)mm |
| TRC09 | 810mm | 500mm | 63mm | 10.5kg | Rubber | 30000kg | 145*(30-60)mm |
| TRC10 | 860mm | 500mm | 70mm | 12.5kg | Rubber | 30000kg | 145*(50-90)mm |
| TRC11 | 910mm | 500mm | 80mm | 14.5kg | Rubber | 30000kg | 145*(60-90)mm |

TRD Threshold Ramp



● Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications.

| MODEL | Length | Width | Height | Weight | Material | Capacity |
|-------|--------|-------|--------|--------|----------|----------|
| TRD20 | 1000mm | 160mm | 20mm | 1.9kg | Rubber | 5000kg |
| TRD30 | 1000mm | 300mm | 30mm | 6.2kg | Rubber | 5000kg |
| TRD40 | 1000mm | 400mm | 40mm | 8.1kg | Rubber | 5000kg |
| TRD50 | 1000mm | 500mm | 50mm | 11.6kg | Rubber | 5000kg |
| TRD60 | 1000mm | 600mm | 60mm | 16.3kg | Rubber | 5000kg |
| TRD70 | 1000mm | 700mm | 70mm | 20.9kg | Rubber | 5000kg |

TRG Threshold Ramp



Grid Structure Design
Skid-proof&Stand stably




Lightweight Ramp
Easy transport & storage

- Rubber threshold ramps help you move through entryways by eliminating bumps to go over. To provide a smooth and secure transition, position the rubber threshold ramp against the door threshold.
- Provides a transition to elevated surfaces up to 2-1/2"Textured surface for traction
- Works great for pedestrian traffic, wheelchairs, power chairs, and scooters

| MODEL | Length | Width | Height | Weight | Material | Capacity |
|--------|--------|-------|--------|--------|----------|----------|
| TRG65 | 1060mm | 610mm | 65mm | 18kg | Rubber | 5000kg |
| TRG75 | 1060mm | 610mm | 75mm | 22kg | Rubber | 5000kg |
| TRG100 | 1060mm | 610mm | 100mm | 28kg | Rubber | 5000kg |

RTR Threshold Ramp




- Curb ramps create a gentle slope, minimizing vehicle impact and reducing wear and tear on tires and suspension systems. Curb ramps enhance accessibility, making it easier for individuals with mobility challenges, parents with strollers, or anyone pushing a cart to traverse the curb seamlessly.



| MODEL | Length | Width | Height | Weight | Material | Capacity |
|--------|--------|-------|--------|--------|----------|----------|
| RTR25 | 1100mm | 210mm | 25mm | 4.3kg | Rubber | 5000kg |
| RTR38 | 1100mm | 320mm | 38mm | 6.4kg | Rubber | 5000kg |
| RTR50 | 1100mm | 410mm | 50mm | 9kg | Rubber | 5000kg |
| RTR75 | 900mm | 450mm | 75mm | 11.2kg | Rubber | 5000kg |
| RTR88 | 900mm | 530mm | 88mm | 16.5kg | Rubber | 5000kg |
| RTR100 | 900mm | 610mm | 100mm | 17.6kg | Rubber | 5000kg |


TRF Threshold Ramp



● Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications.



You can purchase multiple ramps for cutting and splicing as needed




| MODEL | Length | Width | Height | Weight | Material | Capacity |
|-------|--------|-------|--------|--------|----------|----------|
| TRF08 | 900mm | 80mm | 8mm | 0.65kg | Rubber | 1000kg |
| TRF15 | 900mm | 140mm | 15mm | 1.7kg | Rubber | 1000kg |
| TRF20 | 900mm | 150mm | 20mm | 2.6kg | Rubber | 1000kg |
| TRF25 | 900mm | 200mm | 25mm | 3.2kg | Rubber | 1000kg |
| TRF30 | 900mm | 200mm | 30mm | 4.9kg | Rubber | 1000kg |
| TRF35 | 900mm | 200mm | 35mm | 5.6kg | Rubber | 1000kg |
| TRF40 | 900mm | 200mm | 40mm | 6.5kg | Rubber | 1000kg |
| TRF45 | 900mm | 250mm | 45mm | 8.7kg | Rubber | 1000kg |



TPR Threshold Ramp



● Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications.




| MODEL | Size | Weight | MODEL | Size | Weight |
|-------|--------------|--------|-------|--------------|--------|
| TPR04 | 900*40*4mm | 0.1kg | TPR32 | 900*200*32mm | 2.9kg |
| TPR06 | 900*60*6mm | 0.3kg | TPR36 | 900*200*36mm | 3.6kg |
| TPR08 | 900*80*8mm | 0.5kg | TPR40 | 900*250*40mm | 3.9kg |
| TPR10 | 900*100*10mm | 0.8kg | TPR44 | 900*250*44mm | 4.3kg |
| TPR12 | 900*120*12mm | 1.1kg | TPR48 | 900*250*48mm | 5.2kg |
| TPR16 | 900*150*16mm | 1.2kg | TPR52 | 900*300*52mm | 5.8kg |
| TPR20 | 900*150*20mm | 1.9kg | TPR56 | 900*300*56mm | 6.5kg |
| TPR24 | 900*150*24mm | 2kg | TPR60 | 900*300*60mm | 7.7kg |
| TPR28 | 900*200*28mm | 2.2kg | | | |

TRC06 Ramp



- Curb ramps create a gentle slope, minimizing vehicle impact and reducing wear and tear on tires and suspension systems. Curb ramps enhance accessibility, making it easier for individuals with mobility challenges, parents with strollers, or anyone pushing a cart to traverse the curb seamlessly.



Easy installation



Non-slip Surface



Shock Absorption

Allow water flow
through bottom channel



Bright Color Strip

High Visibility

| MODEL | Length | Width | Height | Weight | Material | Capacity |
|-------|--------|-------|--------|--------|----------|----------|
| TRC06 | 1220mm | 410mm | 65mm | 16kg | Rubber | 1000kg |

TRC08 Ramp



- Curb ramps create a gentle slope, minimizing vehicle impact and reducing wear and tear on tires and suspension systems. Curb ramps enhance accessibility, making it easier for individuals with mobility challenges, parents with strollers, or anyone pushing a cart to traverse the curb seamlessly.



Customized LOGO



Easy installation



Textured rubber to ensure maximum traction



Integrated water channel for optimal drainage

| MODEL | Length | Width | Height | Weight | Material | Capacity |
|-------|--------|-------|--------|--------|----------|----------|
| TRC08 | 1200mm | 410mm | 65mm | 20kg | Rubber | 1000kg |

TRC99 Ramp



- Curb ramps create a gentle slope, minimizing vehicle impact and reducing wear and tear on tires and suspension systems. Curb ramps enhance accessibility, making it easier for individuals with mobility challenges, parents with strollers, or anyone pushing a cart to traverse the curb seamlessly.



Easy installation



Textured rubber to ensure maximum traction



Integrated water channel for optimal drainage

| MODEL | Length | Width | Height | Weight | Material | Capacity |
|-------|--------|-------|--------|--------|----------|----------|
| TRC99 | 1210mm | 410mm | 65mm | 16.7kg | Rubber | 1000kg |

SLR50 Ramp




MINE



VS Others


- *100% rubber
- *pressure production
- *High load capacity; 30 tons
- *Longer service life 24-36 months if used on scissor lift

- *Rubber particles
- *Glue production
- *Low load capacity; 5 tons
- *Be broken quickly in 1 month if used on scissor lift



| MODEL | Length | Width | Height | Weight | Material | Capacity |
|-------|--------|-------|--------|--------|----------|----------|
| SLR50 | 1000mm | 500mm | 50mm | 20kg | Rubber | 5000kg |

CRA Kerb Ramp



CRA01




CRA03



CRA07

- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications.

| MODEL | Length | Width | Height | Weight | Material | Capacity |
|-------|--------|-------|--------|--------|----------|----------|
| CRA01 | 480mm | 340mm | 100mm | 7.8kg | Rubber | 5000kg |
| CRA02 | 480mm | 420mm | 105mm | 14.5kg | Rubber | 5000kg |
| CRA03 | 480mm | 320mm | 135mm | 10.6kg | Rubber | 5000kg |
| CRA04 | 490mm | 410mm | 140mm | 14.3kg | Rubber | 5000kg |
| CRA05 | 500mm | 400mm | 160mm | 15.6kg | Rubber | 5000kg |
| CRA06 | 500mm | 240mm | 100mm | 6.8kg | Rubber | 5000kg |
| CRA07 | 600mm | 240mm | 100mm | 7.9kg | Rubber | 5000kg |



CRB Kerb Ramp



CRB02


CRB05

CRB03



- Using to bicycle, wheelchair's and Car ramp(Roadway<->Sidewalk).
- Easy to install move and sustain performance of strength force up to 20 ton.
- Available to keep the vehicle inside and using to install for emergency situation.
- High performance of face grip and high brightness reflective sheet on the product.

| MODEL | Length | Width | Height | Weight | Material | Capacity |
|-------|--------|-------|--------|--------|----------|----------|
| CRB01 | 500mm | 265mm | 80mm | 6.4kg | Rubber | 5000kg |
| CRB02 | 480mm | 300mm | 100mm | 8.5kg | Rubber | 5000kg |
| CRB03 | 490mm | 375mm | 155mm | 13.4kg | Rubber | 5000kg |
| CRB04 | 400mm | 490mm | 190mm | 18.1kg | Rubber | 5000kg |
| CRB05 | 400mm | 250mm | 130mm | 6kg | Rubber | 5000kg |
| CRB06 | 600mm | 285mm | 100mm | 8.1kg | Rubber | 5000kg |
| CRB07 | 600mm | 385mm | 150mm | 15.2kg | Rubber | 5000kg |



CRC Kerb Ramp



- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications. A grooved surface provides traction both indoors and outdoors, and two holes at the front of the ramp allow it to be permanently mounted.

| MODEL | Length | Width | Height | Weight | Material | Capacity |
|-------|--------|-------|--------|--------|----------|----------|
| CRC01 | 1000mm | 250mm | 60mm | 11.9kg | Rubber | 5000kg |
| CRC02 | 1000mm | 250mm | 40mm | 6.5kg | Rubber | 5000kg |
| CRC03 | 1000mm | 150mm | 50mm | 5.5kg | Rubber | 5000kg |
| CRC04 | 1000mm | 180mm | 60mm | 7kg | Rubber | 5000kg |
| CRC05 | 1000mm | 150mm | 30mm | 3.4kg | Rubber | 5000kg |
| CRC06 | 1000mm | 250mm | 70mm | 12kg | Rubber | 5000kg |
| CRC07 | 1000mm | 250mm | 50mm | 9.2kg | Rubber | 5000kg |

CRD Kerb Ramp



CRD01



CRD05



CRD06



CRD03



CRD04

● Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications. A grooved surface provides traction both indoors and outdoors, and two holes at the front of the ramp allow it to be permanently mounted.



| MODEL | Length | Width | Height | Weight | Material | Capacity |
|-------|--------|-------|--------|--------|----------------|----------|
| CRD01 | 300mm | 600mm | 160mm | 10.3kg | Rubber | 5000kg |
| CRD02 | 300mm | 600mm | 190mm | 13kg | Rubber | 5000kg |
| CRD03 | 300mm | 650mm | 230mm | 16.6kg | Rubber | 5000kg |
| CRD04 | 450mm | 270mm | 70mm | 3.3kg | Rubber | 5000kg |
| CRD05 | 500mm | 310mm | 110mm | 9kg | Rubber | 5000kg |
| CRD06 | 500mm | 310mm | 110mm | 9kg | Rubber+Plastic | 5000kg |



CRE Kerb Ramp



CRE01



CRE02



CRE03



CRE04

- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications.

| MODEL | Length | Width | Height | Weight | Material | Capacity |
|-------|--------|-------|--------|--------|----------|----------|
| CRE01 | 800mm | 500mm | 160mm | 10kg | Rubber | 5000kg |
| CRE02 | 500mm | 250mm | 120mm | 6.5kg | Rubber | 5000kg |
| CRE03 | 600mm | 400mm | 140mm | 8kg | Rubber | 5000kg |
| CRE04 | 800mm | 500mm | 190mm | 12kg | Rubber | 5000kg |

HRA Kerb Ramp



- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications.

| MODEL | Length | Width | Height | Weight | Material | Capacity |
|-------|--------|-------|--------|--------|----------|----------|
| HRA50 | 500mm | 500mm | 50mm | 7kg | Rubber | 5000kg |
| HRA60 | 500mm | 500mm | 60mm | 7.5kg | Rubber | 5000kg |
| HRA70 | 500mm | 500mm | 70mm | 8kg | Rubber | 5000kg |

HRB Kerb Ramp




| MODEL | Length | Width | Height | Weight | Material | Capacity |
|--------|--------|-------|--------|--------|----------|----------|
| HRB70 | 500mm | 600mm | 70mm | 13kg | Rubber | 5000kg |
| HRB80 | 500mm | 600mm | 80mm | 13.5kg | Rubber | 5000kg |
| HRB90 | 500mm | 600mm | 90mm | 14kg | Rubber | 5000kg |
| HRB100 | 500mm | 600mm | 100mm | 15kg | Rubber | 5000kg |
| HRB110 | 500mm | 600mm | 110mm | 15.5kg | Rubber | 5000kg |
| HRB120 | 500mm | 600mm | 120mm | 15.8kg | Rubber | 5000kg |
| HRB130 | 500mm | 600mm | 130mm | 16kg | Rubber | 5000kg |
| HRB140 | 500mm | 600mm | 140mm | 16kg | Rubber | 5000kg |
| HRB150 | 500mm | 600mm | 150mm | 16kg | Rubber | 5000kg |
| HRB180 | 500mm | 600mm | 180mm | 20kg | Rubber | 5000kg |
| HRB190 | 500mm | 600mm | 190mm | 20.5kg | Rubber | 5000kg |
| HRB200 | 500mm | 600mm | 200mm | 21kg | Rubber | 5000kg |

HRC Kerb Ramp



| MODEL | Length | Width | Height | Weight | Material | Capacity |
|--------|--------|-------|--------|--------|----------|----------|
| HRC90 | 500mm | 800mm | 90mm | 19.5kg | Rubber | 5000kg |
| HRC100 | 500mm | 800mm | 100mm | 20kg | Rubber | 5000kg |
| HRC110 | 500mm | 800mm | 110mm | 20.5kg | Rubber | 5000kg |
| HRC120 | 500mm | 800mm | 120mm | 21.5kg | Rubber | 5000kg |
| HRC130 | 500mm | 800mm | 130mm | 22kg | Rubber | 5000kg |
| HRC140 | 500mm | 800mm | 140mm | 22.5kg | Rubber | 5000kg |

HRD Kerb Ramp



| MODEL | Length | Width | Height | Weight | Material | Capacity |
|--------|--------|-------|--------|--------|----------|----------|
| HRD100 | 500mm | 800mm | 100mm | 21kg | Rubber | 5000kg |
| HRD110 | 500mm | 800mm | 110mm | 21.5kg | Rubber | 5000kg |
| HRD120 | 500mm | 800mm | 120mm | 22kg | Rubber | 5000kg |
| HRD130 | 500mm | 800mm | 130mm | 23.5kg | Rubber | 5000kg |
| HRD140 | 500mm | 800mm | 140mm | 24kg | Rubber | 5000kg |
| HRD150 | 500mm | 800mm | 150mm | 24.5kg | Rubber | 5000kg |
| HRD160 | 500mm | 800mm | 160mm | 25kg | Rubber | 5000kg |
| HRD170 | 500mm | 800mm | 170mm | 25.5kg | Rubber | 5000kg |
| HRD180 | 500mm | 800mm | 180mm | 26kg | Rubber | 5000kg |
| HRD190 | 500mm | 800mm | 190mm | 26.5kg | Rubber | 5000kg |
| HRD200 | 500mm | 800mm | 200mm | 27kg | Rubber | 5000kg |

HRE Kerb Ramp



- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications.

| MODEL | Length | Width | Height | Weight | Material | Capacity |
|--------|--------|--------|--------|--------|----------|----------|
| HRE100 | 500mm | 1000mm | 100mm | 23kg | Rubber | 5000kg |
| HRE110 | 500mm | 1000mm | 110mm | 23.5kg | Rubber | 5000kg |
| HRE120 | 500mm | 1000mm | 120mm | 24kg | Rubber | 5000kg |
| HRE130 | 500mm | 1000mm | 130mm | 24.5kg | Rubber | 5000kg |
| HRE140 | 500mm | 1000mm | 140mm | 25kg | Rubber | 5000kg |
| HRE150 | 500mm | 1000mm | 150mm | 25.5kg | Rubber | 5000kg |

HRF Kerb Ramp




- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications.

| Model | Length | Width | Height | Weight | Material | Capacity |
|--------|--------|--------|--------|--------|----------|----------|
| HRF100 | 500mm | 1500mm | 100mm | 32kg | Rubber | 5000kg |
| HRF110 | 500mm | 1500mm | 110mm | 32.5kg | Rubber | 5000kg |
| HRF120 | 500mm | 1500mm | 120mm | 33kg | Rubber | 5000kg |
| HRF130 | 500mm | 1500mm | 130mm | 37.5kg | Rubber | 5000kg |
| HRF140 | 500mm | 1500mm | 140mm | 38kg | Rubber | 5000kg |
| HRF150 | 500mm | 1500mm | 150mm | 39kg | Rubber | 5000kg |
| HRF180 | 500mm | 1500mm | 180mm | 50kg | Rubber | 5000kg |
| HRF190 | 500mm | 1500mm | 190mm | 50.5kg | Rubber | 5000kg |
| HRF200 | 500mm | 1500mm | 200mm | 51kg | Rubber | 5000kg |
| HRF210 | 500mm | 1500mm | 210mm | 55kg | Rubber | 5000kg |
| HRF220 | 500mm | 1500mm | 220mm | 55kg | Rubber | 5000kg |
| HRF230 | 500mm | 1500mm | 230mm | 56kg | Rubber | 5000kg |

Rubber Plate Base

Rubber Base



- There are lots of modular ramp sizes to meet end user's requirement basing on the rubber base.



| Model | Length | Width | Height | Weight | Material | Capacity |
|---------------|--------|--------|--------|--------|----------|----------|
| Rubber base-1 | 500mm | 1000mm | 100mm | 35kg | Rubber | 5000kg |
| Rubber base-2 | 500mm | 1000mm | 50mm | 20.5kg | Rubber | 5000kg |
| Rubber base-3 | 500mm | 500mm | 150mm | 29kg | Rubber | 5000kg |

Modular Ramp

- Rubber base and HR series are used together to customize the size you want, showing a variety of combinations



Modular ramp-A (sideways rubber base with ramp)



Modular ramp-B (endways rubber base with ramp)



Modular ramp-C (endways or sideways rubber base with two ramps)

Heavy Duty Mud Ground Mat

- Unaffected by heat or cold
- Easy to transport, carry, lay out and store
- Unbreakable up to 30 tonnes
- Avoid costs of environmental damage




- Ground mats not only protect your expensive turf but also provide access and traction over mud, sand, snow and other difficult surfaces .
- Ground mats can be used to create temporary roadways for all types of vehicles and equipment, large work pads for drilling, administrative compounds, bone yards, temporary flooring, oil drilling rig mats and other industrial application.



| Model | Length | Width | Height | Weight | Load Capacity |
|-----------|--------|--------|--------|--------|----------------------|
| HDPE-M-01 | 2440mm | 1100mm | 12.7mm | 36kg | For muddy, 20Tons |
| HDPE-M-02 | 2000mm | 1100mm | 40mm | 20kg | For concrete, 80Tons |

Events Safety





Tiantai Yongsheng Traffic facilities Co.,ltd, established in 2011 , is a professional engaged in the research, development, sale and service of Speed bump, cable protector , curb ramp .

Selling well in all cities and provinces around China, our products are also exported to clients in such countries and regions as America , Europe and Australia. We also welcome OEM and ODM orders. Whether selecting a current product from our catalog or seeking engineering assistance for your application, you can talk to our customer service center about your sourcing requirements.

Contents

- 01 1-Channel Small Cable Cover
- 02 Drop Over Cable Cover
- 03 1-Channel Big Cable Cover
- 04 Hose Bridge
- 05 Rubber Cable Cover
- 06 2-Channel Cable Cover
- 07 3-Channel Cable Cover
- 08 4-Channel Cable Cover
- 09 5-Channel Cable Cover
- 10 ADA Cable Cover
- 11 Fold Cable Cover
- 12 Blue Rubber+Plastic Cable Cover
- 13 Rubber+Plastic Cable Cover
- 14 Crowd Control Stanchion
- 15 Wall Mount Bracker+Receiver Clipe


1-Channel Small Cable Cover



1xc02-bend



1xc02





1xc06

- INDOOR/OUTDOOR USE
- Protect cables from foot traffic and vehicles at golf, charity and sporting events.
- Industrial all-weather polyurethane resists oil and abrasions.
- Textured surface. Interlocking connectors.
- Full top and bottom protection. Hinged lid.

| Model | Length | Width | Height | Weight | Material | Channel | Channel size |
|-------|--------|-------|--------|--------|----------|---------|--------------|
| 1XC02 | 1000mm | 150mm | 30mm | 3kg | Rubber | 1 | 20*20mm |
| 1XC06 | 1000mm | 135mm | 20mm | 2kg | Rubber | 1 | 35*15mm |
| 1XC07 | 1000mm | 220mm | 35mm | 3.5kg | Rubber | 1 | 85*25mm |

Drop Over Cable Cover




- Drop Over Cable cover are a quick and easy solution of cable management. The durable polyurethane is ideal for constant pedestrian foot traffic. A low profile cover provide maximum traction to help reduce the hazards of tripping or slipping. These drop over cable covers are a fast and effective way of protecting small cables and cords in your home, office, or warehouse.

| Model | Length | Width | Height | Weight | Material | Channel | Channel size |
|-------|--------|-------|--------|--------|----------|---------|--------------|
| 1XC04 | 1000mm | 120mm | 25mm | 1kg | PVC | 1 | 40*15mm |
| 1XC05 | 1000mm | 280mm | 40mm | 2.4kg | PVC | 1 | 100*30mm |
| 2XC10 | 1000mm | 280mm | 40mm | 2.2kg | PVC | 2 | 50*30mm |



1-Channel Big Cable Cover



1xc09

1xc10

1xc11

- Using to bicycle, wheelchair's and Car ramp(Roadway<->Sidewalk).
- Easy to install move and sustain performance of strength force up to 20 ton.
- Available to keep the vehicle inside and using to install for emergency situation.
- High performance of face grip and high brightness reflective sheet on the product.

| Model | Length | Width | Height | Weight | Material | Channel | Channel size |
|-------|--------|-------|--------|--------|------------|---------|--------------|
| 1XC09 | 1000mm | 220mm | 30mm | 5.0kg | Rubber&PVC | 1 | 70*20mm |
| 1XC10 | 1000mm | 250mm | 60mm | 7.2kg | Rubber&PVC | 1 | 70*47mm |
| 1XC11 | 1000mm | 600mm | 125mm | 20.5kg | Rubber&PVC | 1 | 110*105mm |

Hose Bridge



2xc11



2xc12

- The 2-Channel Hose Bridge oses up to 10cm diameter, protecting them from heavy vehicle traffic. Hose bridges are a high traffic areas by protecting master streamlines from bulges caused when heavy vehicles run over the lines.
- Using to bicycle,wheelchair's and Car ramp(Roadway<->Sidewalk).
- Easy to install move and sustain performance of strength force up to 20 ton.
- Available to keep the vehicle inside and using to install for emergency situation.
- High performance of face grip and high brightness reflective sheet on the product.



| Model | Length | Width | Height | Weight | Material | Channel | Channel size |
|-------|--------|-------|--------|--------|----------|---------|--------------|
| 2XC11 | 850mm | 300mm | 125mm | 16.8kg | Rubber | 2 | 100*95mm |
| 2XC12 | 860mm | 300mm | 60mm | 14.5kg | Rubber | 2 | 100*70mm |

Rubber Cable Cover



2xc01

2xc02

- INDOOR/OUTDOOR USE
- Protect cables from foot traffic and vehicles at golf, charity and sporting events.
- Industrial all-weather polyurethane resists oil and abrasions.
- Textured surface. Interlocking connectors.
- Full top and bottom protection. Hinged lid.

| Model | Length | Width | Height | Weight | Material | Channel | Channel size |
|-------|--------|-------|--------|--------|----------|---------|--------------|
| 2XC01 | 1000mm | 150mm | 30mm | 3.2kg | Rubber | 2 | 20*20mm |
| 2XC02 | 1000mm | 220mm | 45mm | 2kg | Rubber | 2 | 30*30mm |

2-Channel Cable Cover



- These heavy duty Rubber cable protectors have multiple channels for protection of many wires. Hinged lid is good for top loading of cables and convenience. Made of durable recycle rubber it is suitable for outdoors and indoors in diverse weather conditions. The black body with a yellow lid is highly visible. These units will protect your cables from vehicles up to 15,000 pounds per axle.

| Model | Length | Width | Height | Weight | Material | Channel | Channel size |
|-------|--------|-------|--------|--------|------------|---------|--------------|
| 2XC04 | 1000mm | 250mm | 50mm | 6kg | Rubber&PVC | 2 | 34*34mm |
| 2XC05 | 1000mm | 250mm | 50mm | 6kg | Rubber&PVC | 2 | 32*32mm |
| 2XC07 | 1000mm | 250mm | 50mm | 7.6kg | Rubber&PVC | 2 | 32*32mm |
| 2XC08 | 1000mm | 350mm | 70mm | 9.8kg | Rubber&PVC | 2 | 50*50mm |
| 2XC09 | 900mm | 600mm | 90mm | 18.6kg | Rubber&PVC | 2 | 95*75mm |

3-Channel Cable Cover



- These heavy duty Rubber cable protectors have multiple channels for protection of many wires. Hinged lid is good for top loading of cables and convenience. Made of durable recycle rubber it is suitable for outdoors and indoors in diverse weather conditions. The black body with a yellow lid is highly visible. These units will protect your cables from vehicles up to 15,000 pounds per axle.

| Model | Length | Width | Height | Weight | Material | Channel | Channel size |
|-------|--------|-------|--------|--------|------------|---------|--------------|
| 3XC01 | 1000mm | 300mm | 50mm | 8.5kg | Rubber&PVC | 3 | 30*30mm |
| 3XC02 | 1000mm | 300mm | 50mm | 9kg | Rubber&PVC | 3 | 32*32mm |
| 3XC03 | 900mm | 500mm | 70mm | 15kg | Rubber&PVC | 3 | 65*55mm |
| 3XC04 | 900mm | 500mm | 85mm | 17kg | Rubber&PVC | 3 | 75*65mm |
| 3XC05 | 1000mm | 300mm | 50mm | 8.5kg | Rubber&PVC | 3 | 35*30mm |

4-Channel Cable Cover



4xc01



4xc03




Bend

| Model | Length | Width | Height | Weight | Material | Channel | Channel size |
|-------|--------|-------|--------|--------|------------|---------|--------------|
| 4XC01 | 800mm | 500mm | 70mm | 13.7kg | Rubber&PVC | 4 | 50*50mm |
| Bend | 200mm | 500mm | 70mm | 3.6kg | Rubber&PVC | 4 | 50*50mm |
| 4XC03 | 900mm | 500mm | 65mm | 15kg | Rubber&PVC | 4 | 50*42mm |

- These heavy duty Rubber cable protectors have multiple channels for protection of many wires. Hinged lid is good for top loading of cables and convenience. Made of durable recycle rubber it is suitable for outdoors and indoors in diverse weather conditions. The black body with a yellow lid is highly visible. These units will protect your cables from vehicles up to 15,000 pounds per axle.


5-Channel Cable Cover



5xc02



5xc02-bend



5xc03





- These heavy duty Rubber cable protectors have multiple channels for protection of many wires. Hinged lid is good for top loading of cables and convenience. Made of durable recycle rubber it is suitable for outdoors and indoors in diverse weather conditions. The black body with a yellow lid is highly visible. These units will protect your cables from vehicles up to 15,000 pounds per axle.



| Model | Length | Width | Height | Weight | Material | Channel | Channel size |
|-------|--------|-------|--------|--------|------------|---------|--------------|
| 5XC02 | 900mm | 500mm | 50mm | 11.5kg | Rubber&PVC | 5 | 35*35mm |
| Bend | 300mm | 500mm | 50mm | 3.2kg | Rubber&PVC | 5 | 35*35mm |
| 5XC03 | 900mm | 500mm | 50mm | 12.kg | Rubber&PVC | 5 | 35*35mm |

ADA Cable Cover





YS-LY5XC-1

| Model | Length | Width | Height | Weight | Material | Channel | Channel size |
|------------|--------|-------|--------|--------|------------|---------|--------------|
| YS-LY5XC-1 | 1100mm | 750mm | 50mm | 20.5kg | Rubber&PVC | 5 | 35*35mm |

- The 5-Channel ADA Cable Protector is ADA compliant and features a low profile gentle slope, creating an easy cable crossing point for wheelchair and pedestrian traffic. The ADA Cable Protector is engineered to withstand the abuse of heavy pedestrian and vehicle traffic areas.

5-Channel ADA Cable Protectors feature:



- Heavy-duty, rubber construction
- High traction tread design
- Radius end dividers to minimize cable snags
- Easy to use inter-connects



Net Weight: 19kg/41.8lbs
Capacity: 15000kg/33000lbs



Fold Cable Cover



LOCK DESIGN
let upper covers fit the rubber bottom
buckle match cover, protects wire safely



After Fold





ZD3XC06

- Modular interlocking
- Excellent load capacity
- Flip-open design
- Vigilant color

| Model | Length | Width | Height | Weight | Material | Channel | Channel size |
|---------|--------|-------|--------|--------|------------|---------|--------------|
| ZD2XC01 | 830mm | 250mm | 50mm | 3.1kg | Rubber&PVC | 2 | 35*35mm |
| ZD3XC06 | 770mm | 280mm | 50mm | 4.9kg | Rubber&PVC | 3 | 35*35mm |

Blue Rubber+Plastic Cable Cover



| Model | Length | Width | Height | Weight | Material | Channel | Channel size |
|------------|--------|-------|--------|--------|--------------------|---------|--------------|
| 2XC06-BLUE | 1000mm | 250mm | 50mm | 5.5kg | Rubber+Plastic&PVC | 2 | 35*35mm |

Rubber+Plastic Cable Cover



2xc06



3xc07



4xc05



5xc04

- INDOOR/OUTDOOR USE
- Protect cables from foot traffic and vehicles at golf, charity and sporting events.
- Industrial all-weather polyurethane resists oil and abrasions.
- Textured surface. Interlocking connectors.
- Full top and bottom protection. Hinged lid.

| Model | Length | Width | Height | Weight | Material | Channel | Channel |
|-------|--------|-------|--------|--------|--------------------|---------|---------|
| 1XC03 | 1000mm | 220mm | 35mm | 4.2kg | Rubber+Plastic&PVC | 1 | 70*18mm |
| 1XC04 | 1000mm | 260mm | 60mm | 5.8kg | Rubber+Plastic&PVC | 1 | 70*45mm |
| 2XC06 | 1000mm | 250mm | 50mm | 5.5kg | Rubber+Plastic&PVC | 2 | 32*32mm |
| 2XC13 | 1000mm | 350mm | 70mm | 8.5kg | Rubber+Plastic&PVC | 2 | 60*55mm |
| 3XC06 | 1000mm | 300mm | 50mm | 6kg | Rubber+Plastic&PVC | 3 | 35*30mm |
| 3XC07 | 900mm | 500mm | 75mm | 11.5kg | Rubber+Plastic&PVC | 3 | 70*57mm |
| 4XC05 | 900mm | 500mm | 70mm | 11kg | Rubber+Plastic&PVC | 4 | 45*45mm |
| 5XC04 | 900mm | 500mm | 50mm | 10.5kg | Rubber+Plastic&PVC | 5 | 38*38mm |

Crowd Control Stanchion





Model:YMX-A
Height:970mm
Weight:6kg




Model:YMX-B
Height:930mm
Weight:6kg

- 1. Different surface color for your choice, like yellow, red, blue and green.
- 2. Many belt colors for your options, logo printed on the belt is available.
- 3. Light weight design post is very easy to handle and carry.
- 4. 2 different bases for your choice, water filled and Rubber base.
- 5. Bottom lock system is much for stable and easy install.
- 6. Anti-slippery designed base.
- 7. Logo can be moulded on the base





Wall Mount Bracker+Receiver Clipe



Product Description

1. These support brackets are available in two versions, Fixing By screw or Adhesive Tape, and allow you to securely hold a Skipper retractable Topper unit in place without the need for a cone or a post.
2. These receiver clips are available in two versions, Fixing By Screw or Adhesive Tape, and allow the retractable tape end to attach directly.
3. The bracket is ideal for attaching to any vehicle or metal shelving while the wall fixing version is intended as a more permanent fixture and simplyscrews into position.



Traffic Safety





Tiantai Yongsheng Traffic facilities Co.,ltd, established in 2011 , is a professional engaged in the research, development, sale and service of Speed bump, cable protector , curb ramp.

Selling well in all cities and provinces around China, our products are also exported to clients in such countries and regions as America , Europe and Australia. We also welcome OEM and ODM orders. Whether selecting a current product from our catalog or seeking engineering assistance for your application, you can talk to our customer service center about your sourcing requirements.

Contents

| | | | |
|----|------------------------------|----|----------------------|
| 01 | 183cm Speed Bump | 28 | PE Fleixble Post |
| 02 | 50cm Speed Bump | 29 | Plastic Chain Post |
| 03 | 50cm Speed Bump | 30 | T-TOP Safety Bollard |
| 04 | 100cm Speed Bump | 31 | BS Fleixble Post |
| 05 | 100cm Speed Bump | 32 | Rubber Fleixble Post |
| 06 | 100cm Speed Bump | 33 | Convex Mirror |
| 07 | 50cm Speed Bump | 34 | Message Cone & Sign |
| 08 | 50cm Speed Bump | 35 | Traffic Sign |
| 09 | 50cm Speed Bump | 36 | Marking Tape |
| 10 | Portable Speed Bump | | |
| 11 | Portable Rubber Speed Bump | | |
| 12 | Rumble Bar | | |
| 13 | Speed Cushion | | |
| 14 | PVC Traffic Cone | | |
| 15 | PVC Traffic Cone _Black Base | | |
| 16 | PE Traffic Cone | | |
| 17 | Collapsible Cone | | |
| 18 | Plastic Fence Barrier | | |
| 19 | Expandable Barrier | | |
| 20 | Water-filled Barriers | | |
| 21 | Water-filled Barriers | | |
| 22 | Water-filled Barriers | | |
| 23 | Round Water-filled Barrier | | |
| 24 | Lane Divider | | |
| 25 | Traffic Vertical Panel | | |
| 26 | PU/TPU Fleixble Post | | |
| 27 | PE Fleixble Post | | |

183cm Speed Bump




122sb01



183sb01



183sb02



END CAP



- Includes virgin rubber - protects the recycled rubber from wear and tear
- Yellow road marking tape is molded into stripes on the unit
- Can be installed on asphalt or concrete
- Shapes to surface it's installed on
- There are two bottom channels for draining that can protect a wire hose or pipe 3/4" diameter

| Model | Length | Width | Height | Weight | Material | Capacity | Reflector |
|---------|--------|-------|---------|--------|----------|----------|-------------------|
| 122SB01 | 1220mm | 300mm | 50mm | 15kg | Rubber | 15,000kg | Yellow Glass bead |
| 183SB01 | 1830mm | 300mm | 50mm | 23kg | Rubber | 15,000kg | Yellow Glass bead |
| 183SB02 | 1830mm | 300mm | 60mm | 23kg | Rubber | 15,000kg | Yellow Glass bead |
| END CAP | 150mm | 300mm | 50/60mm | 1.3kg | Rubber | 15,000kg | / |

50cm Speed Bump



50SB03&04&05&23



END CAP

- Heavy duty 60 tonnes load
- Made of durable natural rubber that will not chip or wear
- Rubber construction conforms to uneven surfaces
- Fix modules together for any length desired
- Easy DIY Installation
- Safety yellow anti-slip insert panels increase visibility and improve pedestrian safety
- Suitable for use in indoor and outdoor carparks, driveways and ramps

| Model | Length | Width | Height | Weight | Material | Capacity | Reflector |
|---------|--------|-------|--------|--------|----------|----------|--------------------|
| 50SB03 | 490mm | 340mm | 38mm | 7kg | Rubber | 15,000kg | Yellow rubber skin |
| 50SB04 | 490mm | 340mm | 48mm | 12kg | Rubber | 15,000kg | Yellow rubber skin |
| 50SB05 | 500mm | 350mm | 50mm | 14kg | Rubber | 15,000kg | Yellow rubber skin |
| 50SB23 | 500mm | 350mm | 75mm | 27kg | Rubber | 15,000kg | Yellow rubber skin |
| END CAP | 175mm | | | | Rubber | 15,000kg | Yellow rubber skin |

50cm Speed Bump



50SB21



50SB08

- Heavy duty 60 tonnes load
- Made of durable natural rubber that will not chip or wear
- Rubber construction conforms to uneven surfaces
- Fix modules together for any length desired
- Easy DIY Installation
- Safety yellow anti-slip insert panels increase visibility and improve pedestrian safety
- Suitable for use in indoor and outdoor carparks, driveways and ramps

| Model | Length | Width | Height | Weight | Material | Capacity | Reflector |
|---------|--------|-------|--------|--------|----------|----------|--------------------|
| 50SB08 | 500mm | 400mm | 55mm | 20kg | Rubber | 15,000kg | Yellow rubber skin |
| 50SB21 | 500mm | 430mm | 55mm | 21kg | Rubber | 15,000kg | Yellow rubber skin |
| END CAP | 175mm | | | | Rubber | 15,000kg | Yellow rubber skin |

100cm Speed Bump



- Heavy duty 60 tonnes load
- Made of durable natural rubber that will not chip or wear
- Rubber construction conforms to uneven surfaces
- Fix modules together for any length desired
- Easy DIY Installation
- Safety yellow anti-slip insert panels increase visibility and improve pedestrian safety
- Suitable for use in indoor and outdoor carparks, driveways and ramps

| Model | Length | Width | Height | Weight | Material | Capacity | Reflector |
|---------|--------|-------|------------|--------|----------|----------|--------------------|
| 100SB17 | 1000mm | 350mm | 40mm | 9kg | Rubber | 15,000kg | Yellow rubber skin |
| 100SB18 | 1000mm | 350mm | 50mm | 12.5kg | Rubber | 15,000kg | Yellow rubber skin |
| 100SB21 | 1000mm | 350mm | 70mm | 17kg | Rubber | 15,000kg | Yellow rubber skin |
| END CAP | 180mm | 350mm | 40/50/70mm | 1.5kg | Rubber | 15,000kg | Yellow rubber skin |

100cm Speed Bump



- Includes virgin rubber - protects the recycled rubber from wear and tear
- Yellow road marking tape is molded into stripes on the unit
- Can be installed on asphalt or concrete
- Shapes to surface it's installed on
- There are two bottom channels for draining that can protect a wire hose or pipe 3/4" diameter

| Model | Length | Width | Height | Weight | Material | Capacity | Reflector |
|---------|--------|-------|--------|--------|----------|----------|--------------------|
| 100SB01 | 1000mm | 100mm | 20mm | 2kg | Rubber | 15,000kg | Yellow rubber skin |
| 100SB03 | 1000mm | 100mm | 20mm | 2kg | Rubber | 15,000kg | Yellow rubber skin |
| 100SB07 | 1000mm | 150mm | 35mm | 3.7kg | Rubber | 15,000kg | Yellow rubber skin |
| 100SB11 | 1000mm | 200mm | 30mm | 4kg | Rubber | 15,000kg | Yellow rubber skin |
| 100SB22 | 1000mm | 300mm | 36mm | 6.5kg | Rubber | 15,000kg | Yellow rubber skin |
| 100SB24 | 1000mm | 300mm | 48mm | 11kg | Rubber | 15,000kg | Yellow rubber skin |
| 100SB35 | 1000mm | 300mm | 60mm | 13kg | Rubber | 15,000kg | Yellow rubber skin |

100cm Speed Bump



100SB26&29&30




END CAP

- Heavy duty 60 tonnes load
- Made of durable natural rubber that will not chip or wear
- Rubber construction conforms to uneven surfaces
- Fix modules together for any length desired
- Easy DIY Installation
- Safety yellow anti-slip insert panels increase visibility and improve pedestrian safety
- Suitable for use in indoor and outdoor carparks, driveways and ramps

| Model | Length | Width | Height | Weight | Material | Capacity | Reflector |
|---------|--------|-----------|------------|--------|----------|----------|--------------------|
| 100SB26 | 1000mm | 300mm | 48mm | 13kg | Rubber | 15,000kg | Yellow rubber skin |
| 100SB29 | 1000mm | 380mm | 45mm | 12kg | Rubber | 15,000kg | Yellow rubber skin |
| 100SB30 | 1000mm | 380mm | 50mm | 14kg | Rubber | 15,000kg | Yellow rubber skin |
| END CAP | 180mm | 300/380mm | 48/45/50mm | 1.5kg | Rubber | 15,000kg | Yellow rubber skin |

50cm Speed Bump




- Heavy duty 60 tonnes load
- Made of durable natural rubber that will not chip or wear
- Rubber construction conforms to uneven surfaces
- Fix modules together for any length desired
- Easy DIY Installation
- Safety yellow anti-slip insert panels increase visibility and improve pedestrian safety
- Suitable for use in indoor and outdoor carparks, driveways and ramps

| Model | Length | Width | Height | Unit weight PER PIECE | Material | Capacity | Reflector |
|---------|--------|-------|--------|--------------------------|----------|----------|-------------------|
| 50SB12 | 500mm | 500mm | 50mm | 11kg | Rubber | 15,000kg | Yellow Glass bead |
| END CAP | 200mm | 500mm | 50mm | 4kg | Rubber | 15,000kg | / |

50cm Speed Bump



50SB13&20




50SB14&19

- Heavy duty 60 tonnes load
- Made of durable natural rubber that will not chip or wear
- Rubber construction conforms to uneven surfaces
- Fix modules together for any length desired
- Easy DIY Installation
- Safety yellow anti-slip insert panels increase visibility and improve pedestrian safety
- Suitable for use in indoor and outdoor carparks, driveways and ramps

| Model | Length | Width | Height | Unit weight PER PIECE | Material | Capacity | Reflector |
|---------|--------|-------|--------|--------------------------|----------|----------|-------------------|
| 50SB13 | 500mm | 600mm | 30mm | 8kg | Rubber | 15,000kg | Yellow Glass bead |
| 50SB14 | 500mm | 600mm | 30mm | 9.5kg | Rubber | 15,000kg | Yellow Glass bead |
| END CAP | 250mm | 600mm | 30mm | 3kg | Rubber | 15,000kg | / |
| 50SB19 | 500mm | 600mm | 50mm | 12.5kg | Rubber | 15,000kg | Yellow Glass bead |
| 50SB20 | 500mm | 600mm | 50mm | 12.5kg | Rubber | 15,000kg | Yellow Glass bead |
| END CAP | 500mm | 600mm | 50mm | 5kg | Rubber | 15,000kg | / |

50cm Speed Bump



50SB17




50SB18

- Heavy duty 60 tonnes load
- Made of durable natural rubber that will not chip or wear
- Rubber construction conforms to uneven surfaces
- Fix modules together for any length desired
- Easy DIY Installation
- Safety yellow anti-slip insert panels increase visibility and improve pedestrian safety
- Suitable for use in indoor and outdoor carparks, driveways and ramps

| Model | Length | Width | Height | Unit weight PER PIECE | Material | Capacity | Reflector |
|---------|--------|-------|--------|--------------------------|----------|----------|-------------------|
| 50SB17 | 500mm | 900mm | 50mm | 20kg | Rubber | 15,000kg | Yellow Glass bead |
| 50SB18 | 500mm | 900mm | 50mm | 20kg | Rubber | 15,000kg | Yellow Glass bead |
| END CAP | 500mm | 900mm | 50mm | 7.5kg | Rubber | 15,000kg | / |

Portable Speed Bump



EYE CATCHING STRIPE

Reflective Stripes on Both Sides




Anti-slip Mat In The Back

- The highly visible system is designed for temporary speed control applications, where it is desired to slow traffic speeds to 40km/hr. The secret behind the success of the system is its unique 'waffle-style' rubber underlay, which maximises adhesion to the road surface as vehicles traverse..It has been designed for use around highway work zones to assist in reducing speeds and therefore creating a safer work environment for road workers.

| Model | Length | Width | Height | Weight | Material | Capacity | Reflector |
|---------|--------|-------|--------|--------|----------|----------|-------------|
| 200sb01 | 2000mm | 220mm | 50mm | 10kg | PE | 15,000kg | engineering |
| 300sb01 | 3000mm | 220mm | 50mm | 15kg | PE | 15,000kg | engineering |

Portable Rubber Speed Bump



- The highly visible system is designed for temporary speed control applications, where it is desired to slow traffic speeds to 40km/hr.
- Made of 100% durable solid rubber, Easy take to use and take away after using. Install on ground with 5 pre-holes to use for a long time
- It has been designed for use around highway work zones to assist in reducing speeds and therefore creating a safer work environment for road workers.



| Model | Length | Width | Height | Weight | Material | Capacity | Reflector |
|---------|--------|-------|--------|--------|----------|----------|-------------------|
| 183sb04 | 1830mm | 220mm | 50mm | 15kg | Rubber | 15,000kg | Yellow Glass bead |


Rumble Bar



Rumble Bar-30





Rumble Bar-60



- Rumble Bars are made of ABS material and widely used on the road to lower the speed or a road direction guide.
- 1. There are cat eyes on the both sides and easy to see them at night
- 2. Three different sizes for your choice
- 3. ABS material can be supported about 20 tons
- 4. Easy to install


| Model | Length | Width | Height | Weight | Material | Capacity |
|---------------|--------|-------|--------|--------|----------|----------|
| Rumble Bar-30 | 300mm | 170mm | 50mm | 1.5kg | Rubber | 15,000kg |
| Rumble Bar-60 | 600mm | 170mm | 50mm | 3.0kg | Rubber | 15,000kg |

Speed Cushion



Rubber Speed cushion accessories

- Rubber Speed Cushions are made of recycled rubber tires. Rubber is lighter and easier to work with than asphalt and concrete, significantly minimizing the number of hours that need to be invested to install the solutions. Embedded reflective material increases visibility and safety, day or night.



| Model | Each section Length | Each section Width | Each section Height | Each section Weight | Material | Capacity |
|-------|---------------------|--------------------|---------------------|---------------------|----------|----------|
| SCH | 900mm | 1000mm | 65mm | 45kg | Rubber | 15,000kg |

PVC Traffic Cone



- Single Piece Made of Fluorescence Orange PVC
- Environmentally-friendly 100% recyclable
- Extreme durability&superior flexibilit



| Model | Height | Base Size | Reflective film Size | Weight | Material | Color |
|-------|--------|-----------|----------------------|--------|----------|-------|
| PCV30 | 300mm | 210*210mm | 80mm*1 | 0.4kg | PVC | Red |
| PCV40 | 400mm | 275*275mm | 80mm*1 | 0.8kg | PVC | Red |
| PCV45 | 450mm | 280*280mm | 80mm*1 | 1kg | PVC | Red |
| PCV50 | 500mm | 295*295mm | 80mm*1 | 1kg | PVC | Red |
| PCV68 | 680mm | 360*360mm | 100mm*2 | 1.8kg | PVC | Red |
| PCV70 | 700mm | 360*360mm | 100mm*2 | 2.3kg | PVC | Red |
| PCV90 | 900mm | 360*360mm | 100mm*2 | 3.3kg | PVC | Red |



PVC Traffic Cone Black Base



- The PVC cone could be twisted and pressed in 180 degrees. It could also reinstate when you make its top touch the floor, with high flexibility against the run over and impact of the cars. Because of good weather resistance, it won't deform in high temperature 65°C and craze in low temperature -30°C.

| Model | Height | Base Size | Reflective film Size | Weight | Material | Color |
|--------|--------|-----------|----------------------|--------|------------|-----------|
| PCV45R | 450mm | 280*280mm | 80mm*1 | 1.6kg | PVC+Rubber | Red&Black |
| PCV70R | 700mm | 360*360mm | 100mm*2 | 2.8kg | PVC+Rubber | Red&Black |
| PCV75R | 750mm | 360*360mm | 100mm*2 | 3.3kg | PVC+Rubber | Red&Black |
| PCV90R | 900mm | 360*360mm | 100mm*2 | 4kg | PVC+Rubber | Red&Black |

PE Traffic Cone



- Blowing Traffic cone, made of PE material and Rubber black base with different height and weight, there are 50cm, 75cm and 100cm for your choice. Base and cone can be locked together with special design, can be packed separately.
- Can be made of different colors and height, weight for your choice.
- Interlocking design for cone and base, easy to install and shipping.
- Can be fix the LED light on top of the cone.
- More competitive price with good quality.

| Model | Height | Base Size | Reflective film Size | Weight | Material | Color |
|--------|--------|-----------|----------------------|--------|-----------|-----------|
| PE50R | 500mm | 280*280mm | 100mm*1 | 1.5kg | PE+Rubber | Red&Black |
| PE75R | 750mm | 380*380mm | 220mm*1 | 2.5kg | PE+Rubber | Red&Black |
| PE100R | 1000mm | 490*490mm | 320mm*1 | 5kg | PE+Rubber | Red&Black |

Collapsible Cone



Retractable road cone is small in size, easy to operate and carry. The vertebral body is made of waterproof and reflective Oxford cloth. It is flexible and has the advantages of anti-aging, heat resistance, cold resistance, no cracking color and long service life. The base is made of PE material and the body is with a good reflection at night for its reflective bands.



Collapsible from 70cm to 5cm

- Collapsible traffic cones are highly visible during the day, even more so at night since they are illuminated from the inside by a battery powered LED light. It could be collapsed so take up very little room in a vehicle when not in use.



With super reflection at night



Top LED Light Stored in Base

| Model | Height | Base Size | Weight | Material | Color |
|-------|--------|--------------|--------|----------|--------|
| PP30 | 300mm | 190*190*25mm | 0.25kg | PP | Orange |
| PP40 | 400mm | 245*245*35mm | 0.39kg | PP | Orange |
| PP45 | 450mm | 245*245*35mm | 0.4kg | PP | Orange |
| PP50 | 500mm | 245*245*35mm | 0.41kg | PP | Orange |
| PP55 | 550mm | 305*305*50mm | 0.65kg | PP | Orange |
| PP70 | 700mm | 305*305*50mm | 0.7kg | PP | Orange |
| ABS90 | 900mm | 420*420*60mm | 2kg | ABS | Orange |

Plastic Fence Barrier



Red&Yellow&Blue Chapter 8 Barrier



Free standing with 360°swivel feet



Connection is quick and easy to use

About Our Barrie

- 1,Manufactured in High Density Polyethylene:These barriers are blow moulded.
- 2, Barriers' high visibility colours act as an early warning of hazards for both pedestrians and road users, with an additional reflective strip to enhance visibility after dark or in poor weather conditions.
- 3,The Color Of Leg Can Be Customized

The color of leg can be customized to RED/YELLOW/BLUE,The foot can roate freely for easy syacking, free standing with 360 swivel feet.


The special structure of the sole of the foot increases friction and has a grip effect, and can be used on steeper roads.

There are grooves in the middle of the feet to allow water to flow through



| Model | Length | Width | Height | Weight | Material | Color |
|-------|--------|-------|--------|--------|----------|-----------------|
| HL02 | 2000mm | 55mm | 1000mm | 10.5kg | PVC | Blue&Yellow&Red |

Expandable Barrier




With super reflection at night



HL01



HL04



HL03

| Model | Length | Closed | Height | Weight | Material | Color |
|-------|--------|--------|--------|--------|----------|--------------|
| HL01 | 2500mm | 240mm | 960mm | 2.7kg | PE | Yellow&Red |
| HL03 | 1500mm | / | 1000mm | / | Iron | Yellow&Black |
| HL04 | 1500mm | / | 1000mm | 8.5kg | PE | Yellow |

Water-filled Barriers



● Traffic Management: Water-filled barriers are primarily employed to delineate lanes, redirect traffic, and create safe work zones in construction areas.

Construction Sites: In construction sites, these barriers act as protective shields, separating workers from ongoing construction activities and potential hazards such as heavy machinery or falling debris.

Event Management: During events, concerts, or festivals, By strategically placing these barriers, event organizers can manage pedestrian flow, restrict access to restricted areas, and ensure the safety of attendees.

| Model | Length | Top Width | Bottom Width | Height | Weight | Material |
|-------|--------|-----------|--------------|--------|--------|------------|
| WB01 | 560mm | 130mm | 350mm | 560mm | 3kg | Plastic+PE |
| WB02 | 600mm | 150mm | 430mm | 600mm | 4kg | Plastic+PE |

Water-filled Barriers



WB05&06



WB19



● Three-hole water barriers are hollow plastic objects installed on highways and urban roads where cars and roads are prone to collision, such as: road turns, roadside booths, toll booths and entrances and exits of elevated roads, parking lots, communities, gardens, gas stations, municipal engineering sites, etc., which play a role in isolation and collision prevention.

Rotational three-hole water barriers are made of highly elastic and high-strength imported PE plastic. When a car collides with the equipment, it can effectively reduce the impact force. Water or sand is added to the hollow to increase the deadweight. Reflective film can be attached to its surface to make it more eye-catching at night.

| Model | Length | Width | Width(up*down) | Weight | Material | Color |
|-------|--------|-------|----------------|--------|----------|------------|
| WB05 | 1250mm | 700mm | 120*240mm | 5kg | PVC | Yellow&Red |
| WB06 | 1450mm | 800mm | 140*280mm | 7kg | PVC | Yellow&Red |
| WB19 | 2000mm | 800mm | 120*390mm | 17kg | PE | Yellow |

Water-filled Barriers



WB11



WB12

- The water barriers are hollow plastic objects installed on highways and urban roads where cars and roads are prone to collision, such as: road turns, roadside booths, toll booths and entrances and exits of elevated roads, parking lots, communities, gardens, gas stations, municipal engineering sites, etc., which play a role in isolation and collision prevention.



| Model | Length | Width | Height | Weight | Material | Color |
|-------|--------|-------|--------|--------|----------|--------|
| WB11 | 1150mm | / | 900mm | 5.5kg | PE | Yellow |
| WB12 | 900mm | 350mm | 1800mm | 8.5kg | PE | Yellow |

Round Water-filled Barrier



WB17

WB16



WB18

- The water barriers are hollow plastic objects installed on highways and urban roads where cars and roads are prone to collision, such as: road turns, roadside booths, toll booths and entrances and exits of elevated roads, parking lots, communities, gardens, gas stations, municipal engineering sites, etc., which play a role in isolation and collision prevention.



| Model | Length | Height | Width | Weight | Material | Color |
|-------|--------|--------|-------|--------|----------|--------|
| WB16 | 580mm | 800mm | / | 9kg | PE | Yellow |
| WB17 | 900mm | 920mm | / | 9kg | PE | Yellow |
| WB18 | 900mm | 900mm | 900mm | 36kg | PE | Yellow |

Lane Divider



FDT02

FDT03

FDT04

FDT05

- Springback Post & Panel For Options!
- The Lane Separators Base is manufactured from recycled Rubber, perform a wide variety of uses in traffic management. They can be used to indicate lane separation, cycle lanes, parking bay indication, traways, marking of traffic lanes in carpark entrance and exit ramps etc

| Model | Length | Height | Width | Bend size | Weight | Material | Color |
|---------|--------|--------|-------|--------------|--------|----------------|--------------|
| FDT02 | 780mm | 210mm | 112mm | / | 9.6kg | Rubber | Yellow |
| FDT02-A | 750mm | 210mm | 110mm | / | 6.7kg | Rubber+Plastic | Red |
| FDT03 | 1100mm | / | / | 500*240*85mm | 10kg | Rubber | Yellow&Black |
| FDT04 | 1000mm | 200mm | 85mm | / | 3.5kg | PVC | Yellow&Red |
| FDT05 | 1000mm | 250mm | 100mm | / | 10.4kg | Rubber | Yellow&Black |

Traffic Vertical Panel



FDT06

FDT07



FDT01


The engineering components at the bottom have high resilience, which will not cause damage to people and vehicles when it is impacted. Large area 3M reflective film, better warning effect at night; smaller base size, suitable for more road scenes; good weather resistance, impact resistance, high temperature and severe cold.

- The entrance sign is crafted with sturdy construction, ensuring its long-lasting use in various settings.
- The road diverter sign is an ideal choice for installation in underground, parking lots and more.
- The traffic direction sign has bright colors, making it easily visible and understandable from a distance.
- The traffic cone is convenient to install and does not require additional tools or equipment.
- The warning sign is resistant to wear, allowing for extended use without losing its effectiveness.




| Model | Length | Height | Width | Base size | Weight | Material | Color |
|-------|--------|--------|-------|---------------|--------|----------|--------------|
| FDT01 | 220mm | 290mm | 150mm | / | 0.5kg | EVA | Yellow |
| FDT06 | 500mm | 1100mm | 500mm | / | 13kg | PE | Red |
| FDT07 | 700mm | 930mm | 200mm | 370*320*100mm | 10kg | PE | Yellow&Black |

PU/TPU Fleixble Post



- High Impact Resistance and returns to vertical after impact.
- Composed of TPU flexible post, interlock, and 3 Types in round, square and rectangular.
- Four cat eyes in the rectangular base improve the visibility in night time.



| Model | Length | Width | Height | Reflective film Size | Weight | Material | Color |
|---------|--------|-------|--------|----------------------|--------|----------|-------------------------|
| BPU45 | 450mm | 80mm | 200mm | 71mm*2 | 0.6kg | PU | Red/Orange/Yellow/Black |
| BPU75 | 750mm | 80mm | 200mm | 71mm*3 | 1kg | PU | Red/Orange/Yellow/Black |
| BTPU45 | 450mm | 80mm | 200mm | 71mm*2 | 0.9kg | TPU | Red/Orange/Yellow/Black |
| BTPU75 | 750mm | 80mm | 200mm | 71mm*3 | 1.3kg | TPU | Red/Orange/Yellow/Black |
| BTPU100 | 1000mm | 80mm | 200mm | 71mm*4 | 1.78kg | TPU | Red/Orange/Yellow/Black |



PE Fleixble Post



- High Impact Resistance and returns to vertical after impact
- Convenient T-top carry handle and molded in bolt hole for flashing light
- Stronger ribs provide maximum band protection
- The reflective coating meets night visibility requirements

| Model | Length | Width | Base Size | Reflective film Size | Weight | Material |
|-------|--------|-------|-----------|----------------------|--------|-----------|
| BPE01 | 500mm | 100mm | 260*260mm | 150mm*1 | 2.9kg | Rubber+PE |
| BPE02 | 800mm | 100mm | 260*260mm | 300mm*1 | 3.1kg | Rubber+PE |
| BPE03 | 1200mm | 100mm | 260*260mm | 450mm*1 | 3.3kg | Rubber+PE |

PE Flexible Post



- Convenient T-top carry handle and molded in bolt hole for flashing light;
- Improved recesses create a deeper area for reflective bands;
- Stronger ribs provide maximum band protection.

| Model | Length | Width | Height | Base Size | Reflective film Size | Weight | Material |
|-------|--------|-------|--------|--------------|----------------------|--------|-----------|
| BPE04 | 1150mm | 95mm | 220mm | 420*420*35mm | 300mm*1 | 6.8kg | Rubber+PE |
| BPE05 | 1150mm | 95mm | 220mm | 420*420*35mm | 300mm*1 | 6.8kg | Rubber+PE |
| BPE06 | 1150mm | 95mm | 220mm | 420*420*35mm | 150mm*2 | 6.08kg | Rubber+PE |

Plastic Chain Post



- HIGH-VISIBILITY WARNING COLORS: Designed with White and red stripes to maximize visibility, these stanchions serve as an effective warning signal. Easily connect them using the included S-hooks and chains to create a clear safety barrier.
- DURABLE, HIGH-QUALITY MATERIAL: Crafted from high-strength PP and PE materials, these traffic cones are built to resist sun damage, fading, corrosion, and cracking.
- STABLE & FILLABLE BASE: Each traffic cone features a fillable base that holds up to 8 lbs of water or 12 lbs of sand, providing excellent stability even in severe weather conditions. The base is designed with convenient inlets and outlets for easy filling and drainage.
- MULTIPURPOSE DESIGN: Standing 32 5/8" tall, these delineator cones are versatile and ideal for use in parking lots, construction zones, garages, stadiums, and hotels.

| Model | Length | Base Size | Weight | Material |
|-------|---------------------------------|-----------|--------|----------|
| BPT07 | 1100mm/900mm (Customization) | 280*280mm | 0.65kg | PP+PE |



T-TOP Safety Bollard



BPE08

BPE09


BPE10



- High Impact Resistance and returns to vertical after impact
- Convenient T-top carry handle and molded in bolt hole for flashing light
- Stronger ribs provide maximum band protection
- The reflective coating meets night visibility requirements

| Model | Length | Width | Height | Base Size | Reflective film Size | Weight | Material |
|-------|--------|-------|--------|-----------|----------------------|--------|-----------|
| BPE08 | 740mm | 100mm | 140mm | 420*420mm | 100mm*1 | 6kg | Rubber+PE |
| BPE09 | 1100mm | 100mm | 240mm | 480*480mm | 100mm*2 | 6.1kg | Rubber+PE |
| BPE10 | 1180mm | 100mm | 240mm | 480*480mm | 100mm*4 | 6.1kg | Rubber+PE |

BS Fleixble Post



Easy to Install



Chain Hook Design

- Chain Hook Design

The top of the post is designed with hooks. After installation, if a protective chain is required, it can be directly connected, which is convenient and practical.

- Easy to Install

It is easy to fix them on the ground with accompanying expansion bolts.

- Yellow Reflective Collars

Alerts pedestrians and motorists about cautions and guide traffic.

The reflective coating meets night visibility requirements



| Model | Length | Width | Base Size | Reflective film Size | Weight | Material |
|-------|--------|-------|-----------|----------------------|--------|----------|
| BS50 | 500mm | 114mm | 160mm | 80mm*2 | 2kg | Iron |
| BS60 | 600mm | 114mm | 160mm | 80mm*2 | 2.4kg | Iron |
| BS70 | 700mm | 114mm | 160mm | 80mm*3 | 3kg | Iron |

Rubber Flexible Post



- Detachable base, easy to replace parts.
- High intensity reflective band, easy to identify.
- Anti-collision and pressure resistance, sturdy and durable.
- Commonly used for traffic warning, guidance and marking.
- Suitable for highways, parks, communities, intersections, parking lots and street entrances, etc.
- It is weather-resistant and can be used in outdoor environments for a long time.
- Each bollard base has 4 pre-drilled holes for easy installation.

| Model | Length | Width | Base Size | Reflective film Size | Weight | Material |
|-------|--------|-------|-----------|----------------------|--------|----------|
| BR01 | 600mm | 114mm | 250mm | 25mm*3 | 6kg | Rubber |
| BR02 | 800mm | 114mm | 250mm | 25mm*3 | 7kg | Rubber |
| BR03 | 800mm | 114mm | 160*180mm | 150mm*2 | 4kg | Rubber |



Convex Mirror



Indoor

Outdoor

- Convex mirror offers a wide-angle view up to 160 degrees
- The image is clear, convex mirror is of excellent quality, not easy to be damaged
- The safety mirror cap is designed to effectively block rain and sunlight on sunny days, and pedestrians can see them clearly
- It is used to eliminate blind spots, prevent accidents and injuries, prevent accidents and prevent theft.

Suitable for street corners, garages, parking lots, driveways, supermarkets

| Type | Model | Size | Weight | Material |
|---------|--------|--------|--------|----------|
| Indoor | ICM30 | 300mm | 0.5kg | PC+ABS |
| | ICM45 | 450mm | 0.78kg | PC+ABS |
| | ICM60 | 600mm | 1.26kg | PC+ABS |
| | ICM80 | 800mm | 3.42kg | PC+ABS |
| Outdoor | OCM30 | 300mm | 0.5kg | PC+ABS |
| | OCM45 | 450mm | 1.28kg | PC+ABS |
| | OCM60 | 600mm | 1.76kg | PC+ABS |
| | OCM80 | 800mm | 3.38kg | PC+ABS |
| | OCM100 | 1000mm | 4.74kg | PC+ABS |
| | OCM120 | 1200mm | 9.5kg | PC+ABS |

Message Cone & Sign



- Print Warning Message Or Advertisement
- Light weight, versatile sign are excellent for effective safety communication with employees or customers.
- Any other Text could be custom-made.



| Model | Length | Width | Top Width | Weight |
|---------|--------|-------|-----------|--------|
| A PANEL | 610mm | 300mm | / | 0.6kg |
| B PANEL | 750mm | 280mm | 85mm | 0.6kg |
| C PANEL | 1000mm | 280mm | 250mm | 0.85kg |


Traffic Sign




Fast Installation:




Marking Tape



Structure of PVC Floor Marking Tape



- Caution Tape are a quick & effective way to create a visual fortress around temporary hazards.
- This lightweight tape can be tied, stapled or nailed to posts, fences or barricades.
- Ideal for outdoor or indoor application such as crowd and traffic control.
- Available in 50mm, 75mm and 100mm Width Each Roll.



Parking Safety





Contents

- 01 Short Wheel Stopper
- 02 Glass Bead Wheel Stopper
- 03 Mid-length Wheel Stopper
- 04 Long Wheel Stopper
- 05 Australia Parking Curbs
- 06 Longer Parking Curbs
- 07 Car Parking Guide Mat
- 08 Rubber+Plastic Wheel Stopper
- 09 Wheel Chock
- 10 Wheel Chock
- 11 Wheel Chock
- 12 Wheel Chock
- 13 Reflective film Wheel Chock
- 14 Plastic Wheel Chock
- 15 Aircraft Wheel Chock
- 16 Aircraft Wheel Chock
- 17 Aircraft Wheel Chock-Customized
- 18 Rubber Corner Guard
- 19 Rubber Corner Guard
- 20 Rubber Corner Guard
- 21 Parking Lock
- 22 Parking Lock
- 23 Parking Lock
- 24 Car clamps
- 25 Car clamps

Tiantai Yongsheng Traffic facilities Co.,ltd, established in 2011 , is a professional engaged in the research, development, sale and service of Speed bump, cable protector , curb ramp .

Selling well in all cities and provinces around China, our products are also exported to clients in such countries and regions as America , Europe and Australia. We also welcome OEM and ODM orders. Whether selecting a current product from our catalog or seeking engineering assistance for your application, you can talk to our customer service center about your sourcing requirements.

Short Wheel Stopper

UN THE GROUND



- Wheel Stops are fabricated from premium quality recycle rubber. They have high resistance to severe impact & brutal weather conditions. They will help regulating the layout of your residential and parking lots. They can be installed onto the ground of the allotted/painted Parking Slots to prevent the car from going beyond its limited location thus to protect wall/glass glazing structures & the car itself from damages.

| Model | Length | Width | Height | Weight | Material | Capacity | Reflective film |
|-------|--------|-------|--------|--------|----------------|----------|-------------------|
| WS02 | 550mm | 160mm | 93mm | 4.2kg | Rubber | 15,000kg | Regular reflector |
| WS04 | 540mm | 150mm | 90mm | 6kg | Rubber | 15,000kg | Regular reflector |
| WS22 | 540mm | 150mm | 100mm | 4.5kg | Rubber | 15,000kg | Regular reflector |
| WS23 | 550mm | 150mm | 90mm | 5kg | Rubber | 15,000kg | Regular reflector |
| WS26 | 480mm | 150mm | 90mm | 3.8kg | Rubber | 15,000kg | Regular reflector |
| WS29 | 490mm | 150mm | 90mm | 3.7kg | Rubber | 15,000kg | Regular reflector |
| WS36 | 560mm | 150mm | 90mm | 2.75kg | Rubber+Plastic | 15,000kg | Regular reflector |

Glass Bead Wheel Stopper



WS27



WS30



WS32



WS42

- Wheel Stops are fabricated from premium quality recycle rubber. They have high resistance to severe impact&brutal weather conditions. They will help regulating the layout of your residential and parking lots. They can be installed onto the ground of the allotted/painted Parking Slots to prevent the car from going beyond it's limited location thus to protect wall/glass glazing structures&the car itself from damages.

| Model | Length | Width | Height | Weight | Material | Capacity | Reflective film |
|-------|--------|-------|--------|--------|----------------|----------|-----------------|
| WS27 | 560mm | 160mm | 100mm | 5.0kg | Rubber | 15,000kg | Glass Bead |
| WS30 | 550mm | 150mm | 150mm | 6.2kg | Rubber | 15,000kg | Glass Bead |
| WS32 | 570mm | 120mm | 80mm | 3.7kg | Rubber | 15,000kg | Glass Bead |
| WS42 | 550mm | 150mm | 100mm | 3.2kg | Rubber+plastic | 15,000kg | Glass Bead |

Mid-length Wheel Stopper



WS28



WS24



WS31



WS05

- Wheel Stops are fabricated from premium quality recycle rubber. They have high resistance to severe impact&brutal weather conditions. They will help regulating the layout of your residential and parking lots. They can be installed onto the ground of the allotted/painted Parking Slots to prevent the car from going beyond it's limited location thus to protect wall/glass glazing structures&the car itself from damages.

| Model | Length | Width | Height | Weight | Material | Capacity | Reflective film |
|-------|--------|-------|--------|--------|----------|----------|-------------------|
| WS28 | 750mm | 160mm | 100mm | 7kg | Rubber | 15,000kg | Regular reflector |
| WS24 | 750mm | 150mm | 90mm | 7kg | Rubber | 15,000kg | Regular reflector |
| WS05 | 900mm | 150mm | 100mm | 8.2kg | Rubber | 15,000kg | Glass Bead |
| WS31 | 1000mm | 180mm | 150mm | 20kg | Rubber | 15,000kg | Glass Bead |

Long Wheel Stopper



WS01&06&25



WS37



WS47

- Durable Material: Wheel Stops are made from 100% recycled rubber .
- REFLECTIVE: Reflective highway tape is molded into the rubber and provides high visibility at night. Reflectivity increases safety for both drivers and pedestrians.
- DURABLE: Resistant to extreme temperature variations, UV light, oils, moisture, road salt and damage. Rubber Wheel Stops will not rust, chip, crack, crumble, corrode or need repainting.
- INSTALLATION: Includes pre-drilled holes for easy installation. Use rebar spikes to install on asphalt surfaces and lag bolts and shields for concrete surfaces.

| Model | Length | Width | Height | Weight | Material | Capacity | Reflective film |
|-------|--------|-------|--------|--------|----------------|----------|-----------------|
| WS25 | 1650mm | 150mm | 100mm | 14kg | Rubber | 15,000kg | Glass Bead |
| WS01 | 1780mm | 150mm | 100mm | 15kg | Rubber | 15,000kg | Glass Bead |
| WS06 | 1830mm | 150mm | 100mm | 16kg | Rubber | 15,000kg | Glass Bead |
| WS37 | 1830mm | 150mm | 100mm | 10.3kg | Rubber+plastic | 15,000kg | Glass Bead |
| WS47 | 2000mm | 150mm | 100mm | 11kg | Rubber+plastic | 15,000kg | Glass Bead |

Australia Parking Curbs



WS33



WS34



| Model | Length | Width | Height | Weight | Material | Capacity | Reflective film |
|-------|--------|-------|--------|--------|----------------|----------|-----------------|
| WS33 | 1650mm | 150mm | 100mm | 14kg | Rubber | 15,000kg | Glass Bead |
| WS34 | 1650mm | 150mm | 100mm | 12.8kg | Rubber+plastic | 15,000kg | Glass Bead |

Longer Parking Curbs



- Wheel Stops are fabricated from premium quality recycle rubber. They have high resistance to severe impact&brutal weather conditions. They will help regulating the layout of your residential and parking lots. They can be installed onto the ground of the allotted/painted Parking Slots to prevent the car from going beyond it's limited location thus to protect wall/glass glazing structures&the car itself from damages.

| Model | Length | Width | Height | Weight | Material | Capacity | Reflective film |
|-------|--------|-------|--------|--------|----------|----------|-------------------|
| WS43 | 1000mm | 250mm | 200mm | 30kg | Rubber | 15,000kg | Regular reflector |
| WS44 | 2000mm | 135mm | 100mm | 13.5kg | Rubber | 15,000kg | Regular reflector |
| WS45 | 2000mm | 150mm | 100mm | 16kg | Rubber | 15,000kg | Regular reflector |
| WS46 | 1000mm | 130mm | 100mm | 16kg | Rubber | 15,000kg | Regular reflector |

Car Parking Guide Mat



- Durable Material: Ours is made of 100% rubber, sturdy and durable, not easily damaged and moved.
- Perfect parking tool: Guaranteed parking in the same spot every day for the best protection for your vehicle, garage and belongings.
- Easy Use: The parking guide mat is designed with two tire bumps - the first small bump lets you know you're on the mat, and the second large bump alerts you to stop.
- Easy to install: There are super strong adhesive stickers on the underside, just peel off the non-slip tape and press down hard on the parking pad to the floor. It is equipped with mounting holes, which can be fixed with screws if long-term fixed use is required.
- Wide Use Range: Fit all vehicles such as Cars, Pickup Trucks, SUVs, Vans, Work Vehicles, RVs, golf carts, riding mowers, and more.

| Model | Length | Width | Height | Weight | Material | Capacity | Reflective film |
|-------|--------|-------|--------|--------|----------|----------|-----------------|
| WS41 | 600mm | 400mm | 70mm | 3.2kg | Rubber | 15,000kg | Glass Bead |

Rubber+Plastic Wheel Stopper



| Model | Length | Width | Height | Weight | Material | Capacity | Regular film |
|-------|--------|-------|--------|--------|----------------|----------|-------------------|
| WS09 | 480mm | 140mm | 90mm | 2.2kg | Rubber+Plastic | 15,000kg | Regular reflector |
| WS15 | 560mm | 160mm | 100mm | 3kg | Rubber+Plastic | 15,000kg | Regular reflector |
| WS19 | 740mm | 150mm | 110mm | 5.2kg | Rubber+Plastic | 15,000kg | Regular reflector |
| WS20 | 760mm | 150mm | 110mm | 6.2kg | Rubber+Plastic | 15,000kg | Regular reflector |
| WS36 | 560mm | 150mm | 90mm | 2.75kg | Rubber+Plastic | 15,000kg | Regular reflector |
| WS38 | 900mm | 150mm | 100mm | 7.35kg | Rubber+Plastic | 15,000kg | Regular reflector |
| WS40 | 560mm | 150mm | 90mm | 4kg | Rubber+Plastic | 15,000kg | Regular reflector |
| WS42 | 550mm | 150mm | 100mm | 3.2kg | Rubber+Plastic | 15,000kg | Regular reflector |
| WS48 | 720mm | 175mm | 145mm | 8.24kg | Rubber+Plastic | 15,000kg | Regular reflector |

Wheel Chock



WC17

WC02

WC04

- Non-Slip surface. All-weather Construction. Oil and salt resistance. Easy to rust and bend steel rings. High-quality rubber handle, can be used in pairs with ropes.
- More convenient to carry, use and summarize.
- Easy placement or positioning; rubber traction pad with oil resistant surface to prevent slippage.

| Model | Length | Width | Height | Weight | Material | Capacity | Reflective film |
|-------|--------|-------|--------|--------|----------|----------|-----------------|
| WC02 | 170mm | 100mm | 100mm | 0.8kg | Rubber | 15,000kg | / |
| WC04 | 240mm | 200mm | 150mm | 3.0kg | Rubber | 15,000kg | / |
| WC17 | 290mm | 150mm | 195mm | 4.7kg | Rubber | 15,000kg | / |

Wheel Chock



- Wheel Chocks with triangular design allows the chock to be easily placed against the wheel for enhancing stability.
- Rubber chocks can be used for a wide range of purposes, perfect for chocking cars, trucks, trailers, small airplanes, RVs, dumpsters, boats, horse trailers, vans, and more to prevent your vehicle rolling away.

| Model | Length | Width | Height | Weight | Material | Capacity | Reflective film |
|-------|--------|-------|--------|--------|----------|----------|-----------------|
| WC01 | 130mm | 80mm | 60mm | 0.4kg | Rubber | 15,000kg | / |
| WC03 | 170mm | 150mm | 110mm | 1.5kg | Rubber | 15,000kg | / |
| WC16 | 240mm | 200mm | 160mm | 5.2kg | Rubber | 15,000kg | / |

Wheel Chock



- Hyper Tough Solid Rubber Heavy Duty Black Wheel Chock. The vehicle wedge avoids the traditional hard-to-grip .Easy to rust and bend steel rings. High-quality rubber handle that can be used in pairs with ropes. Sturdy handle makes it more convenient to carry, use and summarize. Made of high quality rubber material for good durability; long-lasting usage. Safety device to use with ramps or other lifting devices.

| Model | Length | Width | Height | Weight | Material | Capacity | Reflective film |
|-------|--------|-------|--------|--------|----------|----------|-----------------|
| WC05 | 200mm | 100mm | 150mm | 2.0kg | Rubber | 15,000kg | / |
| WC06 | 270mm | 120mm | 190mm | 2.4kg | PU | 15,000kg | / |
| WC07 | 270mm | 120mm | 180mm | 3.0kg | Rubber | 15,000kg | / |
| WC14 | 270mm | 115mm | 175mm | 3.5kg | Rubber | 15,000kg | / |

Wheel Chock



WC18

WC19

WC20

- Wheel Chocks with triangular design allows the chock to be easily placed against the wheel for enhancing stability.
- Rubber chocks can be used for a wide range of purposes, perfect for chocking cars, trucks, trailers, small airplanes, RVs, dumpsters, boats, horse trailers, vans, and more to prevent your vehicle rolling away.

| Model | Length | Width | Height | Weight | Material | Capacity | Reflective film |
|-------|--------|-------|--------|--------|----------|----------|-----------------|
| WC18 | 250mm | 205mm | 265mm | 4.0kg | Rubber | 15,000kg | / |
| WC19 | 300mm | 250mm | 150mm | 4.0kg | Rubber | 15,000kg | / |
| WC20 | 285mm | 150mm | 195mm | 5.5kg | Rubber | 15,000kg | / |


Reflective film Wheel Chock



WC08&09




WC10



WC11



WC12



WC13



WC15

- Wheel Chocks with triangular design allows the chock to be easily placed against the wheel for enhancing stability.
- Rubber chocks can be used for a wide range of purposes, perfect for chocking cars, trucks, trailers, small airplanes, RVs, dumpsters, boats, horse trailers, vans, and more to prevent your vehicle rolling away.

| Model | Length | Width | Height | Weight | Material | Capacity | Reflective film |
|-------|--------|-------|--------|--------|----------|----------|-------------------|
| WC08 | 285mm | 155mm | 185mm | 3.2kg | Rubber | 15,000kg | Regular reflector |
| WC09 | 285mm | 155mm | 185mm | 5.0kg | Rubber | 15,000kg | Regular reflector |
| WC10 | 250mm | 250mm | 180mm | 5.5kg | Rubber | 15,000kg | Regular reflector |
| WC11 | 250mm | 250mm | 180mm | 7.0kg | Rubber | 15,000kg | Regular reflector |
| WC12 | 320mm | 290mm | 260mm | 12.0kg | Rubber | 15,000kg | Regular reflector |
| WC13 | 330mm | 290mm | 270mm | 11.0kg | Rubber | 15,000kg | Regular reflector |
| WC15 | 240mm | 170mm | 195mm | 4.0kg | Rubber | 15,000kg | Regular reflector |

Plastic Wheel Chock



- Plastic Wheel Chocks are an essential component in loading areas for ensuring worker safety. These plastic chocks are extremely lightweight but also durable for use with heavy trailers.

| Model | Length | Width | Height | Weight | Material | Capacity |
|-------|--------|-------|--------|--------|----------|----------|
| PWC01 | 440mm | 200mm | 240mm | 1.9kg | Plastic | 5000kg |
| PWC02 | 440mm | 200mm | 250mm | 1.9kg | Plastic | 5000kg |
| PWC03 | 380mm | 160mm | 170mm | 1kg | Plastic | 5000kg |
| PWC04 | 300mm | 160mm | 180mm | 0.85kg | Plastic | 5000kg |
| PWC05 | 300mm | 160mm | 180mm | 1.1kg | Plastic | 5000kg |
| PWC06 | 200mm | 120mm | 110mm | 0.4kg | Plastic | 5000kg |

Aircraft Wheel Chock



- Aircraft wheel chock are designed for heavy duty loads for all weather and all surfaces. The wheel chocks are heavy enough to stay put while not too heavy to move around easily. Heavy duty nylon rope adds rubber wheel chocks convenience for placement and carry. High visibility safety reflective tapes ensure a safe working environment. Triangular design with ribbed and textured at the bottom offer the desired grip and friction stronger that lets you quickly chock a full axle of tires.

| Model | Length | Width | Height | Weight | Material | Capacity | Reflective film |
|-------|--------|-------|--------|--------|----------|----------|-------------------|
| AWC01 | 200mm | 115mm | 105mm | 1.9kg | Rubber | 15,000kg | Regular reflector |
| AWC02 | 300mm | 140mm | 125mm | 3.5kg | Rubber | 15,000kg | Regular reflector |

Aircraft Wheel Chock



Big Aircraft Wheel Chock



Small Aircraft Wheel Chock



- Keep airplanes, RVs and boat trailers securely parked.
- Safety reflectors for visibility.
- Twin rubber chocks connected by 36" rope for easy handling.
- Designed to chock both sides of wheel.

| Model | Length | Width | Height | Weight | Material | Capacity | Reflective film |
|-------|--------|-------|--------|--------|----------|----------|-------------------|
| AWC03 | 300mm | 160mm | 140mm | 5kg | Rubber | 15,000kg | Regular reflector |
| AWC04 | 450mm | 160mm | 140mm | 6.8kg | Rubber | 15,000kg | Regular reflector |
| AWC05 | 450mm | 180mm | 165mm | 9kg | Rubber | 15,000kg | Regular reflector |
| AWC06 | 610mm | 178mm | 178mm | 11kg | Rubber | 15,000kg | Regular reflector |

Aircraft Wheel Chock-Customized



Customized


Customized colors and mould are acceptable for large quantity.



| Model | Length | Width | Height | Weight | Material | Capacity | Reflective film |
|-------|--------|-------|--------|--------|----------|----------|-------------------|
| AWC06 | 610mm | 178mm | 178mm | 11kg | Rubber | 15,000kg | Regular reflector |

[SHOW DETAILS](#)

Round Rubber Corner Guard



● Corner Guards are constructed from high impact resistance natural rubber. They are designed to protect the edges of columns in structures. Corner guards relieve the tension of chipped&broken corners of pillars / columns.

| Model | Height | Width | Thickness | Weight | Material | Capacity | Reflective film |
|-------|--------|-------|-----------|--------|----------|----------|-------------------|
| CG01 | 600mm | 100mm | 10mm | 1.25kg | Rubber | 15,000kg | Regular reflector |
| CG02 | 800mm | 100mm | 10mm | 2.4kg | Rubber | 15,000kg | Regular reflector |
| CG03 | 1000mm | 100mm | 10mm | 3kg | Rubber | 15,000kg | Regular reflector |
| CG04 | 1200mm | 100mm | 10mm | 3kg | Rubber | 15,000kg | Regular reflector |
| CG05 | 1500mm | 100mm | 10mm | 3.3kg | Rubber | 15,000kg | Regular reflector |
| CG15 | 800mm | 150mm | 10mm | 2.5kg | Rubber | 15,000kg | Regular reflector |

Square Rubber Corner Guard



● Corner Guards are constructed from high impact resistance natural rubber. They are designed to protect the edges of columns in structures. Corner guards relieve the tension of chipped&broken corners of pillars / columns.

| Model | Height | Width | Thickness | Weight | Material | Capacity | Reflective film |
|-------|--------|-------|-----------|--------|----------|----------|-------------------|
| CG08 | 600mm | 100mm | 10mm | 0.7kg | Rubber | 15,000kg | Regular reflector |
| CG09 | 800mm | 100mm | 10mm | 2kg | Rubber | 15,000kg | Regular reflector |
| CG10 | 1000mm | 100mm | 10mm | 2kg | Rubber | 15,000kg | Regular reflector |
| CG11 | 1200mm | 100mm | 10mm | 2.2kg | Rubber | 15,000kg | Regular reflector |
| CG12 | 1500mm | 100mm | 10mm | 3kg | Rubber | 15,000kg | Regular reflector |
| CG06 | 1000mm | 145mm | 10mm | 4.2kg | Rubber | 15,000kg | Regular reflector |
| CG07 | 1200mm | 140mm | 10mm | 4kg | Rubber | 15,000kg | Regular reflector |
| CG13 | 600mm | 150mm | 50mm | 9kg | Rubber | 15,000kg | Regular reflector |
| CG17 | 800mm | 50mm | 5mm | 0.5kg | Rubber | 15,000kg | Regular reflector |
| CG18 | 1000mm | 50mm | 5mm | 0.8kg | Rubber | 15,000kg | Regular reflector |
| CG19 | 1200mm | 50mm | 5mm | 0.85kg | Rubber | 15,000kg | Regular reflector |
| CG22 | 1000mm | 100mm | 10mm | 2kg | Rubber | 15,000kg | Regular reflector |




Rubber Corner Guard



- Corner Guards are constructed from high impact resistance natural rubber. They are designed to protect the edges of columns in structures. Corner guards relieve the tension of chipped&broken corners of pillars / columns.

| Model | Height | Width | Thickness | Weight | Material | Capacity | Reflective film | Color |
|-------|--------|-------|-----------|--------|----------|----------|-------------------|-----------------|
| CG23 | 800mm | 95mm | 9mm | 1.5kg | EVA | 15,000kg | Regular reflector | Red&Yellow&Grey |

Parking Lock



Pull-Up Auto-Lock



Spring Loaded Bump Stops



Full Copper Lock Cylinder




Mounting Screws Included

- Sturdy & Durable: Our safety bollard post uses high-quality Q235 steel material. The steel bollard is strong and durable through excellent design and processing technology.
- High Visibility Safety Bollards: Bright yellow can improve visibility. Improve safety by preventing accidents.
- Easy to Assemble: The bollard post is easy to install with the pre-drilled holes in the bottom base. Every bollard matches 3 anchor bolts and a wrench in a package.
- Versatile Application: This bollard post can be widely used indoors and outdoors for a variety of facilities including roads, sidewalks, parking lots, schools, hotels, banks and etc.

| Model | Height | Weight | Material |
|-------|--------|--------|----------|
| PLA01 | 600mm | 3kg | Iron |
| PLA02 | 600mm | 3.6kg | Iron |
| PLA03 | 700mm | 3.6kg | Iron |
| PLA04 | 700mm | 4kg | Iron |

Parking Lock



PLB01



PLB02

- PARKING LOCK SAFETY DESIGN: arc slope design does not damage the tires, and one-time die-cast slope design prevents injuries from vehicles running over the tires.
- FLOOR LOCK COMPRESSION RESISTANCE: The base is die-cast in one go. The base is made of thickened 2.3MM cold-rolled steel plate. The one-time die-casting base is evenly stressed and can effectively withstand 8 tons of rolling without deformation.
- SECURE PARKING LOCKS: Our parking locks are ideal for managing parking spaces in high-rise residential complexes, shopping malls, hotels, offices and airports.

| Model | Length | Width | Height | Weight | Material |
|-------|--------|-------|--------|--------|----------|
| PLB01 | 600mm | 220mm | 350mm | 6.8kg | Iron |
| PLB02 | 400mm | 300mm | 400mm | 6kg | Iron |

Parking Lock



- T-shaped lock parking fence. Prevent other vehicles from occupying, reserve parking spaces
- 2 colors, choose according to your needs. Bollards Height: 40cm; Width: 53cm
- High-quality three-layer computer paint technology, anti-corrosion, prolong service life
- The warning column is made of cold-rolled steel. Elbow primary molding, strong and beautiful
- Folding rail post ,at up/down function. Equipped with automatic lock, durable bumper


| Model | Length | Width | Height | Weight | Material |
|-------|--------|-------|--------|--------|----------|
| PLB03 | 550mm | 400mm | 70mm | 4kg | Iron |
| PLB04 | 550mm | 400mm | 70mm | 4.4kg | Iron |
| PLB05 | 550mm | 400mm | 70mm | 3.8kg | Iron |



Pull up to automatically lock
Quickly locks when pulled up,
No need to manually lock like a padlock



One-piece molding without welding
Directly machined from a single steel pipe
Greatly improve load-bearing pressure and impact resistance



Car Clamps



- Anti Corro sion Material: Wheel lock is made of aluminium alloy.
- Wide Fitment: This wheel lock can be adjusted to fit 7 to 11 inch wide tire , , truck, motorcycle, ATV, RVS, etc. Make sure the wheel lock size fits your tire width.
- Easy Installment: Open the tire lock and attach it to the trailer tire, adjust it to the proper hole, then push the lock core. You can also quickly unlock and remove the device.

| Model | Height | Holes | Maxexpanson wdt | Weight | Material |
|-------|--------|-------|-----------------|--------|----------|
| WL01 | 460mm | 9 | 300mm | 2kg | steel |
| WL02 | 460mm | 10 | 330mm | 2.1kg | steel |
| WL03 | 460mm | 11 | 370mm | 2.2kg | steel |
| WL04 | 460mm | 12 | 380mm | 2.3kg | steel |



Car Clamps



WL05



WL06&07

- Made of heavy-duty steel and covered by rust-resistant coating, this clamp lock is quite durable, reliable and weather-resistant
- With Disc Covers Lug Nuts-Heavy gauge steel disk covers lug nuts to prevent tire removal, and prevents tire removal and theft
- Wheel Clamp Locks are easy to fit or remove, resists cutting and sawing and stops the vehicle wheel from rotating
- Pay attention to the tire radius less than 14". Suitable for most trailer, car, SUV, Caravan, ATV, RV 24/7.

| Model | Length | Width | Sucking disc Diameter | Suction movable | Weight | Material |
|-------|--------|-------|-----------------------|-----------------|--------|----------|
| WL05 | 420mm | 250mm | 310mm | 90-140mm | 3.4kg | steel |
| WL06 | 750mm | 300mm | 310mm | 90-140mm | 6kg | steel |
| WL07 | 1000mm | 300mm | 310mm | 90-140mm | 9kg | steel |

Dock Safety



YTrafficSafety.com





Tiantai Yongsheng Traffic facilities Co.,ltd, established in 2011 , is a professional engaged in the research, development, sale and service of Speed bump, cable protector , curb ramp .

Selling well in all cities and provinces around China, our products are also exported to clients in such countries and regions as America , Europe and Australia. We also welcome OEM and ODM orders. Whether selecting a current product from our catalog or seeking engineering assistance for your application, you can talk to our customer service center about your sourcing requirements.

Contents

- 01 Truck Dock Bumper
- 02 Heavy Duty Dock Bumper
- 03 Loading Rubber Bumper
- 04 Steel-Faced Bumper
- 05 Bumper strip
- 06 Laminated Rubber Bumper
- 07 Fender

Truck Dock Bumper



RBA01



RBA02



RBA03



RBA04



RBA05

- Extruded Dock Bumpers can be used in a variety of indoor and outdoor applications to provide protection for tow trucks, heavy duty construction equipment and trailers. Our extruded bumpers are available in a variety of styles to offer you greater flexibility for in-plant wall protection from material handling vehicles. Made from weather and abrasion resistant materials, this loading dock equipment is designed to last.

| Model | Length | Width | Height | Holes Spacing | Weight | Material | Capacity |
|-------|--------|-------|--------|---------------|--------|----------|----------|
| RBA01 | 120mm | 80mm | 85mm | 65mm | 0.8kg | Rubber | 15,000kg |
| RBA02 | 200mm | 80mm | 80mm | 90mm | 1.2kg | Rubber | 15,000kg |
| RBA03 | 250mm | 80mm | 90mm | 120mm | 1.8kg | Rubber | 15,000kg |
| RBA04 | 350mm | 100mm | 100mm | 200mm | 3.8kg | Rubber | 15,000kg |
| RBA05 | 410mm | 110mm | 100mm | 315mm | 5kg | Rubber | 15,000kg |

Heavy Duty Dock Bumper



- Heavy duty rubber bumper stop with rear void
- Molded angle design to absorb and distribute impact
- Reduces damage to loading dock bays / trucks

| Model | Length | Width | Height | Holes Spacing | Weight | Material | Capacity |
|-------|--------|-------|--------|---------------|--------|----------|----------|
| RBA06 | 300mm | 200mm | 90mm | 165mm | 5.8kg | Rubber | 15,000kg |
| RBA08 | 400mm | 200mm | 100mm | 290mm | 10kg | Rubber | 15,000kg |
| RBA10 | 450mm | 250mm | 100mm | 250mm | 13.5kg | Rubber | 15,000kg |
| RBA11 | 450mm | 250mm | 150mm | 250mm | 19kg | Rubber | 15,000kg |
| RBA12 | 500mm | 250mm | 90mm | 250mm | 14.5kg | Rubber | 15,000kg |
| RBA14 | 500mm | 250mm | 100mm | 320mm | 15kg | Rubber | 15,000kg |
| RBA18 | 700mm | 300mm | 100mm | | | Rubber | 15,000kg |

Loading Dock Bumper



RBA07

RBA09&13

RBA15

- Reduce damage to loading dock bays from truck trailer impacts with heavy duty molded rubber Dock Bumpers. Each rubber bumper stop is designed to mount vertically to the sides of a dock leveler by mounting holes with 2" deep washer countersinks. The molded angle extrusion is intended to absorb and distribute the collision and features a bottom void allowing the rubber dock guards to flex along with the impact. Rubber bumper stops also work great for in-plant wall protection in low material handling traffic areas.

| Model | Length | Width | Height | Holes Spacing | Weight | Material | Capacity |
|-------|--------|-------|--------|---------------|--------|----------|----------|
| RBA07 | 330mm | 300mm | 95mm | | 12kg | Rubber | 15,000kg |
| RBA09 | 400mm | 200mm | 100mm | 210mm | 12.5kg | Rubber | 15,000kg |
| RBA13 | 500mm | 250mm | 100mm | 335mm | 18kg | Rubber | 15,000kg |
| RBA15 | 300mm | 300mm | 100mm | | 8.4kg | Rubber | 15,000kg |

Steel-Faced Bumper



Rubber&10mm
thickness steel



Rubber&
UHMWPE plate

- Molded Rubber Bumpers help protect the rear of a truck or trailer when backing to a loading dock or delivery bay. Bumpers are an ideal addition to any piece of equipment that has a high frequency of contact, such as a loading dock or delivery bay. Designed for high-impact resistance, the durable bumpers are constructed +UHMWPE from heavy-duty compression-molded rubber and won't rust or dent.
- These bumpers are also perfect for bridging the gap between tall trucks and docks with long overhangs.



| Model | Length | Width | Height | Holes Spacing | Weight | Material | Capacity |
|--------|--------|-------|--------|---------------|--------|--------------------------------|----------|
| RBA14S | 500mm | 250mm | 110mm | 320mm | 20kg | Rubber&10mm thickness steel | 30,000kg |
| RBA16 | 450mm | 250mm | 160mm | | 21.4kg | Rubber& UHMWPE plate | 30,000kg |
| RBA17 | 450mm | 250mm | 110mm | | 10.8kg | Rubber& UHMWPE plate | 30,000kg |

Bumper strip



| Model | Length | Width | Height | Reflector | Weight | Material | Capacity |
|-------|--------|-------|--------|------------|--------|----------|----------|
| RBB01 | 1000mm | 160mm | 50mm | Glass bead | 4.65kg | Rubber | 15,000kg |
| RBB02 | 1000mm | 130mm | 45mm | Glass bead | 5kg | Rubber | 15,000kg |
| RBB03 | 1000mm | 200mm | 25mm | Glass bead | 4.3kg | Rubber | 15,000kg |
| RBB04 | 1000mm | 200mm | 25mm | Glass bead | 4.3kg | Rubber | 15,000kg |
| RBB05 | 1000mm | 250mm | 25mm | Glass bead | 6.2kg | Rubber | 15,000kg |
| RBB06 | 1000mm | 200mm | 50mm | Glass bead | 8.2kg | Rubber | 15,000kg |
| RBB07 | 1000mm | 250mm | 45mm | Glass bead | 10kg | Rubber | 15,000kg |
| RBB08 | 1000mm | 200mm | 85mm | Glass bead | 14kg | Rubber | 15,000kg |
| RBB09 | 1000mm | 200mm | 85mm | Glass bead | 14kg | Rubber | 15,000kg |

Laminated Rubber Bumper



- This unit is constructed of fabric reinforced rubber from recycled truck tires. The pads are laminated between painted structural angles and held together with steel tie rods.
- Specially designed to absorb and distribute collision impact, these horizontal dock bumpers are made from durable, stacked rubber.
- These bumpers are also perfect for bridging the gap between tall trucks and docks with long overhangs.

| Model | Length | Width | Height | Steel size | Weight | Material | Capacity |
|-------|--------|-------|--------|------------|--------|----------|----------|
| RBC01 | 150mm | 300mm | 100mm | 50*50mm | 5kg | Rubber | 15,000kg |
| RBC02 | 250mm | 350mm | 100mm | 50*50mm | 9kg | Rubber | 15,000kg |
| RBC03 | 300mm | 300mm | 100mm | 50*50mm | 10kg | Rubber | 15,000kg |
| RBC04 | 300mm | 350mm | 100mm | 50*50mm | 12kg | Rubber | 15,000kg |
| RBC05 | 300mm | 400mm | 100mm | 50*50mm | 12.5kg | Rubber | 15,000kg |
| RBC06 | 300mm | 500mm | 100mm | 50*50mm | 17.5kg | Rubber | 15,000kg |
| RBC07 | 300mm | 350mm | 150mm | 75*75mm | 14.2kg | Rubber | 15,000kg |
| RBC08 | 300mm | 400mm | 150mm | 50*50mm | 15.5kg | Rubber | 15,000kg |
| RBC09 | 400mm | 300mm | 100mm | 50*50mm | 12kg | Rubber | 15,000kg |
| RBC10 | 400mm | 350mm | 100mm | 50*50mm | 13kg | Rubber | 15,000kg |
| RBC11 | 250mm | 400mm | 100mm | 75*75mm | 10.5kg | Rubber | 15,000kg |
| RBC12 | 450mm | 350mm | 100mm | 50*50mm | 13.7kg | Rubber | 15,000kg |
| RBC13 | 250mm | 300mm | 100mm | 50*50mm | 8kg | Rubber | 15,000kg |
| RBC14 | 400mm | 350mm | 100mm | 50*50mm | 21kg | Rubber | 15,000kg |
| RBC15 | 300mm | 300mm | 200mm | 50*50mm | 18.7kg | Rubber | 15,000kg |
| RBC16 | 500mm | 350mm | 100mm | 50*50mm | 15.5kg | Rubber | 15,000kg |
| RBC17 | 400mm | 400mm | 100mm | 50*50mm | 15.5kg | Rubber | 15,000kg |

Fender



RBD01



RBD02



RBD03



RBD04



RBD05



RBD10



RBD08



RBD09

| Model | Length | Width | Height | Inside | Weight | Material | Capacity |
|-------|--------|-------|--------|--------|--------|----------|----------|
| RBD01 | 1000mm | 100mm | 100mm | Solid | 10kg | Rubber | 15,000kg |
| RBD02 | 1000mm | 150mm | 150mm | Solid | 20kg | Rubber | 15,000kg |
| RBD03 | 900mm | 100mm | 100mm | Empty | 8kg | Rubber | 15,000kg |
| RBD04 | 900mm | 150mm | 150mm | Empty | 11.5kg | Rubber | 15,000kg |
| RBD05 | 1000mm | 100mm | 100mm | Empty | 9kg | Rubber | 15,000kg |
| RBD06 | 1000mm | 150mm | 150mm | Empty | 17kg | Rubber | 15,000kg |
| RBD07 | 1000mm | 200mm | 200mm | Empty | 33kg | Rubber | 15,000kg |
| RBD08 | 1000mm | 200mm | 150mm | Solid | 36.5kg | Rubber | 15,000kg |
| RBD10 | 1000mm | 150mm | 90mm | Empty | | Rubber | 15,000kg |



Tiantai Yongsheng Traffic facilities Co.,ltd.

Add: No. 73, Hongchou West Road, Hongchou Town, Tiantai County,

Taizhou City, Zhejiang, China

Zip: 317210

E-Mail: info@ystrafficsafety.com

Tel: +86-18968682471

<https://www.ystrafficsafety.com>

天台县永盛交通设施有限公司

地址: 中国浙江省台州市天台县洪畴镇洪畴西路73号

邮编: 317210

电子邮件: info@ystrafficsafety.com

电话: +86-18968682471

网址: <https://www.ystrafficsafety.com>

