

RAMP



www.ystrafficsafety.com



About Us



Tiantai Yongsheng Traffic facilities Co.,Ltd. is a factory dedicated to the production of rubber material facilities products and the development of products using exclusive rubber production technologies. We are a domestic production base for the large-scale production of rubber transportation facilities, integrating production, processing, and customization. The company also integrates chemical products and relies on high-quality rubber materials to establish a foothold in the rubber traffic facilities market.

With over 2,000 tons of rubber traffic facilities annually, our products are mainly exported to the United States, Australia, Canada, United Kingdom, Spain, Italy, the Netherlands, South Korea, Russia, Germany, etc. Many of our cooperative customers in dozens of countries sell rubber traffic facilities and rubber ramps and have become important suppliers of their traffic facilities in China.

We are a company committed to building long-term partnerships with our customers all around the world. Our goal is to be your primary source for all kinds of traffic safety and parking lot products. Our tenets are integrity, Innovation, Diligence and Humanity.



Contents

01	TRA Threshold Ramp
02	TRB Threshold Ramp
03	TRC Wheelchair Ramp
04	TRC Wheelchair Ramp
05	TRC Wheelchair Ramp
06	TRD Threshold Ramp
07	TRG Threshold Ramp
08	RTR Threshold Ramp
09	TRF Threshold Ramp
10	TPR Threshold Ramp
11	TRC06 Ramp
12	TRC08 Ramp
13	TRC99 Ramp
14	SLR50 Ramp
15	CRA Kerb Ramp
16	CRB Kerb Ramp
17	CRC Kerb Ramp
18	CRD Kerb Ramp
19	CRE Kerb Ramp
20	HRA Kerb Ramp
21	HRB Kerb Ramp
22	HRD Kerb Ramp
23	HRE Kerb Ramp
24	HRF Kerb Ramp
25	Rubber Base
26	Modular Ramp
27	Heavy Duty Mud Ground Mat



Tiantai Yongsheng Traffic facilities Co.,ltd, established in 2011 , is a professional engaged in the research, development, sale and service of Speed bump, cable protector , curb ramp .

Selling well in all cities and provinces around China, our products are also exported to clients in such countries and regions as America , Europe and Australia. We also welcome OEM and ODM orders. Whether selecting a current product from our catalog or seeking engineering assistance for your application, you can talk to our customer service center about your sourcing requirements.

ADA Cable Cover

Ours: ∠4.62

ADA: ∠8.33



YS-LY5XC-1





Model	Length	Width	Height	Weight	Material	Channel	Channel size
YS-LY5XC-1	1100mm	750mm	50mm	20.5kg	Rubber&PVC	5	35*35mm

- The 5-Channel ADA Cable Protector is ADA compliant and features a low profile gentle slope, creating an easy cable crossing point for wheelchair and pedestrian traffic. The ADA Cable Protector is engineered to withstand the abuse of heavy pedestrian and vehicle traffic areas.


5-Channel ADA Cable Protectors feature:

- Heavy-duty, rubber construction
- High traction tread design
- Radiused divider ends to minimize cable snags
- Easy to use inter-connects



Net Weight: 19kg/41.8lbs
Capacity: 15000kg/33000lbs

TRF Threshold Ramp



- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications.



You can purchase multiple ramps for cutting and splicing as needed




MODEL	Length	Width	Height	Weight	Material	Capacity
TRF08	900mm	80mm	8mm	0.65kg	Rubber	1000kg
TRF15	900mm	140mm	15mm	1.7kg	Rubber	1000kg
TRF20	900mm	150mm	20mm	2.6kg	Rubber	1000kg
TRF25	900mm	200mm	25mm	3.2kg	Rubber	1000kg
TRF30	900mm	200mm	30mm	4.9kg	Rubber	1000kg
TRF35	900mm	200mm	35mm	5.6kg	Rubber	1000kg
TRF40	900mm	200mm	40mm	6.5kg	Rubber	1000kg
TRF45	900mm	250mm	45mm	8.7kg	Rubber	1000kg



TRA Threshold Ramp

- Durable rubber construction
- Beveled sides provide smooth transition
- Great for indoor or outdoor use and homes or businesses



- Rubber threshold ramps help you move through entryways by eliminating bumps to go over. To provide a smooth and secure transition, position the rubber threshold ramp against the door threshold.



MODEL	Length	Width	Height	Weight	Material	Capacity
TRA25	1100mm	210mm	25mm	4.2kg	Rubber	1000kg
TRA38	1100mm	320mm	38mm	8.4kg	Rubber	1000kg
TRA50	1100mm	410mm	50mm	12kg	Rubber	1000kg
TRA64	1100mm	420mm	64mm	14.7kg	Rubber	1000kg
TRA75	900mm	450mm	75mm	14.6kg	Rubber	1000kg
TRA88	900mm	530mm	88mm	19.5kg	Rubber	1000kg
TRA100	900mm	610mm	100mm	25.4kg	Rubber	1000kg
TRA125	900mm	800mm	125mm	33.5kg	Rubber	1000kg
TRA150	900mm	1000mm	150mm	50kg	Rubber	1000kg



TRB Threshold Ramp



- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications.



Matte surface improve anti-slip



Model	Length	Width	Height	Weight	Material	Capacity
TRB10	1000mm	40mm	10mm	0.5kg	Rubber	1000kg
TRB15	1000mm	60mm	15mm	0.8kg	Rubber	1000kg
TRB20	1000mm	80mm	20mm	1.5kg	Rubber	1000kg
TRB25	1000mm	80mm	25mm	1.5kg	Rubber	1000kg
TRB30	1000mm	100mm	30mm	2.5kg	Rubber	1000kg
TRB35	1000mm	100mm	35mm	2.5kg	Rubber	1000kg
TRB40	1000mm	120mm	40mm	3kg	Rubber	1000kg
TRB45	1000mm	120mm	45mm	3.6kg	Rubber	1000kg
TRB50	1000mm	120mm	50mm	3.8kg	Rubber	1000kg
TRB55	1000mm	120mm	55mm	4.4kg	Rubber	1000kg
TRB60	1000mm	150mm	60mm	5.5kg	Rubber	1000kg
TRB65	1000mm	150mm	65mm	6kg	Rubber	1000kg

TRC Wheelchair Ramp




TRC01



TRC02



TRC03



Safe area effectively protects cables, threshold

- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications. A grooved surface provides traction both indoors and outdoors, and two holes at the front of the ramp allow it to be permanently mounted.

MODEL	Length	Width	Height	Weight	Material	Capacity
TRC01	700mm	400mm	110mm	14kg	Rubber	5000kg
TRC02	500mm	390mm	75mm	6.5kg	Rubber	5000kg
TRC03	800mm	400mm	80mm	13kg	Rubber	5000kg
TRC04	800mm	500mm	100mm	17kg	Rubber	5000kg





TRC Wheelchair Ramp



Rollator Walker




Cars



Trolley



Wheelchair





Safe area effectively protects cables, threshold

- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications. A grooved surface provides traction both indoors and outdoors, and two holes at the front of the ramp allow it to be permanently mounted.

MODEL	Length	Width	Height	Weight	Material	Capacity	Channel
TRC05	820mm	380mm	38mm	6.2kg	Rubber	30000kg	120*(25-80)mm
TRC07	900mm	380mm	70mm	9.5kg	Rubber	30000kg	175*(50-90)mm
TRC09	810mm	500mm	63mm	10.5kg	Rubber	30000kg	145*(30-60)mm
TRC10	860mm	500mm	70mm	12.5kg	Rubber	30000kg	145*(50-90)mm
TRC11	910mm	500mm	80mm	14.5kg	Rubber	30000kg	145*(60-90)mm

TRD Threshold Ramp



- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications.



MODEL	Length	Width	Height	Weight	Material	Capacity
TRD20	1000mm	160mm	20mm	1.9kg	Rubber	5000kg
TRD30	1000mm	300mm	30mm	6.2kg	Rubber	5000kg
TRD40	1000mm	400mm	40mm	8.1kg	Rubber	5000kg
TRD50	1000mm	500mm	50mm	11.6kg	Rubber	5000kg
TRD60	1000mm	600mm	60mm	16.3kg	Rubber	5000kg
TRD70	1000mm	700mm	70mm	20.9kg	Rubber	5000kg

TRG Threshold Ramp



Grid Structure Design
Skid-proof&Stand stably



Lightweight Ramp
Easy transport & storage

- Rubber threshold ramps help you move through entryways by eliminating bumps to go over. To provide a smooth and secure transition, position the rubber threshold ramp against the door threshold.
- Provides a transition to elevated surfaces up to 2-1/2" Textured surface for traction
- Works great for pedestrian traffic, wheelchairs, power chairs, and scooters

MODEL	Length	Width	Height	Weight	Material	Capacity
TRG65	1060mm	610mm	65mm	18kg	Rubber	5000kg
TRG75	1060mm	610mm	75mm	22kg	Rubber	5000kg
TRG100	1060mm	610mm	100mm	28kg	Rubber	5000kg

RTR Threshold Ramp




- Curb ramps create a gentle slope, minimizing vehicle impact and reducing wear and tear on tires and suspension systems. Curb ramps enhance accessibility, making it easier for individuals with mobility challenges, parents with strollers, or anyone pushing a cart to traverse the curb seamlessly.

MODEL	Length	Width	Height	Weight	Material	Capacity
RTR25	1100mm	210mm	25mm	4.3kg	Rubber	5000kg
RTR38	1100mm	320mm	38mm	6.4kg	Rubber	5000kg
RTR50	1100mm	410mm	50mm	9kg	Rubber	5000kg
RTR75	900mm	450mm	75mm	11.2kg	Rubber	5000kg
RTR88	900mm	530mm	88mm	16.5kg	Rubber	5000kg
RTR100	900mm	610mm	100mm	17.6kg	Rubber	5000kg



TPR Threshold Ramp



- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications.



MODEL	Size	Weight	MODEL	Size	Weight
TPR04	900*40*4mm	0.1kg	TPR32	900*200*32mm	2.9kg
TPR06	900*60*6mm	0.3kg	TPR36	900*200*36mm	3.6kg
TPR08	900*80*8mm	0.5kg	TPR40	900*250*40mm	3.9kg
TPR10	900*100*10mm	0.8kg	TPR44	900*250*44mm	4.3kg
TPR12	900*120*12mm	1.1kg	TPR48	900*250*48mm	5.2kg
TPR16	900*150*16mm	1.2kg	TPR52	900*300*52mm	5.8kg
TPR20	900*150*20mm	1.9kg	TPR56	900*300*56mm	6.5kg
TPR24	900*150*24mm	2kg	TPR60	900*300*60mm	7.7kg
TPR28	900*200*28mm	2.2kg			

TRC06 Ramp




Before:Jolt



After:Smooth



- Curb ramps create a gentle slope, minimizing vehicle impact and reducing wear and tear on tires and suspension systems. Curb ramps enhance accessibility, making it easier for individuals with mobility challenges, parents with strollers, or anyone pushing a cart to traverse the curb seamlessly.



Easy installation

Easy installation



Non-slip Surface

Customized LOGO



Shock Absorption

Allow water flow
through bottom channel



Bright Color Strip

High Visibility

MODEL	Length	Width	Height	Weight	Material	Capacity
TRC06	1220mm	410mm	65mm	16kg	Rubber	1000kg

TRC08 Ramp



- Curb ramps create a gentle slope, minimizing vehicle impact and reducing wear and tear on tires and suspension systems. Curb ramps enhance accessibility, making it easier for individuals with mobility challenges, parents with strollers, or anyone pushing a cart to traverse the curb seamlessly.



Customized LOGO



Easy installation



Textured rubber to ensure maximum traction



Integrated water channel for optimal drainage

MODEL	Length	Width	Height	Weight	Material	Capacity
TRC08	1200mm	410mm	65mm	20kg	Rubber	1000kg

TRC99 Ramp




- Curb ramps create a gentle slope, minimizing vehicle impact and reducing wear and tear on tires and suspension systems. Curb ramps enhance accessibility, making it easier for individuals with mobility challenges, parents with strollers, or anyone pushing a cart to traverse the curb seamlessly.



Easy installation



Textured rubber to ensure maximum traction



Integrated water channel for optimal drainage

MODEL	Length	Width	Height	Weight	Material	Capacity
TRC99	1210mm	410mm	65mm	16.7kg	Rubber	1000kg

SLR50 Ramp




MINE

- *100% rubber
- *pressure production
- *High load capacity; 30 tons
- *Longer service life 24-36 months if used on scissor lift




VS Others

- *Rubber particles
- *Glue production
- *Low load capacity; 5 tons
- *Be broken quickly in 1 month if used on scissor lift



MODEL	Length	Width	Height	Weight	Material	Capacity
SLR50	1000mm	500mm	50mm	20kg	Rubber	5000kg

CRA Kerb Ramp



CRA01





CRA03



CRA07

- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications.



MODEL	Length	Width	Height	Weight	Material	Capacity
CRA01	480mm	340mm	100mm	7.8kg	Rubber	5000kg
CRA02	480mm	420mm	105mm	14.5kg	Rubber	5000kg
CRA03	480mm	320mm	135mm	10.6kg	Rubber	5000kg
CRA04	490mm	410mm	140mm	14.3kg	Rubber	5000kg
CRA05	500mm	400mm	160mm	15.6kg	Rubber	5000kg
CRA06	500mm	240mm	100mm	6.8kg	Rubber	5000kg
CRA07	600mm	240mm	100mm	7.9kg	Rubber	5000kg

CRB Kerb Ramp



CRB05



CRB02




CRB03




- Using to bicycle, wheelchair's and Car ramp(Roadway<-->Sidewalk).
- Easy to install move and sustain performance of strength force up to 20 ton.
- Available to keep the vehicle inside and using to install for emergency situation.
- High performance of face grip and high brightness reflective sheet on the product.

MODEL	Length	Width	Height	Weight	Material	Capacity
CRB01	500mm	265mm	80mm	6.4kg	Rubber	5000kg
CRB02	480mm	300mm	100mm	8.5kg	Rubber	5000kg
CRB03	490mm	375mm	155mm	13.4kg	Rubber	5000kg
CRB04	400mm	490mm	190mm	18.1kg	Rubber	5000kg
CRB05	400mm	250mm	130mm	6kg	Rubber	5000kg
CRB06	600mm	285mm	100mm	8.1kg	Rubber	5000kg
CRB07	600mm	385mm	150mm	15.2kg	Rubber	5000kg



CRC Kerb Ramp



- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications. A grooved surface provides traction both indoors and outdoors, and two holes at the front of the ramp allow it to be permanently mounted.

MODEL	Length	Width	Height	Weight	Material	Capacity
CRC01	1000mm	250mm	60mm	11.9kg	Rubber	5000kg
CRC02	1000mm	250mm	40mm	6.5kg	Rubber	5000kg
CRC03	1000mm	150mm	50mm	5.5kg	Rubber	5000kg
CRC04	1000mm	180mm	60mm	7kg	Rubber	5000kg
CRC05	1000mm	150mm	30mm	3.4kg	Rubber	5000kg
CRC06	1000mm	250mm	70mm	12kg	Rubber	5000kg
CRC07	1000mm	250mm	50mm	9.2kg	Rubber	5000kg

CRD Kerb Ramp



CRD01



CRD05



CRD06



CRD03



CRD04



- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications. A grooved surface provides traction both indoors and outdoors, and two holes at the front of the ramp allow it to be permanently mounted.



MODEL	Length	Width	Height	Weight	Material	Capacity
CRD01	300mm	600mm	160mm	10.3kg	Rubber	5000kg
CRD02	300mm	600mm	190mm	13kg	Rubber	5000kg
CRD03	300mm	650mm	230mm	16.6kg	Rubber	5000kg
CRD04	450mm	270mm	70mm	3.3kg	Rubber	5000kg
CRD05	500mm	310mm	110mm	9kg	Rubber	5000kg
CRD06	500mm	310mm	110mm	9kg	Rubber+Plastic	5000kg

CRE Kerb Ramp



CRE01



CRE02



CRE03



CRE04

- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications.

MODEL	Length	Width	Height	Weight	Material	Capacity
CRE01	800mm	500mm	160mm	10kg	Rubber	5000kg
CRE02	500mm	250mm	120mm	6.5kg	Rubber	5000kg
CRE03	600mm	400mm	140mm	8kg	Rubber	5000kg
CRE04	800mm	500mm	190mm	12kg	Rubber	5000kg

HRA Kerb Ramp



- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications.



MODEL	Length	Width	Height	Weight	Material	Capacity
HRA50	500mm	500mm	50mm	7kg	Rubber	5000kg
HRA60	500mm	500mm	60mm	7.5kg	Rubber	5000kg
HRA70	500mm	500mm	70mm	8kg	Rubber	5000kg

HRB Kerb Ramp



MODEL	Length	Width	Height	Weight	Material	Capacity
HRB70	500mm	600mm	70mm	13kg	Rubber	5000kg
HRB80	500mm	600mm	80mm	13.5kg	Rubber	5000kg
HRB90	500mm	600mm	90mm	14kg	Rubber	5000kg
HRB100	500mm	600mm	100mm	15kg	Rubber	5000kg
HRB110	500mm	600mm	110mm	15.5kg	Rubber	5000kg
HRB120	500mm	600mm	120mm	15.8kg	Rubber	5000kg
HRB130	500mm	600mm	130mm	16kg	Rubber	5000kg
HRB140	500mm	600mm	140mm	16kg	Rubber	5000kg
HRB150	500mm	600mm	150mm	16kg	Rubber	5000kg
HRB180	500mm	600mm	180mm	20kg	Rubber	5000kg
HRB190	500mm	600mm	190mm	20.5kg	Rubber	5000kg
HRB200	500mm	600mm	200mm	21kg	Rubber	5000kg

HRC Kerb Ramp



MODEL	Length	Width	Height	Weight	Material	Capacity
HRC90	500mm	800mm	90mm	19.5kg	Rubber	5000kg
HRC100	500mm	800mm	100mm	20kg	Rubber	5000kg
HRC110	500mm	800mm	110mm	20.5kg	Rubber	5000kg
HRC120	500mm	800mm	120mm	21.5kg	Rubber	5000kg
HRC130	500mm	800mm	130mm	22kg	Rubber	5000kg
HRC140	500mm	800mm	140mm	22.5kg	Rubber	5000kg



HRD Kerb Ramp



MODEL	Length	Width	Height	Weight	Material	Capacity
HRD100	500mm	800mm	100mm	21kg	Rubber	5000kg
HRD110	500mm	800mm	110mm	21.5kg	Rubber	5000kg
HRD120	500mm	800mm	120mm	22kg	Rubber	5000kg
HRD130	500mm	800mm	130mm	23.5kg	Rubber	5000kg
HRD140	500mm	800mm	140mm	24kg	Rubber	5000kg
HRD150	500mm	800mm	150mm	24.5kg	Rubber	5000kg
HRD160	500mm	800mm	160mm	25kg	Rubber	5000kg
HRD170	500mm	800mm	170mm	25.5kg	Rubber	5000kg
HRD180	500mm	800mm	180mm	26kg	Rubber	5000kg
HRD190	500mm	800mm	190mm	26.5kg	Rubber	5000kg
HRD200	500mm	800mm	200mm	27kg	Rubber	5000kg

HRE Kerb Ramp



- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications.

MODEL	Length	Width	Height	Weight	Material	Capacity
HRE100	500mm	1000mm	100mm	23kg	Rubber	5000kg
HRE110	500mm	1000mm	110mm	23.5kg	Rubber	5000kg
HRE120	500mm	1000mm	120mm	24kg	Rubber	5000kg
HRE130	500mm	1000mm	130mm	24.5kg	Rubber	5000kg
HRE140	500mm	1000mm	140mm	25kg	Rubber	5000kg
HRE150	500mm	1000mm	150mm	25.5kg	Rubber	5000kg


HRF Kerb Ramp




Model	Length	Width	Height	Weight	Material	Capacity
HRF100	500mm	1500mm	100mm	32kg	Rubber	5000kg
HRF110	500mm	1500mm	110mm	32.5kg	Rubber	5000kg
HRF120	500mm	1500mm	120mm	33kg	Rubber	5000kg
HRF130	500mm	1500mm	130mm	37.5kg	Rubber	5000kg
HRF140	500mm	1500mm	140mm	38kg	Rubber	5000kg
HRF150	500mm	1500mm	150mm	39kg	Rubber	5000kg
HRF180	500mm	1500mm	180mm	50kg	Rubber	5000kg
HRF190	500mm	1500mm	190mm	50.5kg	Rubber	5000kg
HRF200	500mm	1500mm	200mm	51kg	Rubber	5000kg
HRF210	500mm	1500mm	210mm	55kg	Rubber	5000kg
HRF220	500mm	1500mm	220mm	55kg	Rubber	5000kg
HRF230	500mm	1500mm	230mm	56kg	Rubber	5000kg

- Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications.

Rubber Base



- There are lots of modular ramp sizes to meet end user' s requirement basing on the rubber base.



Model	Length	Width	Height	Weight	Material	Capacity
Rubber base-1	500mm	1000mm	100mm	35kg	Rubber	5000kg
Rubber base-2	500mm	1000mm	50mm	20.5kg	Rubber	5000kg
Rubber base-3	500mm	500mm	150mm	29kg	Rubber	5000kg

Modular Ramp

- Rubber base and HR series are used together to customize the size you want, showing a variety of combinations



Modular ramp-A (sideways rubber base with ramp)



Modular ramp-B (endways rubber base with ramp)



Modular ramp-C (endways or sideways rubber base with two ramps)

Heavy Duty Mud Ground Mat



- Unaffected by heat or cold
- Easy to transport, carry, lay out and store
- Unbreakable up to 30 tonnes
- Avoid costs of environmental damage



- Ground mats not only protect your expensive turf but also provide access and traction over mud, sand, snow and other difficult surfaces .
- Ground mats can be used to create temporary roadways for all types of vehicles and equipment, large work pads for drilling, administrative compounds, bone yards, temporary flooring, oil drilling rig mats and other industrial application.

Model	Length	Width	Height	Weight	Load Capacity
HDPE-M-01	2440mm	1100mm	12.7mm	36kg	For muddy, 20Tons
HDPE-M-02	2000mm	1100mm	40mm	20kg	For concrete, 80Tons





Tiantai Yongsheng Traffic facilities Co.,ltd.
Add: No. 73, Hongchou West Road, Hongchou Town, Tiantai County,
Taizhou City, Zhejiang, China
Zip: 317210
E-Mail: info@ystrafficsafety.com
Tel: +86-18968682471
<https://www.ystrafficsafety.com>

天台县永盛交通设施有限公司
地址：中国浙江省台州市天台县洪畴镇洪畴西
路73号
邮编：317210
电子邮件： info@ystrafficsafety.com
电话：+86-18968682471
网址： <https://www.ystrafficsafety.com>

