

<https://fivestone.en.alibaba.com>

2025 CATALOGUE

Zhejiang Wushi Industry & Trade CO.,LTD.



Facebook



Instagram



Twitter



<https://fivestone.en.alibaba.com/>

E-wash

CONTENTS

HIGH PRESSURE WASHER
ACCESSORIES

PRODUCTS SERIES

01-58

HOUSEHOLD

HIGH PRESSURE WASHER

01 /C201 SERIES
02 /C203 SERIES
03 /C202i SERIES
04 /C204i SERIES
05 /C206i SERIES
06 /C208i SERIES
08 /C301 SERIES
09 /C302 SERIES
10 /C303 SERIES
11 /C304B SERIES
12 /C305 SERIES
14 /C401 SERIES
16 /C402 SERIES
17 /C403 SERIES
18 /C4031 SERIES
19 /C405 SERIES
20 /C406 SERIES
21 /C407 SERIES
22 /C4011 SERIES
23 /C4012 SERIES
24 /C4013 SERIES
25 /C401 PLUS SERIES
26 /C402 PLUS SERIES
27 /C403 PLUS SERIES
28 /C4031 PLUS SERIES
29 /C405 PLUS SERIES
30 /C4011 PLUS SERIES
31 /C4012 PLUS SERIES
32 /C4013 PLUS SERIES

34 /C501~C501i SERIES
36 /C502~C502i SERIES
38 /C503~C503i SERIES
40 /C5041~C5041PLUS SERIES
42 /C505~C505i SERIES
44 /C507 SERIES
45 /C5081 SERIES
46 /C509~C509i SERIES
48 /C5011~C5011i SERIES
50 /C5012~C5012i SERIES
53 /C504 SERIES
54 /C508 SERIES
55 /C512 SERIES
56 /C601~C601i SERIES
58 /C6013~C6013i SERIES

60-61

ACCESSORIES

62-67

COMMERCIAL

HIGH PRESSURE WASHER

63 /S41 SERIES
64 /S42 SERIES
66 /S51 SERIES
67 /S52 SERIES

HOUSEHOLD

HIGH PRESSURE WASHER

E-wash

INTRODUCTION

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Portable
- Wobble plate pump
- Quick connect design

STANDARD ACCESSORIES

- GUN
- Middle lance
- Nozzle
- 5m High Pressure hose
- Transparent water inlet screw
- Nozzle pin



C201

HOUSEHOLD
HIGH PRESSURE WASHER



STANDARD CONFIGURATION



SPECIFICATIONS

Model Name	C201-1000B	C201-1200B	C201-1400B	C201-1500B
Motor Type	Carbon Brush			
Voltage / Frequency	220-240V 50Hz/60Hz			
Rated Pressure (bar)	55	60	70	80
Max Pressure (bar)	80	90	105	120
Rated Flow (L/Min)	4,8	5,5		
Max Flow (L/Min)	6,0	6,5		
Total Stop System (TSS)	✓			
Motor Power (Watts)	1000	1200	1400	1500
Adjustable Nozzle	✓			
Product Dimension (Lx W x H)	240x358x262 mm			
Carton Dimension (Lx W x H)	370x250x280 mm			
Gross Weight (Kg)	4,9	5,1	5,3	5,5
Loadable Quantity (T/PAC/CTN)	1080/2230/2510 PCS			

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Portable
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- GUN
- Middle lance
- Nozzle
- 5m High Pressure hose
- Transparent water inlet screw
- Nozzle pin



FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Portable
- Wobbel plate pump

STANDARD ACCESSORIES

- GUN
- Middle lance
- Nozzle
- 5m High Pressure hose
- Transparent water inlet screw
- Nozzle pin



C203 HOUSEHOLD HIGH PRESSURE WASHER



STANDARD CONFIGURATION



SPECIFICATIONS

Model Name	C203-1000B	C203-1200B	C203-1400B	C203-1500B
Motor Type	Carbon Brush			
Voltage / Frequency	220~240V 50Hz/60Hz			
Rated Pressure (bar)	55	60	70	80
Max Pressure (bar)	80	90	105	120
Rated Flow (L/Min)	4,8	5,5		
Max Flow (L/Min)	6,0	6,5		
Total Stop System (TSS)	✓			
Motor Power (Watts)	1000	1200	1400	1500
Adjustable Nozzle	✓			
Product Dimension (L x W x H)	240 x 338 x 251 mm			
Carton Dimension (L x W x H)	360 x 265 x 290 mm			
Gross Weight (Kg)	4,9	5,1	5,3	5,5
Load Qty (20~40°C)	1055/2142/2410 PCS			

C202i HOUSEHOLD HIGH PRESSURE WASHER

STANDARD CONFIGURATION



SPECIFICATIONS

Model Name	C202i-1000	C202i-1200
Motor Type	Induction	
Voltage / Frequency	100~127V, 220~240V 50Hz/60Hz	
Rated Pressure (bar)	55	70
Max Pressure (bar)	80	100
Rated Flow (L/Min)	6.0	
Max Flow (L/Min)	6.5	
Total Stop System (TSS)	✓	
Motor Power (Watts)	1000	1200
Adjustable Nozzle	✓	
Product Dimension (L x W x H)	190 x 330 x 250 mm	
Carton Dimension (L x W x H)	360 x 250 x 280 mm	
Gross Weight (Kg)	6.6	9.1
Load Qty (20~40°C)	1150/2302/2592 PCS	

NEW
FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Portable
- Wobbel plate pump

STANDARD ACCESSORIES

- GUN
- Middle lance
- Nozzle
- 5m High Pressure hose
- Transparent water inlet screw
- Nozzle pin


STANDARD CONFIGURATION

C204i
HOUSEHOLD
HIGH PRESSURE WASHER

SPECIFICATIONS

Model Name	C204i-1000	C204i-1200	C204i-1400	C204i-1600
Motor Type	Induction			
Voltage / Frequency	100~127V, 220V~240V 50Hz/60Hz			
Rated Pressure (bar)	40	50	60	70
Max Pressure (bar)	70	80	90	100
Rated Flow (L/Min)	6,5	6,3	7,0	7,0
Max Flow (L/Min)	7,0	6,6	7,6	7,6
Total Stop System (TSS)	✓			
Motor Power (Watts)	1000	1200	1400	1600
Adjustable Nozzle	✓			
Product Dimension (L x W x H)	170 x 380 x 240 mm			
Carton Dimension (L x W x H)	435 x 280 x 285 mm			
Gross Weight (Kg)	8,6	9,1	9,5	10,1
Loadable Quantity (20°/40°/C)	830/1702/1915 PCS			

NEW
FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Portable
- Wobbel plate pump

STANDARD ACCESSORIES

- GUN
- Middle lance
- Nozzle
- 5m High Pressure hose
- Transparent water inlet screw
- Nozzle pin


STANDARD CONFIGURATION

C206i
HOUSEHOLD
HIGH PRESSURE WASHER

SPECIFICATIONS

Model Name	C206i-1000	C206i-1200	C206i-1400	C206i-1600
Motor Type	Induction			
Voltage / Frequency	100~127V, 220V~240V 50Hz/60Hz			
Rated Pressure (bar)	40	50	60	70
Max Pressure (bar)	70	80	90	100
Rated Flow (L/Min)	6,5	6,3	7,0	7,0
Max Flow (L/Min)	7,0	6,6	7,6	7,6
Total Stop System (TSS)	✓			
Motor Power (Watts)	1000	1200	1400	1600
Adjustable Nozzle	✓			
Product Dimension (L x W x H)	145 x 356 x 216 mm			
Carton Dimension (L x W x H)	390 x 220 x 286 mm			
Gross Weight (Kg)	6,6	9,1	9,5	10,1
Loadable Quantity (20°/40°/C)	1158/2358/2653 PCS			

NEW

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Portable
- Wobblable pump

STANDARD ACCESSORIES

- GUN
- Middle lance
- Nozzle
- 5m High Pressure hose
- Transparent water inlet screw
- Nozzle pin




C208i

HOUSEHOLD

HIGH PRESSURE WASHER

STANDARD CONFIGURATION



SPECIFICATIONS

Model Name	C208i-1000	C208i-1200	C208i-1400	C208i-1600
Motor Type	Induction			
Voltage / Frequency	100~127V, 220V~240V 50Hz/60Hz			
Rated Pressure (bar)	40	50	60	70
Max Pressure (bar)	70	80	90	100
Rated Flow (L/Min)	6.5	6.3	7.0	7.0
Max Flow (L/Min)	7.0	6.6	7.6	7.6
Total Stop System (TSS)	✓			
Motor Power (Watts)	1000	1200	1400	1600
Adjustable Nozzle	✓			
Product Dimension (LxWxH)	170*380*240 mm			
Carton Dimension (LxWxH)	435*250*285 mm			
Gross Weight (Kg)	8.6	9.1	9.5	10.1
Load Qty (2000/2150 PCS)	935/1910/2150 PCS			



FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Portable
- Wobblable pump
- Quick connect design

STANDARD ACCESSORIES

- GUN
- Middle lance
- Nozzle
- 5m High Pressure hose
- Transparent water inlet screw
- Nozzle pin



FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Portable
- Wobblable pump
- Quick connect design

STANDARD ACCESSORIES

- GUN
- Middle lance
- Nozzle
- 5m High Pressure hose
- Transparent water inlet screw
- Nozzle pin



C301 HOUSEHOLD HIGH PRESSURE WASHER

TANDARD CONFIGURATION



SPECIFICATIONS

Model Name	C301-1200	C301-1400	C301-1500	C301-1600
Motor Type	Carbon Brush			
Voltage / Frequency	100~127V, 220V~240V 50Hz/60Hz			
Rated Pressure (bar)	60	70	80	90
Max Pressure (bar)	90	105	120	130
Rated Flow (L/Min)	5,5			
Max Flow (L/Min)	6,5			
Total Stop System (TSS)	✓			
Motor Power (Watts)	1200	1400	1500	1600
Adjustable Nozzle	✓			
Product Dimension (L x W x H)	190*185*404 mm			
Carton Dimension (L x W x H)	280*250*370 mm			
Gross Weight (Kg)	5,1	5,3		5,5
Load Quantity (M40/40°C)	1188/2376/2770 PCS			

C302 HOUSEHOLD HIGH PRESSURE WASHER

STANDARD CONFIGURATION



SPECIFICATIONS

Model Name	C302-1200	C302-1400	C302-1500	C302-1600
Motor Type	Carbon Brush			
Voltage / Frequency	100~127V, 220V~240V 50Hz/60Hz			
Rated Pressure (bar)	60	70	80	90
Max Pressure (bar)	90	105	120	130
Rated Flow (L/Min)	5,5			
Max Flow (L/Min)	6,5			
Total Stop System (TSS)	✓			
Motor Power (Watts)	1200	1400	1500	1600
Adjustable Nozzle	✓			
Product Dimension (L x W x H)	190*185*404 mm			
Carton Dimension (L x W x H)	280*250*370 mm			
Gross Weight (Kg)	5,1	5,3		5,5
Load Quantity (M40/40°C)	1188/2376/2770 PCS			

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Portable
- Wobbed plate pump
- Quick connect design

STANDARD ACCESSORIES

- GUN
- Middle lance
- Nozzle
- 5m High Pressure hose
- Transparent water inlet screw
- Nozzle pin



NEW

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Portable
- Wobbed plate pump
- Quick connect design

STANDARD ACCESSORIES

- GUN
- Middle lance
- Nozzle
- 5m High Pressure hose
- Transparent water inlet screw
- Nozzle pin



C303

HOUSEHOLD

HIGH PRESSURE WASHER

STANDARD CONFIGURATION



C304B

HOUSEHOLD

HIGH PRESSURE WASHER

STANDARD CONFIGURATION



SPECIFICATIONS

Model Name	C303-1200	C303-1400	C303-1500	C303-1600
Motor Type	Carbon Brush			
Voltage / Frequency	100-127V, 220V~240V 50Hz/60Hz			
Rated Pressure (bar)	60	70	80	90
Max Pressure (bar)	90	105	120	130
Rated Flow (L/Min)	5,5			
Max Flow (L/Min)	6,5			
Total Stop System (TSS)	✓			
Motor Power (Watts)	1200	1400	1500	1600
Adjustable Nozzle	✓			
Product Dimension (L x W x H)	190×185×404 mm			
Carton Dimension (L x W x H)	260×250×370 mm			
Gross Weight (Kg)	5,1	5,3		5,5
Loadable Quantity (25°C/40°C)	1188/2378/2770 PCS			

SPECIFICATIONS

Model Name	C304B-1200	C304B-1400	C304B-1500	C304B-1600
Motor Type	Carbon Brush			
Voltage / Frequency	100-127V, 220V~240V 50Hz/60Hz			
Rated Pressure (bar)	60	70	80	90
Max Pressure (bar)	90	105	120	130
Rated Flow (L/Min)	5,5			
Max Flow (L/Min)	6,5			
Total Stop System (TSS)	✓			
Motor Power (Watts)	1200	1400	1500	1600
Adjustable Nozzle	✓			
Product Dimension (L x W x H)	190×185×404 mm			
Carton Dimension (L x W x H)	260×250×370 mm			
Gross Weight (Kg)	5,1	5,3		5,5
Loadable Quantity (25°C/40°C)	1188/2378/2770 PCS			

NEW

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Portable
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- GUN
- Middle lance
- Nozzle
- 5m High Pressure hose
- Transparent water inlet screw
- Nozzle pin



C305

HOUSEHOLD
HIGH PRESSURE WASHER

STANDARD CONFIGURATION



SPECIFICATIONS

Model Name	C305-1200	C305-1400	C305-1500	C305-1600
Motor Type	Carbon Brush			
Voltage / Frequency	100~127V, 220V~240V 50Hz/60Hz			
Rated Pressure (bar)	60	70	80	90
Max Pressure (bar)	90	105	120	130
Rated Flow (L/min)	5,5			
Max Flow (L/min)	6,5			
Total Stop System (TSS)	✓			
Motor Power (Watts)	1200	1400	1500	1600
Adjustable Nozzle	✓			
Product Dimension (L x W x H)	190×185×404 mm			
Carton Dimension (L x W x H)	260×250×370 mm			
Gross Weight (Kg)	5,1	5,3		5,5
Usable Quantity (20°C/68°F)	1168/2376/2770 PCS			



HOUSEHOLD
HIGH PRESSURE WASHER

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobble plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobble plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



C401 HOUSEHOLD HIGH PRESSURE WASHER



STANDARD CONFIGURATION



SPECIFICATIONS					
Model Name	C401-1200A/B/D	C401-1400A/B/D	C401-1500A/B/D	C401-1600A/B/D	C401-1800A/B/D
Motor Type	Carbon Brush				
Voltage / Frequency	100~127V, 220-240V 50Hz/60Hz				
Rated Pressure (bar)	60	70	80	90	100
Max Pressure (bar)	90	105	120	130	150
Rated Flow (L/Min)	5,5			6,0	
Max Flow (L/Min)	6,5			7,0	
Total Stop System (TSS)	✓				
Motor Power (Watts)	1200	1400	1500	1600	1800
Adjustable Nozzle	✓				
Product Dimension (L x W x H)	A:236*336*490mm B:270*336*490mm D:270*336*690mm				
Carton Dimension (L x W x H)	A/B:320*280*400mm D:320*320*400mm				
Gross Weight (Kg)	A/B/D:5,9/6,2/6,3	A/B/D:6,1/6,4/6,5		A/B/D:6,5/6,6/6,8	A/B/D:6,7/6,8/7,0
Usable Quantity (230V/110V)	A/B:831/1667/1895 PCS		D:726/1460/1658 PCS		

C401 HOUSEHOLD HIGH PRESSURE WASHER

STANDARD CONFIGURATION



SPECIFICATIONS					
Model Name	C401-1200E/F	C401-1400E/F	C401-1500E/F	C401-1600E/F	C401-1800E/F
Motor Type	Carbon Brush				
Voltage / Frequency	100~127V, 220~240V 50Hz/60Hz				
Rated Pressure (bar)	60	70	80	90	100
Max Pressure (bar)	90	105	120	130	150
Rated Flow (L/Min)	5,5			6,0	
Max Flow (L/Min)	6,5			7,0	
Total Stop System (TSS)	✓				
Motor Power (Watts)	1200	1400	1500	1600	1800
Adjustable Nozzle	✓				
Product Dimension (L x W x H)	270×336×738mm				
Carton Dimension (L x W x H)	410×280×415mm				
Gross Weight (Kg)	5,9/6,2/6,3	6,1/6,4/6,5		6,5/6,6/6,8	6,7/6,8/7,0
Usable Quantity (230V/110V)	586/1175/1344 PCS				

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



C402 HOUSEHOLD HIGH PRESSURE WASHER



STANDARD CONFIGURATION



SPECIFICATIONS

Model Name	C402-1200A/B/D	C402-1400A/B/D	C402-1500A/B/D	C402-1600A/B/D	C402-1800A/B/D
Motor Type	Carbon Brush				
Voltage / Frequency	100~127V, 220x240V 50Hz/60Hz				
Rated Pressure (bar)	60	70	80	90	100
Max Pressure (bar)	90	105	120	130	150
Rated Flow (L/min)	5,5				6,0
Max Flow (L/min)	6,5				7,0
Total Stop System (TSS)	✓				
Motor Power (Watts)	1200	1400	1500	1600	1800
Adjustable Nozzle	✓				
Product Dimension (L x W x H)	A:236*336*490mm B:270*336*490mm D:270*336*690mm				
Carton Dimension (L x W x H)	A/B:D:320*280*425mm D:320*320*425mm				
Gross Weight (Kg)	A/B/D:5,9/6,2/6,3	A/B/D:6,1/6,4/6,6		A/B/D:6,5/6,6/6,8	A/B/D:6,7/6,8/7,0
Usable Quantity (20°C/70°F)	A/B:720/1440/1728 PCS		D:630/1260/1510 PCS		

C403 HOUSEHOLD HIGH PRESSURE WASHER



STANDARD CONFIGURATION



SPECIFICATIONS

Model Name	C403-1200A/B/D	C403-1400A/B/D	C403-1500A/B/D	C403-1600A/B/D	C403-1800A/B/D
Motor Type	Carbon Brush				
Voltage / Frequency	100~127V, 220x240V 50Hz/60Hz				
Rated Pressure (bar)	60	70	80	90	100
Max Pressure (bar)	90	105	120	130	150
Rated Flow (L/min)	5,5				6,0
Max Flow (L/min)	6,5				7,0
Total Stop System (TSS)	✓				
Motor Power (Watts)	1200	1400	1500	1600	1800
Adjustable Nozzle	✓				
Product Dimension (L x W x H)	A:236*336*490mm B:270*336*490mm D:270*336*690mm				
Carton Dimension (L x W x H)	A/B:320*280*400mm D:320*320*400mm				
Gross Weight (Kg)	A/B/D:5,9/6,2/6,3	A/B/D:6,1/6,4/6,6		A/B/D:6,5/6,6/6,8	A/B/D:6,7/6,8/7,0
Usable Quantity (20°C/70°F)	A/B:831/1667/1895 PCS		D:726/1460/1658 PCS		

NEW

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



C4031

HOUSEHOLD
HIGH PRESSURE WASHER

STANDARD CONFIGURATION



SPECIFICATIONS

Model Name	C4031-1200A/B/D	C4031-1400A/B/D	C4031-1500A/B/D	C4031-1600A/B/D	C4031-1800A/B/D
Motor Type	Carbon Brush				
Voltage / Frequency	100~127V, 220-240V 50Hz/60Hz				
Rated Pressure (bar)	60	70	80	90	100
Max Pressure (bar)	90	105	120	130	150
Rated Flow (L/Min)	5,5			6,0	
Max Flow (L/Min)	6,5			7,0	
Total Stop System (TSS)	✓				
Motor Power (Watts)	1200	1400	1500	1800	1800
Adjustable Nozzle	✓				
Product Dimension (L x W x H)	A:236×336×490mm B:270×336×490mm D:270×336×690mm				
Carton Dimension (L x W x H)	A/B:320×280×400mm D:320×320×400mm				
Gross Weight (Kg)	A/B/D:5,9/6,2/6,3	A/B/D:6,1/6,4/6,6		A/B/D:6,5/6,6/6,8	A/B/D:6,7/6,8/7,0
Loadable Quantity (20°C/10°C)	A/B:831/1667/1895 PCS			D:720/1460/1658 PCS	

NEW

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



C405

HOUSEHOLD
HIGH PRESSURE WASHER

STANDARD CONFIGURATION



SPECIFICATIONS

Model Name	C405-1200A/B/D	C405-1400A/B/D	C405-1500A/B/D	C405-1600A/B/D	C405-1800A/B/D
Motor Type	Carbon Brush				
Voltage / Frequency	100~127V, 220~240V 50Hz/60Hz				
Rated Pressure (bar)	60	70	80	90	100
Max Pressure (bar)	90	105	120	130	150
Rated Flow (L/Min)	5,5			6,0	
Max Flow (L/Min)	6,5			7,0	
Total Stop System (TSS)	✓				
Motor Power (Watts)	1200	1400	1500	1600	1800
Adjustable Nozzle	✓				
Product Dimension (L x W x H)	A:236×336×490mm B:270×336×490mm D:270×336×690mm				
Carton Dimension (L x W x H)	A/B:320×280×425mm D:320×320×425mm				
Gross Weight (Kg)	A/B/D:5,9/6,2/6,3	A/B/D:6,1/6,4/6,6		A/B/D:6,5/6,6/6,8	A/B/D:6,7/6,8/7,0
Loadable Quantity (20°C/10°C)	A/B:720/1440/1728 PCS		D:630/1260/1510 PCS		

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbl plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



NEW

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbl plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



C406 HOUSEHOLD HIGH PRESSURE WASHER



STANDARD CONFIGURATION



SPECIFICATIONS

Model Name	C406-1200A/B/C	C406-1400A/B/C	C406-1500A/B/C	C406-1600A/B/C
Motor Type	Carbon Brush			
Voltage / Frequency	100~127V, 220-240V 50Hz/60Hz			
Rated Pressure (bar)	60	70	80	90
Max Pressure (bar)	90	105	120	130
Rated Flow (L/Min)	5,5			
Max Flow (L/Min)	6,5			
Total Stop System (TSS)	✓			
Motor Power (Watts)	1200	1400	1500	1600
Adjustable Nozzle	✓			
Product Dimension (L x W x H)	A/B:235×300×434mm		C:235×300×678mm	
Carton Dimension (L x W x H)	A/B:280×250×390mm		C:280×270×390mm	
Gross Weight (Kg)	A/B/C:5,6/5,9/6,0	A/B/C:5,6/6,1/6,3		A/B/C:6,2/6,3/6,5
Load Qty (20KG/40KG)	A/B: 1078/2212/2473 PCS C: 1006/2014/2246 PCS			

C407 HOUSEHOLD HIGH PRESSURE WASHER

STANDARD CONFIGURATION



SPECIFICATIONS

Model Name	C407-1200A/B/C	C407-1400A/B/C	C407-1500A/B/C	C407-1600A/B/C
Motor Type	Carbon Brush			
Voltage / Frequency	100~127V, 220~240V 50Hz/60Hz			
Rated Pressure (bar)	60	70	80	90
Max Pressure (bar)	90	105	120	130
Rated Flow (L/Min)	5,5			
Max Flow (L/Min)	6,5			
Total Stop System (TSS)	✓			
Motor Power (Watts)	1200	1400	1500	1600
Adjustable Nozzle	✓			
Product Dimension (Lx W x H)	A/B:235×300×434mm C:235×300×678mm			
Carton Dimension (Lx W x H)	A/B:280×250×390mm C:280×270×450mm			
Gross Weight (Kg)	A/B/C:5,5/5,9/6,0	A/B/C:5,6/6,1/6,3		A/B/C:6,2/6,3/6,5
Load Qty (Quantity/20KG/40KG)	A/B:1078/2212/2473 PCS C:638/1678/1956 PCS			

NEW
FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin

B
D
E
F

C4011
HOUSEHOLD

HIGH PRESSURE WASHER

STANDARD CONFIGURATION

SPECIFICATIONS

Model Name	C4011-1200B/D/E/F	C4011-1400B/D/E/F	C4011-1500B/D/E/F	C4011-1600B/D/E/F	C4011-1800B/D/E/F
Motor Type	Carbon Brush				
Voltage / Frequency	100-127V, 220-240V 50Hz/60Hz				
Rated Pressure (bar)	60	70	80	90	100
Max Pressure (bar)	90	105	120	130	150
Rated Flow (L/Min)	5.5				6.0
Max Flow (L/Min)	6.5				7.0
Total Stop System (TSS)	✓				
Motor Power (Watts)	1200	1400	1500	1600	1800
Adjustable Nozzle	✓				
Product Dimension (L x W x H)	A:236*336*490mm B:270*336*490mm D:270*336*690mm E/F:270*336*738mm				
Carton Dimension (L x W x H)	A/B:320*280*400mm D:320*320*400mm E/F:410*280*415mm				
Gross Weight (Kg)	A/B/D/E/F:5.9/6.2/6.3	A/B/D/E/F:6.1/6.4/6.6	A/B/D/E/F:6.5/6.6/6.8 A/B/D/E/F:6.7/6.8/7.0		
Loadable Quantity(230kg/40°C)	A/B:831/1667/1895 PCS D:726/1460/1658 PCS E/F:586/1175/1344 PCS				

NEW
FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin

B
D
E
F

C4012
HOUSEHOLD

HIGH PRESSURE WASHER

STANDARD CONFIGURATION

SPECIFICATIONS

Model Name	C4012-1200B/D/E/F	C4012-1400B/D/E/F	C4012-1500B/D/E/F	C4012-1600B/D/E/F	C4012-1800B/D/E/F
Motor Type	Carbon Brush				
Voltage / Frequency	100-127V, 220-240V 50Hz/60Hz				
Rated Pressure (bar)	60	70	80	90	100
Max Pressure (bar)	90	105	120	130	150
Rated Flow (L/Min)	5.5				6.0
Max Flow (L/Min)	6.5				7.0
Total Stop System (TSS)	✓				
Motor Power (Watts)	1200	1400	1500	1600	1800
Adjustable Nozzle	✓				
Product Dimension (L x W x H)	A:236*336*490mm B:270*336*490mm D:270*336*690mm E/F:270*336*738mm				
Carton Dimension (L x W x H)	A/B:320*280*400mm D:320*320*400mm E/F:410*280*415mm				
Gross Weight (Kg)	A/B/D:5.9/6.2/6.3	A/B/D:6.1/6.4/6.6	A/B/D:6.5/6.6/6.8 A/B/D:6.7/6.8/7.0		
Loadable Quantity (230kg/40°C)	A/B:831/1667/1895 PCS D:726/1460/1658 PCS E/F:586/1175/1344 PCS				

NEW

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



C4013

HOUSEHOLD

HIGH PRESSURE WASHER



STANDARD CONFIGURATION



SPECIFICATIONS

Model Name	C4013-1200B/D/E/F	C4013-1400B/D/E/F	C4013-1500B/D/E/F	C4013-1600B/D/E/F	C4013-1800B/D/E/F
Motor Type	Carbon Brush				
Voltage / Frequency	100~127V, 220~240V 50Hz/60Hz				
Rated Pressure (bar)	60	70	80	90	100
Max Pressure (bar)	90	105	120	130	150
Rated Flow (L/min)	5,5		6,0		6,0
Max Flow (L/min)	6,5		7,0		7,0
Total Stop System (TSS)	✓				
Motor Power (Watts)	1200	1400	1500	1600	1800
Adjustable Nozzle	✓				
Product Dimension (LxWxH)	A:236×336×490mm B:270×336×490mm D:270×336×690mm E/F:270×336×738mm				
Carton Dimension (LxWxH)	A/B:320×280×400mm D:320×320×400mm E/F:410×280×415mm				
Gross Weight (Kg)	A/B/D:5,9/6,2/6,3	A/B/D:6,1/6,4/6,6		A/B/D:6,5/6,6/6,8	
Load Qty (23kg/40kg)	A/B:831/1667/1895 PCS		D:726/1460/1658 PCS	E/F:586/1175/1344 PCS	

C401 PLUS

HOUSEHOLD

HIGH PRESSURE WASHER



STANDARD CONFIGURATION



SPECIFICATIONS

Model Name	C401PLUS-1200A/B/C	C401PLUS-1400A/B/C	C401PLUS-1500A/B/C	C401PLUS-1600A/B/C	C401PLUS-1800A/B/C
Motor Type	Carbon Brush				
Voltage / Frequency	100~127V, 220~240V 50Hz/60Hz				
Rated Pressure (bar)	60	70	80	90	100
Max Pressure (bar)	90	105	120	130	150
Rated Flow (L/Min)	5,5		6,0		6,0
Max Flow (L/Min)	6,5		7,0		7,0
Total Stop System (TSS)	✓				
Motor Power (Watts)	1200	1400	1500	1600	1800
Adjustable Nozzle	✓				
Product Dimension (LxWxH)	270*336*700mm				
Carton Dimension (LxWxH)	A:320*320*400mm B/C:410*280*415mm				
Gross Weight (Kg)	A/B/C:6,9/7,5/7,8	A/B/C:7,0/7,6/7,9		A/B/C:7,6/8,1/8,3	A/B/C:7,6/8,2/8,5
Load Qty (23kg/40kg)	A:726/1460/1658 PCS B/C:586/1175/1344 PCS				

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



C402 PLUS HOUSEHOLD HIGH-PRESSURE WASHER

STANDARD CONFIGURATION



SPECIFICATIONS

Model Name	C402PLUS-1200A/B/C	C402PLUS-1400A/B/C	C402PLUS-1500A/B/C	C402PLUS-1600A/B/C	C402PLUS-1800A/B/C
Motor Type	Carbon Brush				
Voltage / Frequency	100~127V, 220~240V 50Hz/60Hz				
Rated Pressure (bar)	60	70	80	90	100
Max Pressure (bar)	90	105	120	130	150
Rated Flow (L/Min)	5,5		130		6,0
Max Flow (L/Min)	6,5				7,0
Total Stop System (TSS)	✓				
Motor Power (Watts)	1200	1400	1500	1600	1800
Adjustable Nozzle	✓				
Prod.ct Dimension (LxWxH)	270*336*730mm				
Carton Dimension (LxWxH)	A:320*320*425 mm B/C:410*280*435 mm				
Gross Weight (Kg)	A/B/C:6,9/7,5/7,8	A/B/C:7,0/7,6/7,9		A/B/C:7,4/8,1/8,3	A/B/C:7,6/8,2/8,5
Load Capacity (Kg/40°45°C)	A:630/1260/1510 PCS B/C:560/1120/1342 PCS				

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design


STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



C403 PLUS HOUSEHOLD HIGH-PRESSURE WASHER

STANDARD CONFIGURATION



SPECIFICATIONS

Model Name	C403PLUS-1200A/B/C	C403PLUS-1400A/B/C	C403PLUS-1500A/B/C	C403PLUS-1600A/B/C	C403PLUS-1800A/B/C
Motor Type	Carbon Brush				
Voltage / Frequency	100~127V, 220~240V 50Hz/60Hz				
Rated Pressure (bar)	60	70	80	90	100
Max Pressure (bar)	90	105	120	130	150
Rated Flow (L/Min)	5,5		6,0		
Max Flow (L/Min)	6,5		7,0		
Total Stop System (TSS)	✓				
Motor Power (Watts)	1200	1400	1500	1600	1800
Adjustable Nozzle	✓				
Produt Dimension (L x W x H)	270*336*700mm				
Carton Dimension (L x W x H)	A:320*320*400mm B/C:410*280*415mm				
Gross Weight (Kg)	A/B/C:6,9/7,5/7,8	A/B/C:7,0/7,6/7,9		A/B/C:7,4/8,1/8,3	A/B/C:7,6/8,2/8,5
Load Capacity (2000PSI)	A:726/1460/1656 PCS		B/C:586/1175/1344 PCS		

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



NEW

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



C4031 PLUS

HOUSEHOLD HIGH PRESSURE WASHER

STANDARD CONFIGURATION



SPECIFICATIONS

Model Name	C4031PLUS-1200A/B/C	C4031PLUS-1400A/B/C	C4031PLUS-1500A/B/C	C4031PLUS-1600A/B/C	C4031PLUS-1800A/B/C
Motor Type	Carbon Brush				
Voltage / Frequency	100-127V, 220-240V 50Hz/60Hz				
Rated Pressure (bar)	60	70	80	90	100
Max Pressure (bar)	90	105	120	130	150
Rated Flow (L/Min)	5,5			6,0	
Max Flow (L/Min)	6,5			7,0	
Total Stop System (TSS)	✓				
Motor Power (Watts)	1200	1400	1500	1600	1800
Adjustable Nozzle	✓				
Product Dimension (L x W x H)	270*336*700mm				
Carton Dimension (L x W x H)	A:320*320*400mm B/C:410*280*415mm				
Gross Weight (Kg)	A/B/C:6,9/7,5/7,8	A/B/C:7,0/7,6/7,9		A/B/C:7,4/8,1/8,3	A/B/C:7,6/8,2/8,5
Load & Quantity (20°C/40°C)	A:728/1460/1656 PCS B/C:586/1175/1344 PCS				

C405 PLUS

HOUSEHOLD HIGH PRESSURE WASHER

STANDARD CONFIGURATION



SPECIFICATIONS

Model Name	C405PLUS-1200A/B/C	C405PLUS-1400A/B/C	C405PLUS-1500A/B/C	C405PLUS-1600A/B/C	C405PLUS-1800A/B/C
Motor Type	Carbon Brush				
Voltage / Frequency	100~127V, 220~240V 50Hz/60Hz				
Rated Pressure (bar)	60	70	80	90	100
Max Pressure (bar)	90	105	120	130	150
Rated Flow (L/Min)	5,5			6,0	
Max Flow (L/Min)	6,5			7,0	
Total Stop System (TSS)	✓				
Motor Power (Watts)	1200	1400	1500	1600	1800
Adjustable Nozzle	✓				
Product Dimension (L*W*H)	270*336*700mm				
Carton Dimension (L*W*H)	A:320*320*430mm B/C:410*280*430mm				
Gross Weight (Kg)	A/B/C:6,9/7,5/7,8	A/B/C:7,0/7,6/7,9		A/B/C:7,4/8,1/8,3	A/B/C:7,6/8,2/8,5
Load& Quantity(20°C/40°C)	A:830/1260/1510 PCS B/C:586/1175/1342 PCS				

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbl plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin


FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbl plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin


C4011 PLUS
 HOUSEHOLD
 HIGH PRESSURE WASHER

STANDARD CONFIGURATION

SPECIFICATIONS

Model Name	C4011PLUS-1200A/B/C	C4011PLUS-1400A/B/C	C4011PLUS-1500A/B/C	C4011PLUS-1600A/B/C	C4011PLUS-1800A/B/C
Motor Type	Carbon Brush				
Voltage / Frequency	100~127V, 220-240V 50Hz/60Hz				
Rated Pressure (bar)	60	70	80	90	100
Max Pressure (bar)	90	105	120	130	150
Rated Flow (L/Min)	5,5				6,0
Max Flow (L/Min)	6,5				7,0
Total Stop System (TSS)	✓				
Motor Power (Watts)	1200	1400	1500	1600	1800
Adjustable Nozzle	✓				
Product Dimension (Lx W x H)	270*336*700mm				
Carton Dimension (Lx W x H)	A:320*320*400mm B/C:410*280*415mm				
Gross Weight (Kg)	A/B/C:6,9/7,5/7,8	A/B/C:7,0/7,6/7,9		A/B/C:7,4/8,1/8,3	A/B/C:7,6/8,2/8,5
Package Quantity (2740/40°C)	A:726/14601658 PCS B/C:566/1175/1344 PCS				

C4012 PLUS
 HOUSEHOLD
 HIGH PRESSURE WASHER

STANDARD CONFIGURATION

SPECIFICATIONS

Model Name	C4012PLUS-1200A/B/C	C4012PLUS-1400A/B/C	C4012PLUS-1500A/B/C	C4012PLUS-1600A/B/C	C4012PLUS-1800A/B/C
Motor Type	Carbon Brush				
Voltage / Frequency	100~127V, 220~240V 50Hz/60Hz				
Rated Pressure (bar)	60	70	80	90	100
Max Pressure (bar)	90	105	120	130	150
Rated Flow (L/Min)	5,5				6,0
Max Flow (L/Min)	6,5				7,0
Total Stop System (TSS)	✓				
Motor Power (Watts)	1200	1400	1500	1600	1800
Adjustable Nozzle	✓				
Product Dimension (L x W x H)	270×336×700mm				
Carton Dimension (L x W x H)	A:320×320×400mm B/C:410×280×415mm				
Gross Weight (Kg)	A/B/C:6,9/7,5/7,8	A/B/C:7,0/7,6/7,9		A/B/C:7,4/8,1/8,3	A/B/C:7,6/8,2/8,5
Package Quantity (2740/40°C)	A:726/1460/1658 PCS B/C:566/1175/1344 PCS				

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobble plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



C4013 PLUS

HOUSEHOLD HIGH PRESSURE WASHER

STANDARD CONFIGURATION



SPECIFICATIONS

Model Name	C4013PLUS-1200A/B/C	C4013PLUS-1400A/B/C	C4013PLUS-1500A/B/C	C4013PLUS-1600A/B/C	C4013PLUS-1800A/B/C
Motor Type	Carbon Brush				
Voltage / Frequency	100~127V, 220-240V 50Hz/60Hz				
Rated Pressure (bar)	60	70	80	90	100
Max Pressure (bar)	90	105	120	130	150
Rated Flow (L/Min)	5,5			6,0	
Max Flow (L/Min)	6,5			7,0	
Total Stop System (TSS)	✓				
Motor Power (Watts)	1200	1400	1500	1600	1800
Adjustable Nozzle	✓				
Product Dimension (L x W x H)	270x336x700mm				
Carton Dimension (L x W x H)	A:320x320x400mm B/C:410x280x415mm				
Gross Weight (Kg)	A/B/C:6,9/7,5/7,8	A/B/C:7,0/7,6/7,9		A/B/C:7,4/8,1/8,3	A/B/C:7,6/8,2/8,5
Load Capacity (20°C/40°C)	A:728/1460/1658 PCS B/C:588/1175/1344 PCS				



HOUSEHOLD HIGH PRESSURE WASHER

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



C501

HOUSEHOLD
HIGH PRESSURE WASHER

STANDARD CONFIGURATION



SPECIFICATIONS

Model Name	C501-1600B/D/E	C501-1800B/D/E	C501-2000B/D/E	C501-2200B/D/E	C501-2400B/D/E
Motor Type	Carbon Brush				
Voltage / Frequency	100-127V, 220V-240V 50Hz/60Hz		100-127V, 220V-240V 50Hz/60Hz		220V-240V 50Hz/60Hz
Rated Pressure (bar)	90	100	110	120	130
Max Pressure (bar)	130	150	160	170	170
Rated Flow (L/Min)	5,5	6,0	6,5		
Max Flow (L/Min)	6,5	7,0	7,5		
Total Stop System (TSS)	✓				
Motor Power (Watts)	1600	1800	2000	2200	2400
Adjustable Nozzle	✓				
Product Dimension (L x W x H)	330 x 315 x 805mm				
Carton Dimension (L x W x H)	B:375 x 330 x 510 mm D:450 x 330 x 510 mm E:480 x 330 x 510 mm				
Gross Weight (Kg)	8,9/9,2/10,2		9,8/10,5/10,7		10,3/11,1/1,5
(approx. Qty/2740W/H)	B:408/840/1048 PCS		D:340/700/875 PCS E:320/656/820 PCS		

C501i

HOUSEHOLD
HIGH PRESSURE WASHER

STANDARD CONFIGURATION




Model Name	C501i-1600B/D/E	C501i-1800B/D/E	C501i-2000B/D/E
Motor Type	Induction motor		
Voltage / Frequency	100-127V, 220V-240V 50Hz/60Hz		120-127V, 220V-240V 50Hz/60Hz
Rated Pressure (bar)	100	110	120
Max Pressure (bar)	150	160	170
Rated Flow (L/Min)	5,5	6,0	
Max Flow (L/Min)	6,5	7,0	
Total Stop System (TSS)	✓		
Motor Power (Watts)	1600	1800	2000
Adjustable Nozzle	✓		
Picked Dimension (L x W x H)	330x315x805mm		
Carton Dimension (L x W x H)	B:375x330x510 mm	D:450x330x510 mm	E:480x330x510 mm
Gross Weight (Kg)	11,9/12,5/13,1	12,9/13,5/14,1	13,7/14,3/14,9
Load (Qty/2740W/H)	B:408/840/1048 PCS	D:340/700/875 PCS	E:320/656/820 PCS

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin




FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



C502 HOUSEHOLD HIGH PRESSURE WASHER

STANDARD CONFIGURATION



SPECIFICATIONS

Model Name	C502-1600B/D/E	C502-1800B/D/E	C502-2000B/D/E	C502-2200B/D/E	C502-2400B/D/E
Motor Type	Carbon Brush				
Voltage / Frequency	100~127V, 220V~240V 50Hz/60Hz		100~127V, 220V~240V 50Hz/60Hz		
Rated Pressure (bar)	90	100	110	120	130
Max Pressure (bar)	130	150	160	170	170
Rated Flow (L/min)	5,5	6,0		6,5	
Max Flow (L/min)	6,5	7,0		7,5	
Total Stop System (TSS)			✓		
Motor Power (Watts)	1600	1800	2000	2200	2400
Adjustable Nozzle	✓				
Product Dimension (L x W x H)	330*315*805mm				
Carton Dimension (L x W x H)	B:375*330*510 mm D:450*330*510 mm E:480*330*510 mm				
Gross Weight (Kg)	8,9/9,2/10,2 9,2/10/10,2 9,2/10,5/10,7 10,3/11/11,5				
Load: Quantity/2040PCS	B:408/840/1048 PCS D:340/700/875 PCS E:320/656/820 PCS				

C502i HOUSEHOLD HIGH PRESSURE WASHER

STANDARD CONFIGURATION



Model Name	C502i-1600B/D/E	C502i-1800B/D/E	C502i-2000B/D/E
Motor Type	Induction motor		
Voltage / Frequency	100~127V, 220V~240V 50Hz/60Hz		120~127V, 220V~240V 50Hz/60Hz
Rated Pressure (bar)	100	110	120
Max Pressure (bar)	150	160	170
Rated Flow (L/min)	5,5	6,0	
Max Flow (L/min)	6,5	7,0	
Total Stop System (TSS)		✓	
Motor Power (Watts)	1600	1800	2000
Adjustable Nozzle	✓		
Product Dimension (L x W x H)	330*315*805mm		
Carton Dimension (L x W x H)	B:375*330*510 mm D:450*330*510 mm E:480*330*510 mm		
Gross Weight (Kg)	11,9/12,5/13,1	12,9/13,5/14,1	13,7/14,3/14,9
Load: Quantity/2040PCS	B:408/840/1048 PCS	D:340/700/875 PCS	E:320/656/820 PCS

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



C503 HOUSEHOLD HIGH PRESSURE WASHER

STANDARD CONFIGURATION



SPECIFICATIONS

Model Name	C503-1600B/D/E	C503-1800B/D/E	C503-2000B/D/E	C503-2200B/D/E	C503-2400B/D/E
Motor Type	Carbon Brush				
Voltage / Frequency	100~127V, 220V~240V 50Hz/60Hz		100~127V, 220V~240V 50Hz/60Hz		
Rated Pressure (bar)	90	100	110	120	130
Max Pressure (bar)	130	150	160	170	170
Rated Flow (L/Min)	5,5	6,0	6,5		
Max Flow (L/Min)	6,5	7,0	7,5		
Total Stop System (TSS)	✓				
Motor Power (Watts)	1600	1800	2000	2200	2400
Adjustable Nozzle	✓				
Product Dimension (LxWxH)	330x315x805mm				
Carton Dimension (LxWxH)	B:375x330x510 mm		D:450x330x510 mm	E:480x330x510 mm	
Gross Weight (Kg)	8,9/9,2/10,2		9,2/10/10,2	9,2/10,5/10,7	10,2/11/11,5
Load & Quantity (20°C/40°C)	B:408/840/1048 PCS		D:340/700/875 PCS	E:320/656/820 PCS	

C503i HOUSEHOLD HIGH PRESSURE WASHER

STANDARD CONFIGURATION




Model Name	C503-1600B/D/E	C503-1800B/D/E	C503-2000B/D/E
Motor Type	Induction motor		
Voltage / Frequency	100~127V, 220V~240V 50Hz/60Hz		120~127V, 220V~240V 50Hz/60Hz
Rated Pressure (bar)	100	110	120
Max Pressure (bar)	150	160	170
Rated Flow (L/Min)	5,5	6,0	
Max Flow (L/Min)	6,5	7,0	
Total Stop System (TSS)	✓		
Motor Power (Watts)	1600	1800	2000
Adjustable Nozzle	✓		
Product Dimension (L x W x H)	330×315×805mm		
Carton Dimension (L x W x H)	B 375×330×510 mm	D 450×330×510 mm	E 480×330×510 mm
Gross Weight (Kg)	11,9/12,5/13,1	12,9/13,5/14,1	13,7/14,3/14,9
Load & Quantity (20°C/40°C)	B 408/840/1048 PCS	D 340/700/875 PCS	E 320/656/820 PCS

NEW
FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin


C5041
HOUSEHOLD
HIGH PRESSURE WASHER

STANDARD CONFIGURATION

SPECIFICATIONS

Model Name	C5041-1600A/B/C	C541-1800A/B/C	C5041-2000A/B/C	C5041-2200A/B/C	C5041-2400A/B/C
Motor Type	Carbon Brush				
Voltage / Frequency	100~127V, 220V~240V 50Hz/60Hz		100~127V, 220V~240V 50Hz/60Hz		220V~240V 50Hz/60Hz
Rated Pressure (bar)	90	100		120	130
Max Pressure (bar)	130	150	160	170	170
Rated Flow (L/Min)	5.5	6.0		6.5	
Max Flow (L/Min)	6.5	7.0		7.5	
Total Stop System (TSS)	✓				
Motor Power (Watts)	1600	1800	2000	2200	2400
Adjustable Nozzle	✓				
Product Dimension (LxWxH)	330x315x805mm				
Carton Dimension (LxWxH)	B:375x330x510 mm D:450x330x510 mm E:480x330x510 mm				
Gross Weight (Kg)	8.9/9.2/10.2		9.3/10/10.2	9.8/10.5/10.7	10.3/11/11.5
Load: Quantity (20°C/40°C)	B:408/840/1048 PCS		D:340/700/875 PCS	E:320/656/820 PCS	

NEW
FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin


C5041 PLUS
HOUSEHOLD
HIGH PRESSURE WASHER

STANDARD CONFIGURATION

SPECIFICATIONS

Model Name	C5041PLUS-1800A/B/C	C5041PLUS-2000A/B/C	C5041PLUS-2200A/B/C	C5041PLUS-2400A/B/C
Motor Type	Carbon Brush			
Voltage / Frequency	100~127V, 220V~240V 50Hz/60Hz		220V~240V 50Hz/60Hz	
Rated Pressure (bar)	100	110	120	130
Max Pressure (bar)	150	160	170	170
Rated Flow (L/Min)	6,0		6,5	
Max Flow (L/Min)	7,0		7,5	
Total Stop System (TSS)	✓			
Motor Power (Watts)	1800	2000	2200	2400
Adjustable Nozzle	✓			
Product Dimension (L x W x H)	330*315*805mm			
Carton Dimension (L x W x H)	A:375*330*510 mm B:450*330*510 mm C:480*330*510 mm			
Gross Weight (Kg)	8,9/9,2/10,2	9,3/10/10,2	9,8/10,5/10,7	10,3/11/11,5
Load: Quantity (25°C/30°C)	A:408/840/1048 PCS	B:340/700/875 PCS	C:320/656/820 PCS	

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



C505

HOUSEHOLD
HIGH PRESSURE WASHER

STANDARD CONFIGURATION



SPECIFICATIONS

Model Name	C505-1600A/B/C	C505-1800A/B/C	C505-2000A/B/C	C505-2200A/B/C	C505-2400A/B/C
Motor Type	Carbon Brush				
Voltage / Frequency	100~127V, 220V~240V 50Hz/60Hz		100~127V, 220V~240V 50Hz/60Hz		
Rated Pressure (bar)	90	100	110	120	130
Max Pressure (bar)	130	150	160	170	170
Rated Flow (L/min)	5.5	6.0		6.5	
Max Flow (L/min)	6.5	7.0		7.5	
Total Stop System (TSS)	✓				
Motor Power (Watts)	1600	1800	2000	2200	2400
Adjustable Nozzle	✓				
Product Dimension (L x W x H)	330*315*805mm				
Carton Dimension (L x W x H)	B:375*330*510 mm D:450*330*510 mm E:480*330*510 mm				
Gross Weight (Kg)	8,9/9,2/10,2 9,2/10/10,2 9,2/10,5/10,7 10,3/11/11,5				
Load: Quantity/204740PC	B:408/840/1048 PCS D:340/700/875 PCS E:320/656/820 PCS				

C505i

HOUSEHOLD
HIGH PRESSURE WASHER

STANDARD CONFIGURATION



Model Name	C505-1600A/B/C	C505-1800A/B/C	C505-2000A/B/C
Motor Type	Induction motor		
Voltage / Frequency	100~127V, 220V~240V 50Hz/60Hz		120~127V, 220V~240V 50Hz/60Hz
Rated Pressure (bar)	100	110	120
Max Pressure (bar)	150	160	170
Rated Flow (L/min)	5.5	6.0	
Max Flow (L/min)	6.5	7.0	
Total Stop System (TSS)	✓		
Motor Power (Watts)	1600	1800	2000
Adjustable Nozzle	✓		
Product Dimension (L x W x H)	330*315*805mm		
Carton Dimension (L x W x H)	A:375*330*510 mm B:450*330*510 mm C:480*330*510 mm		
Gross Weight (Kg)	11,9/12,5/13,1	12,9/13,5/14,1	13,7/14,3/14,9
Load: Quantity/204740PC	A:408/840/1048 PCS B:340/700/875 PCS C:320/656/820 PCS		

NEW

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



STANDARD CONFIGURATION



C507

HOUSEHOLD HIGH PRESSURE WASHER

SPECIFICATIONS

Model Name	C507-1600A/B/C	C507-1800A/B/C	C507-2000A/B/C	C507-2200A/B/C	C507-2400A/B/C
Motor Type	Carbon Brush				
Voltage / Frequency	100~127V, 220V~240V 50Hz/60Hz		100~127V, 220V~240V 50Hz/60Hz		
Rated Pressure (bar)	90	100	110	120	130
Max Pressure (bar)	130	150	160	170	170
Rated Flow (L/min)	5.5	6.0		6.5	
Max Flow (L/min)	6.5	7.0		7.5	
Total Stop System (TSS)			✓		
Motor Power (Watts)	1600	1800	2000	2200	2400
Adjustable Nozzle	✓				
Product Dimension (L x W x H)	330*315*805mm				
Carton Dimension (L x W x H)	B:375*330*510 mm D:450*330*510 mm E:480*330*510 mm				
Gross Weight (Kg)	8.9/9.2/10.2 9.3/10/10.2 9.3/10.5/10.7 10.3/11/11.5				
Load Capacity (kg)	B:408/840/1048 PCS D:340/700/875 PCS E:320/656/820 PCS				

NEW

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



STANDARD CONFIGURATION



C5081

HOUSEHOLD HIGH PRESSURE WASHER

SPECIFICATIONS

Model Name	C5081-1600A/B/C	C5081-1800A/B/C	C5081-2000A/B/C	C5081-2200A/B/C	C5081-2400A/B/C
Motor Type	Carbon Brush				
Voltage / Frequency	100~127V, 220V~240V 50Hz/60Hz		100~127V, 220V~240V 50Hz/60Hz		
Rated Pressure (bar)	90	100	110	120	130
Max Pressure (bar)	130	150	160	170	170
Rated Flow (L/min)	5.5	6.0		6.5	
Max Flow (L/min)	6.5	7.0		7.5	
Total Stop System (TSS)			✓		
Motor Power (Watts)	1600	1800	2000	2200	2400
Adjustable Nozzle	✓				
Product Dimension (L x W x H)	330*315*805mm				
Carton Dimension (L x W x H)	B:375*330*510 mm D:450*330*510 mm E:480*330*510 mm				
Gross Weight (Kg)	8.9/9.2/10.2 9.3/10/10.2 9.3/10.5/10.7 10.3/11/11.5				
Load Capacity (kg)	B:408/840/1048 PCS D:340/700/875 PCS E:320/656/820 PCS				


NEW

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



C509

HOUSEHOLD

HIGH PRESSURE WASHER

STANDARD CONFIGURATION



SPECIFICATIONS

Model Name	C509-1600A/B/C	C509-1800A/B/C	C509-2000A/B/C	C509-2200A/B/C	C509-2400A/B/C
Motor Type	Carbon Brush				
Voltage / Frequency	100-127V, 220V~240V 50Hz/60Hz		100-127V, 220V~240V 50Hz/60Hz		220V~240V 50Hz/60Hz
Rated Pressure (bar)	90	100	110	120	130
Max Pressure (bar)	130	150	160	170	170
Rated Flow (L/Min)	5,5	6,0		6,5	
Max Flow (L/Min)	6,5	7,0		7,5	
Total Stop System (TSS)	✓				
Motor Power (Watts)	1600	1800	2000	2200	2400
Adjustable Nozzle	✓				
Product Dimension (LxWxH)	330x315x805mm				
Carton Dimension (LxWxH)	B:375x330x510 mm		D:450x330x510 mm	E:480x330x510 mm	
Gross Weight (Kg)	8,9/9,2/10,2		9,2/10/10,2	9,2/10,5/10,7	10,3/11/11,5
Load: Quantity/20A/20HC	B:408/840/1048 PCS		D:340/700/875 PCS E:320/656/820 PCS		

NEW

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



C509i

HOUSEHOLD

HIGH PRESSURE WASHER

STANDARD CONFIGURATION




Model Name	C509i-1600A/B/C	C509i-1800A/B/C	C509i-2000A/B/C
Motor Type	Induction motor		
Voltage / Frequency	100-127V, 220V~240V 50Hz/60Hz		120-127V, 220V~240V 50Hz/60Hz
Rated Pressure (bar)	100	110	120
Max Pressure (bar)	150	160	170
Rated Flow (L/Min)	5,5	6,0	
Max Flow (L/Min)	6,5	7,0	
Total Stop System (TSS)	✓		
Motor Power (Watts)	1600	1800	2000
Adjustable Nozzle	✓		
Product Dimension (L x W x H)	330x315x805mm		
Carton Dimension (L x W x H)	A:375x330x510 mm	B:450x330x510 mm	C:480x330x510 mm
Gross Weight (Kg)	11,9/12,5/13,1	12,9/13,5/14,1	13,7/14,3/14,9
Load: Quantity/20A/20HC	A:408/840/1048 PCS	B:340/700/875 PCS	C:320/656/820 PCS

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



C5011

HOUSEHOLD
HIGH PRESSURE WASHER

STANDARD CONFIGURATION



SPECIFICATIONS

Model Name	C5011-1600B/D/E	C5011-1800B/D/E	C5011-2000B/D/E	C5011-2200B/D/E	C5011-2400B/D/E
Motor Type	Carbon Brush				
Voltage / Frequency	100~127V, 220V~240V 50Hz/60Hz		100~127V, 220V~240V 50Hz/60Hz		220V~240V 50Hz/60Hz
Rated Pressure (bar)	90	100	110	120	130
Max Pressure (bar)	130	150	160	170	170
Rated Flow (L/min)	5,5	6,0		6,5	
Max Flow (L/min)	6,5	7,0		7,5	
Total Stop System (TSS)	✓				
Motor Power (Watts)	1600	1800	2000	2200	2400
Adjustable Nozzle	✓				
Product Dimension (L x W x H)	330*315*805mm				
Carton Dimension (L x W x H)	B:375*330*510 mm		D:450*330*510 mm	E:480*330*510 mm	
Gross Weight (Kg)	8,9/9,2/10,2		9,2/10/10,2	9,2/10,5/10,7	10,3/11/11,5
Load: Quantity (20°C/40°C)	B:408/840/1048 PCS		D:340/700/875 PCS	E:320/656/820 PCS	

C5011i

HOUSEHOLD
HIGH PRESSURE WASHER

STANDARD CONFIGURATION



Model Name	C5011i-1600B/D/E	C5011i-1800B/D/E	C5011i-2000B/D/E
Motor Type	Induction motor		
Voltage / Frequency	100~127V, 220V~240V 50Hz/60Hz		120~127V, 220V~240V 50Hz/60Hz
Rated Pressure (bar)	100	110	120
Max Pressure (bar)	150	160	170
Rated Flow (L/min)	5,5	6,0	
Max Flow (L/min)	6,5	7,0	
Total Stop System (TSS)	✓		
Motor Power (Watts)	1600	1800	2000
Adjustable Nozzle	✓		
Product Dimension (L x W x H)	330*315*805mm		
Carton Dimension (L x W x H)	B:375*330*510 mm	D:450*330*510 mm	E:480*330*510 mm
Gross Weight (Kg)	11,9/12,5/13,1	12,9/13,5/14,1	13,7/14,3/14,9
Load: Quantity (20°C/40°C)	B:408/840/1048 PCS	D:340/700/875 PCS	E:320/656/820 PCS

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



C5012

HOUSEHOLD HIGH PRESSURE WASHER

STANDARD CONFIGURATION



SPECIFICATIONS

Model Name	C5012-1600B/D/E	C5012-1800B/D/E	C5012-2000B/D/E	C5012-2200B/D/E	C5012-2400B/D/E
Motor Type	Carbon Brush				
Voltage / Frequency	100~127V, 220V~240V 50Hz/60Hz		100~127V, 220V~240V 50Hz/60Hz		
Rated Pressure (bar)	90	100	110	120	130
Max Pressure (bar)	130	150	160	170	170
Rated Flow (L/Min)	5.5	6.0		6.5	
Max Flow (L/Min)	6.5	7.0		7.5	
Total Stop System (TSS)	✓				
Motor Power (Watts)	1600	1800	2000	2200	2400
Adjustable Nozzle	✓				
Product Dimension (LxWxH)	330x315x805mm				
Carton Dimension (LxWxH)	B:375x330x510 mm		D:450x330x510 mm	E:480x330x510 mm	
Gross Weight (Kg)	8,9/9,2/10,2		9,3/10,1/0,2	9,8/10,5/10,7	10,3/11,1/11,5
Load: Quantity/204740PC	B:408/840/1048 PCS		D:340/700/875 PCS	E:320/656/820 PCS	

C5012i

HOUSEHOLD HIGH PRESSURE WASHER

STANDARD CONFIGURATION



Model Name	C5012i-1600B/D/E		C5012i-1800B/D/E		C5012i-2000B/D/E	
Motor Type	Induction motor					
Voltage / Frequency	100~127V, 220V~240V 50Hz/60Hz			120~127V, 220V~240V 50Hz/60Hz		
Rated Pressure (bar)	100		110		120	
Max Pressure (bar)	150		160		170	
Rated Flow (L/Min)	5,5				6,0	
Max Flow (L/Min)	6,5				7,0	
Total Stop System (TSS)			✓			
Motor Power (Watts)	1600		1800		2000	
Adjustable Nozzle			✓			
Product Dimension (L x W x H)			330*315*805mm			
Carton Dimension (L x W x H)	B 375*330*510 mm		D 450*330*510 mm		E 480*330*510 mm	
Gross Weight (Kg)	11,9/12,5/13,1		12,9/13,5/14,1		13,7/14,3/14,9	
Load: Quantity/204740PCS	B:408/840/1048 PCS		D:340/700/875 PCS		E:320/656/820 PCS	

Intelligent Trigger Gun



HARD

MEDIUM

SOFT


Smart control device

Independent and removable smart control device for easy maintenance



01 HARD

Clean the car, Efficient washing



02 MEDIUM

Clean the fence, Regular cleaning



03 SOFT

Water the flowers, Gentle watering

NEW

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System



C504

HOUSEHOLD
HIGH-PRESSURE WASHER

STANDARD CONFIGURATION



SPECIFICATIONS

Model Name	C504-1600A/B/C	C504-1800A/B/C	C504-2000A/B/C	C504-2200A/B/C	C504-2400A/B/C
Motor Type	Carbon Brush				
Voltage / Frequency	100~127V, 220V~240V 50Hz/60Hz		100~127V, 220V~240V 50Hz/60Hz		220V~240V 50Hz/60Hz
Rated Pressure (bar)	90	100	110	120	130
Max Pressure (bar)	130	150	160	170	170
Rated Flow (L/Min)	5.5	6.0		6.5	
Max Flow (L/Min)	6.5	7.0		7.5	
Total Stop System (TSS)	✓				
Motor Power (Watts)	1600	1800	2000	2200	2400
Adjustable Nozzle	✓				
Product Dimension (L x W x H)	330*315*805mm				
Carton Dimension (L x W x H)	B:375*330*510 mm		D:450*330*510 mm	E:480*330*510 mm	
Gross Weight (Kg)	8.9/9.2/10.2		9.3/10/10.2	9.5/10.5/10.7	
Load Capacity (kg)	B:408/840/1048 PCS		D:340/700/875 PCS	E:320/656/820 PCS	

NEW
FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Intelligent Trigger Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin


C508
HOUSEHOLD
HIGH PRESSURE WASHER

STANDARD CONFIGURATION

SPECIFICATIONS

Model Name	C508-1600A/B/C	C508-1800A/B/C	C508-2000A/B/C	C508-2200A/B/C	C508-2400A/B/C
Motor Type	Carbon Brush				
Voltage / Frequency	100-127V, 220V~240V 50Hz/60Hz		100-127V, 220V~240V 50Hz/60Hz		
Rated Pressure (bar)	90	100	110	120	130
Max Pressure (bar)	130	150	160	170	170
Rated Flow (L/min)	5.5	6.0	6.5	7.0	7.5
Max Flow (L/min)	6.5	7.0	7.5	8.0	8.5
Total Stop System (TSS)	✓				
Motor Power (Watts)	1600	1800	2000	2200	2400
Adjustable Nozzle	✓				
Product Dimension (L x W x H)	330*315*605mm				
Carton Dimension (L x W x H)	B:375*330*510 mm D:450*330*510 mm E:480*330*510 mm				
Gross Weight (Kg)	8.9/9.2/10.2 9.2/10/10.2 9.2/10.5/10.7 10.3/11/11.5				
Load Capacity (kg)	B:408/840/1048 PCS D:340/700/875 PCS E:320/656/820 PCS				

NEW
FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Intelligent Trigger Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin


C512
HOUSEHOLD
HIGH PRESSURE WASHER

STANDARD CONFIGURATION

SPECIFICATIONS

Model Name	C512-1600	C512-1800	C512-2000	C512-2200	C512-2400
Motor Type	Carbon Brush				
Voltage / Frequency	100-127V, 220V~240V 50Hz/60Hz		100-127V, 220V~240V 50Hz/60Hz		
Rated Pressure (bar)	90	100	110	120	130
Max Pressure (bar)	130	150	160	170	170
Rated Flow (L/min)	5.5	6.0	6.5	7.0	7.5
Max Flow (L/min)	6.5	7.0	7.5	8.0	8.5
Total Stop System (TSS)	✓				
Motor Power (Watts)	1600	1800	2000	2200	2400
Adjustable Nozzle	✓				
Product Dimension (L x W x H)	330*315*605mm				
Carton Dimension (L x W x H)	B:375*330*510 mm D:450*330*510 mm E:480*330*510 mm				
Gross Weight (Kg)	8.9/9.2/10.2 9.2/10/10.2 9.2/10.5/10.7 10.3/11/11.5				
Load Capacity (kg)	B:408/840/1048 PCS D:340/700/875 PCS E:320/656/820 PCS				

FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin



C601

HOUSEHOLD
HIGH-PRESSURE WASHER

STANDARD CONFIGURATION



C601i

HOUSEHOLD
HIGH-PRESSURE WASHER



SPECIFICATIONS

Model Name	C601-1800B/D	C601-2000B/D	C601-2200B/D	C601-2400B/D
Motor Type	Carbon Brush			
Voltage / Frequency	100-127V, 220~240V 50Hz/60Hz	120-127V, 220~240V 50Hz/60Hz	220V~240V 50Hz/60Hz	
Rated Pressure (bar)	100	110	120	130
Max Pressure (bar)	150	160	170	170
Rated Flow (L/Min)	6,0		6,5	
Max Flow (L/Min)	7,0		7,5	
Total Stop System (TSS)	✓			
Motor Power (Watts)	1800	2000	2200	2400
Adjustable Nozzle	✓			
Product Dimension (L x W x H)	366 x 360 x 902 mm			
Carton Dimension (L x W x H)	370 x 360 x 750 mm			
Gross Weight (Kg)	9,5/11,3	12,3/14,1	12,6/14,4	13,5/15,3
Load Qty (20A/40°C)	288/576/670 PCS			

Model Name	C601-2100B/D	C601-2500B/D	C601-3000B/D
Motor Type	Induction motor		
Voltage / Frequency	220V~240V 50Hz/60Hz		
Rated Pressure (bar)	120	130	140
Max Pressure (bar)	180	195	180
Rated Flow (L/min)	7,0		
Max Flow (L/min)	7,8		
Total Stop System (TSS)	✓		
Motor Power (Watts)	2100	2500	3000
Adjustable Nozzle	✓		
Product Dimension (L x W x H)	366×360×902 mm		
Carton Dimension (L x W x H)	370×360×750 mm		
Gross Weight (Kg)	11,9/12,5/13,1	12,9/13,5/14,1	13,7/14,3/14,9
Load Qty (20A/40°C)	288/576/670 PCS		

NEW
FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin


NEW
FEATURES

- High efficiency
- Durability
- Thermal protector
- Total Stop System
- Economical
- Wheel and handle for easy movement
- Wobbel plate pump
- Quick connect design

STANDARD ACCESSORIES

- Gun
- Middle lance
- Nozzle
- 5m High pressure hose
- Transparent water inlet screw
- Nozzle pin


C6013
HOUSEHOLD
HIGH-PRESSURE WASHER

STANDARD CONFIGURATION

C6013i
HOUSEHOLD
HIGH-PRESSURE WASHER

SPECIFICATIONS

Model Name	C6013-1800B/D	C6013-2000B/D	C6013-2200B/D	C6013-2400B/D
Motor Type	Carbon Brush			
Voltage / Frequency	100-127V, 220/240V 50Hz/60Hz	120-127V, 220/240V 50Hz/60Hz	220V~240V 50Hz/60Hz	
Rated Pressure (bar)	100	110	120	130
Max Pressure (bar)	150	160	170	170
Rated Flow (L/Min)	6.0		6.5	
Max Flow (L/Min)	7.0		7.5	
Total Stop System (TSS)	✓			
Motor Power (Watts)	1800	2000	2200	2400
Adjustable Nozzle	✓			
Product Dimension (L x W x H)	366 x 360 x 902 mm			
Carton Dimension (L x W x H)	370 x 360 x 750 mm			
Gross Weight (Kg)	9.5/11.3	12.3/14.1	12.6/14.4	13.5/15.3
Load: Quantity (20±5°C)	288/576/670 PCS			

Model Name	C6013i-2100B/D	C6013i-2500B/D	C6013i-3000B/D
Motor Type	Induction motor		
Voltage / Frequency	220V~240V 50Hz/60Hz		
Rated Pressure (bar)	120	130	140
Max Pressure (bar)	180	195	180
Rated Flow (L/min)	7.0		
Max Flow (L/min)	7.8		
Total Stop System (TSS)	✓		
Motor Power (Watts)	2100	2500	3000
Adjustable Nozzle	✓		
Product Dimension (L x W x H)	366×360×902 mm		
Carton Dimension (L x W x H)	370×360×750 mm		
Gross Weight (Kg)	11.9/12.5/13.1	12.9/13.5/14.1	13.7/14.3/14.9
Load: Quantity (20°C/40°C)	288/576/670 PCS		



GUN



AG01



AG02



AG03



AG04B



AG05



AG06

NOZZLE




AN01



AN02



AN03



AN05



AG03 Quick Connect



AG05 Quick Connect



AN06 Turbo Nozzle



AN07 Turbo Nozzle



AN08



AN09
90° angle turbo nozzle



AN10

BRUSH



AB01



AB02



AB05



AB08

HOSE



PVC Hose



PU Hose



Rubber hose



Steel Armed Hose



Water inlet hose

FOAM PRODUCER



AF01



AF02



AF03-14



AF03-QC

CONNECTOR



AC01



AC02



AC03



AC13 filter



AC22



AC25

COMMERCIAL

HIGH PRESSURE WASHER

E-wash

COMMERCIAL SERIES

FEATURES

- Crankshaft pump
- Durability
- Thermal protector
- Wheel and handle for easy movement
- Parker seal
- Ceramic plunger

STANDARD ACCESSORIES

- Metal Gun
- Metal lance
- 0°, 15°, 25°, 40°, Soap quick nozzles
- 10m Steel Armed High Pressure hose
- 3m Self-priming Water inlet hose kit
- Nozzle pin



Optional Accessory



S41

COMMERCIAL
HIGH PRESSURE WASHER

Standard Configuration



Selective Breeding



SPECIFICATIONS

Model Name	S41B1	S41B2
Voltage / Frequency	220V / 50HZ	
Motor power / W	2200	2200
Rated Pressure (bar)	70	80
Max Pressure (bar)	100	120
Rated Flow (L/Min)	11	11
Max Flow (L/Min)	12.8	9
Motor speed (RPM)	2800	
Product Dimension (L x W x H)	715 x 450 x 780	
Carton Dimension (L x W x H)	643 x 463 x 455	
Weight / kg	29	
Loadable Quantity (20-10kN/C)	208/416/416	

SCOPE OF APPLICATION

- Hotel / auto shop / 4S shop / property cleaning
- professional car wash shop
- agriculture, animal husbandry, School



S42

COMMERCIAL
HIGH PRESSURE WASHER

Standard Configuration



Selective Breeding



SPECIFICATIONS

Model Name	S42B1	S42B2
Voltage / Frequency	220V / 50HZ	
Motor power / W	2200	2200
Rated Pressure (bar)	70	80
Max Pressure (bar)	100	120
Rated Flow (L/Min)	11	11
Max Flow (L/Min)	12.8	9
Motor speed (RPM)	2800	
Product Dimension (LxWxH)	715x450x780	
Carton Dimension (LxWxH)	643x463x455	
Weight / kg	29	
Loadable Quantity (20°C/50°C)	208/416/416	

SCOPE OF APPLICATION

● retail / auto shop / 4S shop / property cleaning ● professional car wash shop, Villa ● agriculture, animal husbandry, School

FEATURES

- Crankshaft pump
- Durability
- Thermal protector
- Wheel and handle for easy movement
- Parker seal
- Ceramic plunger

STANDARD ACCESSORIES

- Metal Gun
- Metal lance
- 0°, 15°, 25°, 40°, Soap quick nozzles
- 10m Steel Armed High Pressure hose
- 3m Self-priming Water inlet hose kit
- Nozzle pin



Optional Accessory

FEATURES

- Crankshaft pump
- Durability
- Thermal protector
- Wheel and handle for easy movement
- Parker seal
- Ceramic plunger

STANDARD ACCESSORIES

- Metal Gun
- Metal lance
- 0°, 15°, 25°, 40°, Soap quick nozzles
- 10m Steel Armed High Pressure hose
- 3m Self-priming Water inlet hose kit
- Nozzle pin




Optional Accessory

S51

COMMERCIAL
HIGH PRESSURE WASHER

Standard Configuration



Selective Breeding



SPECIFICATIONS

Model Name	S51H	S51K	S51L	S51M
Voltage / Frequency	220V / 50HZ		380V / 50HZ	
Motor power / W	2800	2800	3000	5000
Rated Pressure (bar)	120+/-5	135+/-5	120+/-5	145+/-5
Max Pressure (bar)	150	170	150	180
Rated Flow (L/Min)	9+/-0,5	8+/-0,5	11+/-0,5	13+/-0,5
Max Flow (L/Min)	11	10	13	16
Motor speed (RPM)	1400			
Product Dimension (LxWxH)	708×495×865			
Carton Dimension (LxWxH)	685×525×565			
Weight / kg	52		58	
Loadable Quantity(20°C/60°F)	138/276/276			


SCOPE OF APPLICATION

• Hotel / auto shop / 4S shop / property cleaning • professional car wash shop, villa • agriculture, animal husbandry, School


S52

COMMERCIAL
HIGH PRESSURE WASHER

Standard Configuration



Selective Breeding



SPECIFICATIONS

Model Name	S52H	S52K	S52L	S52M
Voltage / Frequency	220V / 50HZ		380V / 50HZ	
Motor power / W	2800	2800	3000	5000
Rated Pressure (bar)	120+/-5	135+/-5	120+/-5	145+/-5
Max Pressure (bar)	150	170	150	180
Rated Flow (L/Min)	9+/-0,5	8+/-0,5	11+/-0,5	13+/-0,5
Max Flow (L/Min)	11	10	13	16
Motor speed (RPM)	1400			
Product Dimension (L x W x H)	708 x 495 x 865			
Carton Dimension (L x W x H)	685 x 525 x 565			
Weight / kg	52		58	
Loadable Quantity (20°C/60°F)	138/276/276			

SCOPE OF APPLICATION

• Hotel / auto shop / 4S shop / property cleaning • professional car wash shop, villa • agriculture, animal husbandry, School