

LEATHER CATALOG

SHOES

Fashion & durability



DONGGUAN CIGNO LEATHER CO,LTD.

Cui North Road,Houjie Town,Dongguan City,Guangdong Province,China

Tel/Whatsapp:+86-13925513979

E-mail:lisa@cignoleather.com



CONTENT

01. ABOUT US

02. OUR SERVICE

03. PRODUCT DISPLAY

04. TEST REPORT

ABOUT US



factory



machine



packaging

Striving is the foundation, talents are the first, service is the highest, and innovation is the courage

OUR SEVERICE

01

ODM/OEM

15 years OEM/ODM e xperience in faux leather supplying since 2007

02


FREE

Free sample, free mold opening and shipping

03

LA/LC

LC and OA can be accepted (Limited to some country)



1. PU LEATHER FOR SHOES

PRODUCT DISPLAY

PU Leather, PU Microfiber, Suede Microfiber,

Imitation Microfiber, Shoe Lining





荔枝纹
LYCHEE PATTERN

PU LEATHER



皮纹
DERMATOGLYPH

PU LEATHER



羊巴皮纹
RETRO SHEEPSKIN PATTERN

PU LEATHER




羊纹
SHEEP PATTERN

PU LEATHER



绒皮纹
SUEDE

PU LEATHER



BARNIFT 巴恩风

PU Leather

Thickness: 0.8mm-2mm

Color/texture: customizable

Width: 52"-54"

MOQ: large quantities in stock

Custom MOQ: 500 m

Certificate: GRS, RCS, OEKO-TEK etc.,

CIGNO

LEATHER



Suede Effect



Burnished Effect

CIGNO

LEATHER



Animal texture effect



Metallic effect



Mirror effect




Weaving effect




Suede Leathers
绒面皮革



Chromexcel
混合鞣革



Pebble / Scotch Grain
粗面皮革 / 粒面皮革



Shell Cordovan
马臀皮



Calfskin
小牛皮



Patent Leather
漆皮

THE SWING

WIDTH: 52" GAUGE: 0.9MM





32106



COWBOYS FLOW WITH FREEDOM AND MADNESS



Swatch Card Display



2. MICROFIBER LEATHER FOR SHOES



PRODUCT DISPLAY

PU Leather, PU Microfiber, Suede Microfiber,
Imitation Microfiber, Shoe Lining



PU Microfiber Leather

Thickness: 0.6mm-2mm

Color/texture: customizable

Width: 52"-54"

MOQ: large quantities in stock

Custom MOQ: 300 m

Certificate: GRS, RCS, OEKO-TEK etc.,



Mirror Microfiber



1.0 镜面超纤



Suede Microfiber




Imitation Microfiber Series



12.0156.194 12.0119.01 12.0156.110 12.0051.01



12.0053.01 10.0074.01 12.0024.01 12.0075.01



12.0113.01 12.0022.01 12.0156.54 12.0064.01



12.0034.01 12.0156.378 12.0001.01 12.0026.04



12.0061.01 12.0234.01 12.0009.42 12.0048.03



12.0105.01 12.0024.27 12.0269.01 12.0047.01



12.0156.224 12.0084.19 12.0156.50 12.0088.02



12.0049.03 12.0027.01 12.0235.01 12.0223.06



12.0008.01 12.0025.01 12.0038.12 12.0094.01



12.0139.01 12.0038.01 12.0091.02 12.0199.01



12.0168.01 12.0045.01 12.0325.01 12.0283.01



12.0014.04 12.0156.116 12.0083.01 12.0090.01



12.0035.01 12.0156.277 12.0156.426 12.0156.132



12.0130.01 12.0046.01 12.0156.232 12.0013.01

Shoe Lining



Thickness: 0.6mm-2mm

Width: 52"-54"



MOQ: large quantities in stock


Custom MOQ: 300-500 m



Color/texture: customizable

Certificate: GRS, RCS, OEKO-TEK etc.,

SWATCH CARD DISPLAY



Test Report of PU&Microfiber Leather

产品编号 Product number		产品幅宽Product width 厚度Thickness	54"/ 1.0±0.05
产品名称 Product name	PU leather	产品成份 Product ingredients	PU 65% Polyester fiber:35%
类别Category	产品项目Item	技术指标Technical Specification	检测报告Test Report
物理性能Physical Properties	拉伸负荷Tensile Strength N	经向Warp	≥300
		纬向Weft	≥150
	断裂伸长率Elongation at Break %	经向Warp	≥30
		纬向Weft	≥100
	断裂伸长率Elongation at Break %	经向Warp	≥15
		纬向Weft	≥15
	剥离负荷Peel strength N		≥20
	耐寒性Low-temperature resistance -15°C	表面不裂No cracks	
	恒温恒湿耐老化 (70°C,湿度humidity 95%/168H) Aging under Constant temperature and humidity	表面不裂No cracks	
	表面颜色牢度, 级Color fastness(grade)	4	
耐折牢度Resistance to twists and turns	表面不裂No cracks		
马丁代尔耐磨 (次)Martindale Rub Test(Rubs)	≥50000		
化学性能(环保性)Chemical Properties	欧盟REACH标准(该标准限制有害物质含量)Europe REACH Standard(hazardous substance)	通过Accord with	香港SGS公司HKSL1307137886TX
	ROSH(该标准限制有害物质含量)(hazardous substance)	通过Accord with	香港SGS公司 HKGEC1100264901
	VOC(该标准限制挥发性有机物含量)Volatile Organic Compounds	不含Does not contain	苏州信测 EGI60525042V02GVer.1.0
	DMF含量(溶剂)DMF Content	不含Does not contain	香港SGS公司NO.2138233/GT

中文		English		
产品编号	BZ-HX9190	Item No.	BZ-HX9190	
产品名称	破裂纹金属超纤	Name	Microfiber leather	
产品幅宽*厚度	52*1.2mm+/-0.05mm	Width*Thickness	52*1.2mm+/-0.05mm	
主要成分	聚氨酯甲酸酯	Main Ingredient	Polyurethane	
适用范围	手袋, 鞋子	Main Application	Bag, Shoes	
环保标准	环保项目	数值	Testing Items	Results
	含铅量	<90PPM	Lead	<90PPM
	甲醛	<75PPM	Formaldehyde	<75PPM
	苯酚	<5PPM	Phenol	<5PPM
	偶氮染料	不被检测到	AZO Dyes	ND
	六价铬	不被检测到	Hexavalent Chromium	ND
	邻苯二甲酸盐	16P总和<100PPM	Phthalates	Total 16P<100PPM
	欧洲重金属检测	完全符合国际标准	Heavy Metals:EN71-3	Fully Compliance with international standards
	致癌染料	不被检测到	Carcinogenic Dyes	MD
	美国加州65项	完全符合美洲标准	California 65	Fully Compliance with international standards
	湿控	3级	Tet Wipe Strength	Grade 3
	干接	4级	Dry Wipe Strength	Grade 4
	剥离强度	2.0KGF/3CM±0.2	Peeling Strength	2.0KGF/3CI±0.2
	马丁代尔标准耐磨	3-5万次	Abrasion Resistance	300,000-50,000 turns (Martindale test)
	物性标准	耐曲折	常温下20万次, 零下20度5万次	Twists and turns resist ance
耐黄变		4级		
耐水解		无气泡, 无起层, 无裂痕, 无水解现象		
主要成份		88%尼龙, 12%聚氨酯		
标准宽幅		137CH		
厚度差异	+0.05mm			
克重	612G/B2			
注意事项	1. 此产品不会发生色迁移		1. No color immigration	
	2. 颜色可控范围93%左右		2. Color tolerance 93%	
色卡制做日期	2022/12/28	Manufacture Date	2022/12/28	