



TANGSHAN RENHE HARDWARE TOOL CO.,LTD
唐山市仁和五金工具有限责任公司



TANGSHAN RENHE HARDWARE TOOL CO.,LTD
唐山市仁和五金工具有限责任公司



地址(Address): 中国河北省唐山市滦南县宋道口镇史桥 063500
SHIQIAO,SONGDAOKOU TOWN,LUANNAN COUNTY,TANGSHAN CITY,HEBEI
PROVINCE,CHINA 063500
www.pioneer-tools.com

SINCE 1986

中国·河北
HEBEI·CHINA
2025-2027

公司简介

COMPANY INTRODUCTION

Tangshan Renhe Hardware Tool Co.,Ltd was founded in 1986. We professionally manufacture various kinds of superior steel shovels, hoes, picks, rakes, forks, aluminium shovels, disc blade and garden tools etc. The output reaches 12 million pieces shovels each year. Additionally, we import the railway steel all the year round.

Our products have been well sold in more than 20 provinces in China, and also are exported to Europe, America, Middle Asia, East Asia and Southeast Asia etc. Our shovels are famous for "JUNYIN", "RENHE" and "CLOUD CRANE" in our country, importantly we have got the "China Well-known Trademark" and has achieved the international register.

To improve the management and quality, our company has got ISO9001:2000 quality system certificate in 2005. We strictly control the quality so that our product can be awarded "Superior-quality product in Hebei Province" by Bureau of Quality and Technical Supervision. The products have met with China and other countries' industry standard, and we have gained certification environmental management ISO14001:2004 system. We get many awards due to superior quality and service.

We insist on the principle of people oriented and creditable management to serve you. We sincerely hope to make a cooperation with customers at home and abroad to reach a win-win situation.




唐山市仁和五金工具有限责任公司成立于1986年，专业生产各种型号的优质淬火钢锹、铝锹、钢锄、钢镐、钢叉、犁片、园林耙、不锈钢锹、不锈钢叉、铜锹等五金工具、园林（艺）工具及农机配件。产品年生产量在1200万件以上。此外，我公司常年进口道轨钢。

我公司产品销售覆盖国内二十多个省市区，并出口欧美、中东、东亚、东南亚等40多个国家和地区。

我公司鼎力打造优质的产品和服务，“军印”、“仁和”、“云鹤”牌系列产品，在国内外市场享有较高的知名度。“军印”商标不仅被河北省工商局评为“河北省著名商标”，同时也取得了“中国驰名商标”的荣誉并且取得了国际注册。

公司为进一步加强管理，提高产品、服务及销售水平，于2005年通过了ISO9001:2000质量管理体系认证。我公司严抓产品质量，被河北省质量技术监督局评为“河北省优质产品”。产品符合中国及欧美国家行业标准，并通过环境管理体系ISO14001:2004认证，公司多次获得各项荣誉。

我公司坚持以人为本，诚信经营，真诚期待与国内外客户友好合作，实现共赢！



S501大号方锹
250x300x420
(mm)
1100
(DOZ/20°FCL)



S501二号方锹
225x280x390
(mm)
1400
(DOZ/20°FCL)



S501二零铲
195x240x320
(mm)
1400
(DOZ/20°FCL)



S501本色直印方
250x300x415
(mm)
1100
(DOZ/20°FCL)



S502大号煤锹
290x415x550
(mm)
450
(DOZ/20°FCL)



S502二号煤锹
285x390x515
(mm)
500
(DOZ/20°FCL)



S502二号带筋煤锹
285x390x515
(mm)
500
(DOZ/20°FCL)



S502三号煤锹
230x310x420
(mm)
1100
(DOZ/20°FCL)



S503大号尖锹
240x300x430
(mm)
1250
(DOZ/20°FCL)



S503二号尖锹
220x270x385
(mm)
1500
(DOZ/20°FCL)




S503四号尖锹
200x240x340
(mm)
2100
(DOZ/20°FCL)



S503本色直印尖
240x300x430
(mm)
1250
(DOZ/20°FCL)



圆农民锹
225x290x335
(mm)
1350
(DOZ/20°FCL)



方农民锹
230x290x350
(mm)
1300
(DOZ/20°FCL)



辽宁大板锹
230x280x410
(mm)
1300
(DOZ/20°FCL)




普泥
180x285x435
(mm)
1250
(DOZ/20°FCL)



海砍泥
200x300x425
(mm)
1100
(DOZ/20°FCL)



改型泥
200x320x445
(mm)
1250
(DOZ/20°FCL)



S501大号方锹 稻田锹 S503大号尖锹 S501大号方锹 S501大号方锹 辽宁大板锹-2 水沟铲



改型泥-2 S512-11 推雪铲 军印礼品盒



S519-4PY



S519-4-2PY



S518-12PY



S518-12-2PY



H301 H302 H302 H302 H318 方形条锄 焊接H301 焊接条锄



Cu-JC Cu-RTJ Cu-503 Cu-501



S519-4FD S518-12FD



DF-3D DJ-3D XSD



NJ-2 NJ-4 NJ-6 RTJ-12 TB-1




TB-2 TB-3 MT MT-2 MT-6



JY-1MY NJ-5 JY-1

	S518-5 230x300x475 (mm) 800 (DOZ/20°FCL)		S518-9 210x305x490 (mm) 800 (DOZ/20°FCL)		S518-10 215x295x485 (mm) 800 (DOZ/20°FCL)
	S518-14 255x325x480 (mm) 800 (DOZ/20°FCL)		S518-15 250x290x500 (mm) 800 (DOZ/20°FCL)		S518-16 265x305x500 (mm) 820 (DOZ/20°FCL)
	S518-19 220x300x490 (mm) 880 (DOZ/20°FCL)		S518-20 225x310x500 (mm) 800 (DOZ/20°FCL)		S518-23 225x275x390 (mm) 900 (DOZ/20°FCL)
	S518-24 210x290x445 (mm) 880 (DOZ/20°FCL)		S518-26/QD518 215x300x500 (mm) 800 (DOZ/20°FCL)		S518-28 260x325x515 (mm) 780 (DOZ/20°FCL)
	QLS518 225x300x495 (mm) 800 (DOZ/20°FCL)		RS-S518 225x310x500 (mm) 780 (DOZ/20°FCL)		S518-29-2 273x295x480 (mm) 850 (DOZ/20°FCL)
	S518-31 237x311x497 (mm) 720 (DOZ/20°FCL)		S518-37 200x285x450 (mm) 800 (DOZ/20°FCL)		S519-1 230x290x490 (mm) 700 (DOZ/20°FCL)

	S519-6 285x350x515 (mm) 700 (DOZ/20°FCL)		S518-33 233x310x513 (mm) 750 (DOZ/20°FCL)		S518-35 245x280x488 (mm) 820 (DOZ/20°FCL)
	S519-7 275x350x520 (mm) 700 (DOZ/20°FCL)		S519-8 205x290x500 (mm) 750 (DOZ/20°FCL)		S519-10 230x285x440 (mm) 900 (DOZ/20°FCL)
	S519-11 240x320x518 (mm) 800 (DOZ/20°FCL)		QDS519 235x300x510 (mm) 800 (DOZ/20°FCL)		QLS519 245x300x495 (mm) 700 (DOZ/20°FCL)
	S519-15 260x340x515 (mm) 800 (DOZ/20°FCL)		HS-S503-2 230x295x430 (mm) 1000 (DOZ/20°FCL)		S503-2 250x315x450 (mm) 1000 (DOZ/20°FCL)
	S503-3 260x325x465 (mm) 1000 (DOZ/20°FCL)		S504 255x280x355 (mm) 1500 (DOZ/20°FCL)		S504-2 267x300x365 (mm) 1200 (DOZ/20°FCL)
	S504-3 250x281x348 (mm) 1500 (DOZ/20°FCL)		S505 215x280x400 (mm) 1500 (DOZ/20°FCL)		S506-1 250x305x410 (mm) 1000 (DOZ/20°FCL)



SHOVEL HEAD

TANGSHAN RENHE HARDWARE TOOL CO.,LTD
www.pioneer-tools.com



S506-2
250x375x480 (mm)
750 (DOZ/20'FCL)



S506-3
275x365x465 (mm)
750 (DOZ/20'FCL)



S507
245x305x470 (mm)
1000 (DOZ/20'FCL)



S508-1
285x295x350 (mm)
1000 (DOZ/20'FCL)



S508-2
270x295x380 (mm)
1200 (DOZ/20'FCL)



S508-3
285x290x350 (mm)
1000 (DOZ/20'FCL)



S508-4
255x255x320 (mm)
1200 (DOZ/20'FCL)



S508-5
225x280x325 (mm)
1000 (DOZ/20'FCL)



S508-6
310x305x370 (mm)
1000 (DOZ/20'FCL)



S508-6-2
295x295x360 (mm)
1000 (DOZ/20'FCL)



S508-7
310x305x370 (mm)
1000 (DOZ/20'FCL)



S509-27
270x290x390 (mm)
850 (DOZ/20'FCL)



S509-29
290x300x410 (mm)
650 (DOZ/20'FCL)



S509-31
310x305x410 (mm)
600 (DOZ/20'FCL)



S510-1
270x290x345 (mm)
1000 (DOZ/20'FCL)



S510-2
265x280x330 (mm)
1100 (DOZ/20'FCL)



S512-3
205x290x525 (mm)
1200 (DOZ/20'FCL)



S512-4
195x300x370 (mm)
1400 (DOZ/20'FCL)



SHOVEL HEAD

www.pioneer-tools.com
TANGSHAN RENHE HARDWARE TOOL CO.,LTD



S512-7
165x225x360 (mm)
1500 (DOZ/20'FCL)



S512-9
180x285x475 (mm)
1300 (DOZ/20'FCL)



S512-12
187x275x352 (mm)
1400 (DOZ/20'FCL)



S513
170x285x420 (mm)
1300 (DOZ/20'FCL)



S514-1
250x270x325 (mm)
1000 (DOZ/20'FCL)



S514-1-2
250x270x325 (mm)
1000 (DOZ/20'FCL)



S514-2
220x300x350 (mm)
1000 (DOZ/20'FCL)



S514-3
225x270x330 (mm)
1000 (DOZ/20'FCL)



S523
240x280x345 (mm)
1000 (DOZ/20'FCL)



S523-1
220x270x330 (mm)
1000 (DOZ/20'FCL)



S523-2
230x280x340 (mm)
1000 (DOZ/20'FCL)



S523-3
240x290x340 (mm)
1000 (DOZ/20'FCL)



S523-4
245x280x345 (mm)
1000 (DOZ/20'FCL)



S523-5
185x265x350 (mm)
1400 (DOZ/20'FCL)



S525-5
175x290x495 (mm)
1300 (DOZ/20'FCL)




S525-6
100x310x455 (mm)
1100 (DOZ/20'FCL)




S525-10
190x280x460 (mm)
700 (DOZ/20'FCL)



S525-11
150x280x460 (mm)
1300 (DOZ/20'FCL)

	S588A 145x240x335 (mm) 1400 (DOZ/20'FCL)		11340-2 260x330x515 (mm) 700 (DOZ/20'FCL)		9142 270x270x350 (mm) 1200 (DOZ/20'FCL)
	11410 210x280x480 (mm) 850 (DOZ/20'FCL)		DUST PAN 223x230x375 (mm) 1000 (DOZ/20'FCL)		3023 310x285x355 (mm) 1200 (DOZ/20'FCL)
	RTJ 235x300x420 (mm) 1300 (DOZ/20'FCL)		RS-501-3 250x302x410 (mm) 1400 (DOZ/20'FCL)		7001 330x430x590 (mm) 450 (DOZ/20'FCL)
	5402 130x250x435 (mm) 1600 (DOZ/20'FCL)		686 185x270x345 (mm) 1700 (DOZ/20'FCL)		3567 210x270x365 (mm) 1600 (DOZ/20'FCL)
	692C 158x215x310 (mm) 2000 (DOZ/20'FCL)		VS-1 220x280x375 (mm) 2000 (DOZ/20'FCL)		5560-2 225x300x500 (mm) 800 (DOZ/20'FCL)
	5512-2 200x220x320 (mm) 1300 (DOZ/20'FCL)		5583-4 305x310x515 (mm) 650 (DOZ/20'FCL)		5582-4 255x230x510 (mm) 720 (DOZ/20'FCL)



	5504 365x370x570 (mm) 400 (DOZ/20'FCL)		5526 180x240x300 (mm) 1500 (DOZ/20'FCL)		S519-14 245x290x523 (mm) 700 (DOZ/20'FCL)
	BJ 270x292x347 (mm) 820 (DOZ/20'FCL)		BF 245x292x362 (mm) 850 (DOZ/20'FCL)		BN 175x260x341 (mm) 2000 (DOZ/20'FCL)
	BJ-2 197x260x345 (mm) 2000 (DOZ/20'FCL)		B514 245x274x338 (mm) 1500 (DOZ/20'FCL)		B506 243x280x339 (mm) 1500 (DOZ/20'FCL)
	俄尖 (EJ) 210x295x400 (mm) 1300 (DOZ/20'FCL)		EJ-1 210x290x360 (mm) 1300 (DOZ/20'FCL)		俄方 (EF) 230x280x355 (mm) 1200 (DOZ/20'FCL)
	EF-1 235x280x345 (mm) 1200 (DOZ/20'FCL)		EDJ-1 230x310x390 (mm) 1250 (DOZ/20'FCL)		EDF 245x285x368 (mm) 1150 (DOZ/20'FCL)
	ETJ 330x350x470 (mm) 1000 (DOZ/20'FCL)		EM 345x440x570 (mm) 450 (DOZ/20'FCL)		XXEF-2 240x280x352 (mm) 1200 (DOZ/20'FCL)



XXEJ-2
215X295X405 (mm)
1300 (DOZ/20°FCL)



XYEJ-1
240x290x385 (mm)
1050 (DOZ/20°FCL)



XYEJ-2
215x282x381 (mm)
1050 (DOZ/20°FCL)



XYES
250x293x376 (mm)
1050 (DOZ/20°FCL)



EN
210x290x422 (mm)
1000 (DOZ/20°FCL)



EN-2
135x205x315 (mm)
2500 (DOZ/20°FCL)



S518-36
170x230x420 (mm)
1500 (DOZ/20°FCL)



ZYF
310x370x490 (mm)
450 (DOZ/20°FCL)



S502-1
287X415X557 (mm)
450 (DOZ/20°FCL)



S526-3
133X295X418 (mm)
1300 (DOZ/20°FCL)



S5501-4
305X335X483 (mm)
650 (DOZ/20°FCL)



S5501-8
218X295X473 (mm)
800 (DOZ/20°FCL)



S5502-8
245X285X486 (mm)
720 (DOZ/20°FCL)



S6810-2
241X315X500 (mm)
800 (DOZ/20°FCL)



S6810-4
260X325X525 (mm)
700 (DOZ/20°FCL)



S6820-2
210X292X490 (mm)
700 (DOZ/20°FCL)



S6820-4
260X325X510 (mm)
700 (DOZ/20°FCL)



S6830
186X300X530 (mm)
700 (DOZ/20°FCL)



Item No.	USA-12#
AxBxC (mm)	290x400x530
20°FCL(DOZ)	410



Item No.	USA-14#
AxBxC (mm)	395x500x625
20°FCL(DOZ)	390




Item No.	USA-811
AxBxC (mm)	280x350x455
20°FCL(DOZ)	750



Item No.	ITA-1#
AxBxC (mm)	335x410x480
20°FCL(DOZ)	400



Item No.	USA-2# / LV
AxBxC (mm)	335x360x535
20°FCL(DOZ)	450




Item No.	ESP-1#
AxBxC (mm)	365x400x525
20°FCL(DOZ)	400




Item No.	USA-14#-2
AxBxC (mm)	370X500X660
20°FCL(DOZ)	390



Item No.	RH-FR-1#
AxBxC (mm)	365X430X556
20°FCL(DOZ)	400



Item No.	S501
AxBxC (mm)	250x300x415
20°FCL(DOZ)	1000



Item No.	ESP-2#
AxBxC (mm)	325x420x480
20°FCL(DOZ)	400



Item No.	S508-3
AxBxC (mm)	295x290x350
20°FCL(DOZ)	1100




Item No.	S519
AxBxC (mm)	245x305x495
20°FCL(DOZ)	1000



Item No.	S508-8
AxBxC (mm)	305x285x350
20°FCL(DOZ)	1100



Item No.	S508-9
AxBxC (mm)	280x290x360
20°FCL(DOZ)	1100



Item No.	GER-1
AxBxC (mm)	490X350
20°FCL(DOZ)	700



Item No.	GER-2
AxBxC (mm)	380X385X455
20°FCL(DOZ)	450



Item No.	USA-2#
AxBxC (mm)	340x365x520
20°FCL(DOZ)	450




Item No.	USA-4#
AxBxC (mm)	370x390x575
20°FCL(DOZ)	450




Item No.	ARF-7
AxBxC (mm)	350x350x340
20°FCL(DOZ)	600




Item No.	RH-10#
AxBxC (mm)	385x470x615
20°FCL(DOZ)	390



A



B




C



D



E



F



G



H




I




J




K




L



M




N



O

	Item No.	AxB(mm)	20°FCL(doz)
A	SNOW SHOVEL TXB-1A	490X375	490
B	SNOW SHOVEL TXB-1B	490X355	1080
C	SNOW SHOVEL TXB-1C	490X355	1080
D	SNOW SHOVEL TXB-2A	597X235	250
E	SNOW SHOVEL TXB-2B	490X235	265
F	SNOW SHOVEL TXB-2C	490X235	265
G	SNOW SHOVEL TXB-3A	417X385	440
H	SNOW SHOVEL TXB-3B	417X385	440
I	SNOW SHOVEL TXB-3C	408X385	440
J	SNOW SHOVEL TXB-4A	370X330	525
K	SNOW SHOVEL TXB-4B	370X330	525
L	SNOW SHOVEL TXB-5	385X378	415
M	SNOW SHOVEL TXB-6A	345X320	625
N	SNOW SHOVEL TXB-6B	355X320	525
O	RH-P1-2	418X455	400



Item No.		AxBxC(mm)	20'FCL(doz)
A	RH-1ML	337X450X1350	240
B	RH-SS	454X340X1300	280
C	S519-2AL	300X370X1500	300
D	S519-3AL	330X395X1500	280
E	S519D	245x305x960	350
F	USA-12Y	290X410X1100	370
G	S501Y	248X310X980	350
H	S501FY	248x310x980	350
I	USA12FY	290x410x1100	370
J	USA-12-1ZJ	303X404X1080	290
K	RH-P1D	370X400X1070	250




Item No.		AxBxC(mm)	20'FCL(doz)
A	SS501-1SY	255x303x970	400
B	SS503-1SY	242x290x970	400
C	RS503-9SY	170X235X800	700
D	RS501-9SY	180X220X800	620
E	RH-10#FU	385x470x1100	220
F	USA-4#FY	370x390x1100	300
G	ESP-1#Y	365x400x1100	250
H	USA-14#Y	395x500x1100	200
I	PP	370X470X1230	220
J	USA-811FL	280x350x1600	350



SHOVEL WITH METAL HANDLE

TANGSHAN RENHE HARDWARE TOOL CO.,LTD
www.pioneer-tools.com



Item No.		AxBxC(mm)	20'FCL(doz)
A	RTJ-5ALY	170x240x830	700
B	RS501-5ALY	180x205x830	700
C	HTALY	165x225x840	700
D	S526ALY	145x373x1100	420
E	RTJ-11-2ALY	230x300x980	400
F	RS501-1ALY	255x302x980	400
G	S519-2FD	235x275x1100	430
H	D-S519-2U	235x275x1150	430
I	D-S502-2U	270x390x1160	250
J	FT518FU	220x295x1060	400
K	S519-18MY	262x345x1060	350
L	S518-11FL	220x290x1500	420



SHOVEL WITH METAL HANDLE

www.pioneer-tools.com
TANGSHAN RENHE HARDWARE TOOL CO.,LTD



Item No.		AxBxC(mm)	20°FCL(doz)
A	NF-1	270x340x935	350
B	NF-2	230X345X920	350
C	NF-3	195x300x935	450
D	S518-13MY	290x335x1020	350
E	S519-3MY	260x340x1020	350
F	HJMY	220x280x980	450
G	HSJCMY	232X295X1000	430
H	S526MY	150x365x1020	500
I	RS-S503-7MY	240X300X1000	400
J	S518-8MY	203x285x1200	420
K	5502-8MY	245x285x1200	370
L	S518-11MY	220x290x1200	420



SHOVEL WITH METAL HANDLE

TANGSHAN RENHE HARDWARE TOOL CO.,LTD
www.pioneer-tools.com



Item No.	AxBxC(mm)	20'FCL(doz)
A S501MY	245x300x1020	420
B S503MY	240x300x1020	430
C RTJMY	245X310X970	400
D RTJ-8MY	235X302X970	430
E RS501-1MY	255X310X970	400
F RTJ-6MY	175X233X910	1550
G S512-3MY	205x290x1080	430
H S512-4MY	190x300x1020	450
I S512-7MY	165X225X980	550
J RTJ-11MY	235X300X970	430
K RTJ-5MY	175x233x830	600
L RS501-5MY	180x225x830	600



SHOVEL WITH WOOD HANDLE

www.pioneer-tools.com
TANGSHAN RENHE HARDWARE TOOL CO.,LTD




Item No.	AxBxC(mm)	20'FCL(doz)
A 5502PRO	245X285X1040	300
B 5558Y	210X315X1050	340
C 5511Y	220X280X1050	340
D 5583-2Y	256X340X1060	340
E 5582-2Y	225X300X1000	340
F S518-39PD	294X340X1020	350
G S518-32Y	220X300X1000	350
H S519-13Y	238X290X1000	350
I S519-13L	238X290X1500	350
J S518-32L	220X300X1500	350
K S519-13-2Y	227X230X1010	400
L S518-1Y	220X305X1010	400
M S502-ZMPD	315X410X1050	250



SHOVEL WITH WOOD HANDLE

TANGSHAN RENHE HARDWARE TOOL CO.,LTD
www.pioneer-tools.com



Item No.	AxBxC(mm)	20'FCL(doz)	Item No.	AxBxC(mm)	20'FCL(doz)
A RS-S501-1Y	255X302X970	400	H 5501-3MAP	255x320x1050	350
B RTJY	235X300X970	400	I S518-34PD	275x325x1040	350
C RS501-4Y	260X305X980	400	J S5586	275X315X1020	420
D RTJ-4Y	230X305X980	400	K S5585	237X310X1020	420
E SS501-1Y	255x303x980	400	L RS501-5Y	180X225X920	600
F SS503-1Y	242x290x980	400	M RTJ-5Y	175x233x830	600
G 5503MAP	300x430x1119	220			



SHOVEL WITH WOOD HANDLE

www.pioneer-tools.com
TANGSHAN RENHE HARDWARE TOOL CO.,LTD




Item No.	AxBxC(mm)	20'FCL(doz)
A Cmap-4	148X205X600	900
B HT-CW	170X230X840	850
C HT-D1	170X230X840	850
D HTMY	170X230X830	850
E HT-D2	170X230X1040	700
F S512-11-CW	170X230X950	460
G HJ-CW	220X280X1000	450
H HF-CW	235X280X1000	430
I HM-CW	255X310X1010	380
J S518-13T	290X335X1020	325
K S519-3T	260X340X1020	325
L BJ-PD	265x295x1020	450
M BF-PD	245x290x1020	420
N S525-13PY	185X280X1200	450
O S525-7A	180X293X1020	450



SHOVEL WITH WOOD HANDLE

TANGSHAN RENHE HARDWARE TOOL CO.,LTD
www.pioneer-tools.com



Item No.		AxBxC(mm)	20'FCL(doz)
A	HL-2PY	200x325x1020	400
B	HL-3PY	175x290x1020	400
C	HL-1T	240x340x1200	400
D	S519-10PD	230x285x1020	350
E	S525-9T	165X320X1170	400
F	S525-12Y	145x320x1050	450
G	S503PD	240X300X1050	450
H	S512-8PD	200X300X1050	500
I	S501PD	245X300X1050	420
J	S505-1PD	215X305X1200	400
K	S508-2PD	270X295X1020	350
L	S525-4T	175X270X1120	450



SHOVEL WITH WOOD HANDLE

www.pioneer-tools.com
TANGSHAN RENHE HARDWARE TOOL CO.,LTD



Item No.		AxBxC(mm)	20'FCL(doz)
A	S525-2PD	180x295x1050	400
B	S518-22PY	225x300x1020	420
C	S518-1PD	220X305X1020	430
D	S518-4PY	205X275X1040	400
E	S518-25PY	210X310X1020	400
F	S526-2Y	150X375X1160	500
G	S503-3FY	230X295X970	440
H	S501FY	240X300X970	430
I	S518-30Y	273x350x1020	350
J	S519-4L	150X210X760	720
K	S518-12Y	150X210X760	720
L	SS503L	170X230X610	3000



SHOVEL WITH WOOD HANDLE

TANGSHAN RENHE HARDWARE TOOL CO.,LTD
www.pioneer-tools.com



	Item No.	AxBxC(mm)	20'FCL(doz)
A	S518-8Y	210x285x1020	410
B	S518-11Y	220x290x1020	420
C	S518-13Y	290x335x1020	350
D	S519-3Y	260x340x1020	350
E	S519-5Y	230x295x1020	380
F	QD525Y	170x300x1020	500
G	S525-3Y	180x285x1020	500
H	S526Y	150x365x1020	500
I	5501-4Y	290x330x1050	350
J	5502-8Y	245x285x1050	370




SHOVEL WITH FIBERGLASS HANDLE

www.pioneer-tools.com
TANGSHAN RENHE HARDWARE TOOL CO.,LTD



	Item No.	AxBxC(mm)	20'FCL(doz)
A	S518-12FD	150x210x700	750
B	S518-13FY	290x335x1020	350
C	S519-3FT	260x340x1020	350
D	S519-3FY	260x340x1020	350
E	S526FY	150x365x1020	450
F	CZ-S503FU	245x315x1200	450
G	CZ-S512FU	200X310X1200	500
H	S525-10PU	190X280X1000	450
I	S525-11PU	150X280X1000	450



Item No.		AxBxC(mm)	20'FCL(doz)
A	WGC-6"	155X290X1550	300
B	WGC-5"	120X295X1550	320
C	WGC-4"	100x290x1550	350
D	WGC-3"	75x290x1550	360
E	S518-4L	205x275x1500	450
F	S518-8L	210x285x1500	410
G	S518-10L	215X295X1500	400
H	RH-SP1	150X182X1330	600
I	RH-SPJ2	180X180X1330	600




Item No.		AxBxC(mm)	20'FCL(doz)
A	S518-11L	220x290x1500	420
B	S518-17L	205x250x1500	450
C	S518-29L	240X350X1650	270
D	S518-29-2L	270x290x1650	350
E	S519-2L	235x270x1500	350
F	S519-5L	230x295x1550	350
G	S525-1L	175x285x1500	450
H	S525-2L	180x295x1500	500
I	S526L	150x365x1500	500
J	5501-4L	290x330x1500	350
K	5502-8L	245x285x1500	350



SHOVEL WITH FIBERGLASS HANDLE

TANGSHAN RENHE HARDWARE TOOL CO.,LTD
www.pioneer-tools.com



	Item No.	AxBxC(mm)	20'FCL(doz)
A	AS-1FL	190x280x1650	450
B	S518-11FL	220x290x1650	420
C	S518-18FL	255x315x1650	350
D	S519-2FL	235x270x1650	400
E	S525-3FL	180x285x1650	460
F	S519-5FL	230x295x1650	350
G	S512-10FL	185x280x1500	400
H	S526FL	150x365x1650	480
I	S518-21FL	210X290X1550	300
J	S519-9FL	240X290X1550	400
K	S519PFL	245X300X1480	300
L	S518PFL	230X310X1480	300



SHOVEL AND FORK WITH HANDLE

www.pioneer-tools.com
TANGSHAN RENHE HARDWARE TOOL CO.,LTD



	Item No.	AxBxC(mm)	20'FCL(doz)
A	NF-1	262x338x1150	350
B	S502FU	290x415x1135	350
C	RH-F107MY	200x300x1050	420
D	RH-F107PU	190x295x1050	420
E	RH-F107FU	190x295x1050	420
F	RH-F115Y	190x285x1110	420
G	NF-2	220x355x1150	350
H	S528L	195x280x1350	450
I	S502-1FL	287x420x1550	260
J	S525-12FL	175x330x1550	600
K	S518-36Y	175x230x950	600



RH-1 RH-2 RH-3 RH-4 RH-5



RH-6 RH-7 RH-8 RH-9 RH-10



RH-11 RH-12 RH-13 RH-14 RH-15



RH-16 RH-17 RH-18 RH-19 RH-20 RH-21





27 实心塑D Solid fiberglass D handle



28 一级黑塑D "A" grade handle with Poly D grip



29 杂木D柄 Hardwood handle with D grip



30 水曲柳塑D Ashwood handle with poly D grip



31 锄头柄 H320 hoe handle



32 木堵头 Wood insert



39 一级椿木军锹柄 Red toon handle



40 镐柄 Wood pick handle with plastic tip




41 镐柄 Plastic pick handle with wooden core




33 T柄 (直径30mm) T handle



34 三级镐柄 Pick handle "C" grade



35 耙子柄 Rake handle



36 T柄 T handle



37 小工具柄 Small tools' handle



38 小工具柄 Small tools' handle




42 镐柄 Plastic pick handle with wooden core



43 镐柄 Plastic pick handle with wooden core



44 镐柄 Wood handle for pick 850MM



45 镐柄 Wood handle for pick 570MM



ArtNo.	Weight (lb)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimmensions (cm)
H301	2½	241x140	2	24	28	27	36x34x16
	3	246x155	2	24	34	33	39x37x16
	3½	263x160	2	24	37	36	40x35x18
	4	263x160	2	24	44	43	40x35x19

ArtNo.	Weight (lb)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimmensions (cm)
H302	2½	230x176	2	24	28	27	38x32x14
	3¼	243x190	2	24	36	35	39x33x15
	3½	262x202	2	24	39	38	46x35x18.5
	4	277x215	2	24	44	43	46x35x18.5

ArtNo.	Weight (lb)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimmensions (cm)
H304	2	218x150	2	24	23	22	36x33x13
	2¼	228x166	2	24	26	25	36x34x14
	2½	234x180	2	24	28	27	36x34x16
	2¾	240x190	2	24	31	30	40x34x16
	3	255x195	2	24	34	33	40x34x16

ArtNo.	Weight (lb)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimmensions (cm)
H305	1½	218x120	2	24	18	17	30x30x15
	2	218x155	2	24	23	22	40x32x15
	2½	242x160	2	24	28	27	40x34x15
	3	277x178	2	24	34	33	40x34x17

ArtNo.	Weight (lb)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimmensions (cm)
H3042	3¼	235x225	1	12	18	17.5	29x29x16

ArtNo.	Weight (lb)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimmensions (cm)
H3041	4	260X205	1	12	22.5	22	30X30X17

ArtNo.	Weight (kg)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimmensions (cm)
H3753-1	1	190x193	1	12	12.5	12	29x22x22
H3753-2	1.05	213x210	1	12	13.5	13	30x23x22
H3753-3	1.1	200x225	1	12	14	13.5	30x23x24



ArtNo.	Weight (kg)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimensions (cm)
H3118	1.4	260x192	1	12	17.5	17	30x23x20



ArtNo.	Weight (kg)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimensions (cm)
H3119	1.2	307x186	2	12	15.5	15	40x34x17



ArtNo.	Weight (kg)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimensions (cm)
H3120	1.45	260x192	1	12	18.5	18	30x23x20



ArtNo.	Weight (lb)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimensions (cm)
H4230	2.5	215x100	1	12	30.5	30	27x27x10



ArtNo.	Weight (lb)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimensions (cm)
H313	2	204x185	2	24	23	22	38x32x14



ArtNo.	Weight (lb)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimensions (cm)
H315	4	315x240	1	12	23	22	46x25x21



ArtNo.	Weight (lb)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimensions (cm)
H316	2¼	239x165	2	24	26	25	37x36x16
	2¾	268x171	2	24	31	30	40x34x16



ArtNo.	Weight (kg)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimensions (cm)
方裤条锄	1.2	260x110	2	24	28	27	39x33x15



ArtNo.	Weight (lb)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimensions (cm)
H317	2	225x164	2	24	23	22	38x33x16
	2¼	226x164	2	24	26	25	44x34x16
	2½	226x164	2	24	28	27	44x34x16



ArtNo.	Weight (lb)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimensions (cm)
H318	2	170x192	2	24	23	22	35x33x16
	1.0kg	180x196	2	24	25	24	35x33x16



ArtNo.	Weight (lb)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimensions (cm)
IMCS	2	197x210	1	12	11.5	11	29x29x12
	2½	206x225	1	12	14	13.5	31x31x13
	3	230x250	1	12	16.5	16	33x33x15
	3½	250x286	1	12	19.5	19	40x34x17



ArtNo.	Weight (lb)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimensions (cm)
H320	3¼	204x217	1	12	19	18	35x33x14
	3½	213x221	1	12	20	19	37x30x18
	3¾	223x221	1	12	21	20	37x37x18



ArtNo.	Weight (kg)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimensions (cm)
H321	0.4	110x80	1	12	4.8	5.3	17x17x10



ArtNo.	Weight (kg)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimensions (cm)
H322	0.8	210x117	1	12	10.1	9.6	25x23.5x10
H322	1.0	235x140	1	12	12.5	12.0	31x28x7.5



ArtNo.	Weight (kg)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimensions (cm)
H323	0.6	170x105	1	12	7.7	7.2	21x21x9



ArtNo.	Weight (lb)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimensions (cm)
3547C 半月锄	2½	180x330	1	12	14	13.6	33x32x16



ArtNo.	Weight (lb)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimensions (cm)
H324	1½	170x175	2	24	17	16	33x27x15
	2	200x202	2	24	23	22	34x32x16



ArtNo.	Weight (kg)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimensions (cm)
H327	0.75	160X150	2	24	19	18	44X25X13
	1.125	200X170	2	24	28	27	45X30X16



ArtNo.	Weight (lb)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimensions (cm)
H331	2	196x230	1	12	11.5	11	35x35x15



ArtNo.	Weight (lb)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimensions (cm)
H224	2	203x216	1	12	11.5	11	29x29x16



ArtNo.	Weight (lb)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimensions (cm)
H81-00	2	230x180	1	12	11.5	11	34x34x12



ArtNo.	Weight (lb)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimensions (cm)
H9127	2	255x153	1	12	11.5	11	31x17x18



ArtNo.	Weight (g)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimensions (cm)
H304	700	170x120	2	24	17.5	17	30x30x12
	900	183x140	2	24	22.5	22	34x29x14
	1100	216x160	2	24	27.5	27	36x34x15



ArtNo.	Weight (g)	Size AxB(mm)	Quantity per pkg (doz)	Quantity	Gross wt. (kg)	Net wt. (kg)	Dimensions (cm)
H305	700	220x120	2	24	17.5	17	30x30x14
	900	226x137	2	24	22.5	22	36x32x14
	1100	245x155	2	24	27.5	27	40x34x15



SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
16	21	23	56X20X18	48
18	23	25	61X20X18	48
20	25	27	66X20X18	48
22	27	29	71X20X18	48



SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
12	20	21	46X24X18	48
14	23	24	51X24X18	48
16	25	27	56X24X18	48
18	27	29	61X24X18	48
20	29	31	66X24X18	48
22	31	33	71X24X18	48
24	34	35	76X24X18	48



SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
14	21	23	56X20X18	48



SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
10	18	20	41X20X19	48
12	19	21	46X20X19	48
14	20	22	51X20X19	48
16	21	23	56X20X19	48
20	23	25	66X20X19	48
24	25	27	76X20X19	48



SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
14	31	29	55X28X19	48



SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
16	26	28	56X24X18	48
18	26	28	61X24X17	48
20	28	30	66X24X17	48
22	30	32	71X24X17	48
24	31	33	76X24X17	48



SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
22	25	27	71X22X18	48



SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
21.5	36	38	70X20X18	48



SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
12	20	21	47X21X18	48
15	24	25	54X21X18	48



SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
16	25	27	56X24X18	48
18	27	29	68X24X18	48
20	29	31	66X24X18	48
22	31	33	71X24X18	48



SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
20	23	25	63X19X18	48



SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
22	25	27	71X22X18	48
24	25	27	80X21X19	48



M206

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
14	24	25	51X24X18	48
16	25	27	56X24X18	48
18	27	29	61X24X18	48
19.5	29	31	65X24X18	48



M206A

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
14	25	26	51X24X18	48
18	29	30	61X24X18	48
19.5	31	32	65X24X18	48



M206B

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
18	29	30	61X24X18	48



M206WB

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
18	22	24	61X20X19	48




M208

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
19	27	29	64X22X18	48



M208A

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
18	28	29	62X24X18	48
19	29	31	64X24X18	48



M208B

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
19	29	31	64X24X18	48



M212

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
12	19	20	46X24X18	48
16	25	27	56X24X18	48
18	27	29	61X24X18	48



M212A

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
19	24	26	61X18X18	48
21	29	31	68X24X18	48
22.5	25	27	70X18X18	48



M212B

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
16	23	25	57X24X16	48



M212M

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
24	21	22	76X25X16	48
27	22	23	85X25X16	47



M213

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
14	29	31	50X27X18	48



M213B

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
14.5	24	25	53X24X18	48



M214

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
27	28	31	98X24X18	48



M214B

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
27	27	29	92X20X18	48



M204C

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
24	35	33	78X25X21	48



M226

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
22	25	26	71X22X17	48
24	27	28	77X22X17	48
26	30	28	82X21X19	48



M244

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
18	28	30	61X24X18	48



M250

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
11	29	27	43X28X19	48



M251

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
15	25	27	52X23X18	48



M252

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
18	22	24	61X20X19	48



M252A

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
17	25	26	60X26X19	48
21	28	29	69X26X19	48



M321

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
18	26	28	61X20X18	48
20	27	29	66X20X18	48
22	28	30	71X24X18	48
24	30	32	76X24X18	48



M702

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
20	26	28	65X20X18	48



M741

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
10	14	12	42X21X19	48



M1778A

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
22	30	32	71X22X18	48



M1779(A)

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
22	25	27	71X22X18	48



M2002

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
10	10	12	41X20X15.5	48
12	12	14	46X20X15.5	48
14	14	16	51X20X15.5	48
16	16	18	56X20X15.5	48
18	18	20	61X20X15.5	48
20	21	23	63X19X18	48
22	23	25	66X20X15.5	48
24	25	27	71X20X15.5	48



M2002A

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
20	23	25	63X19X18	48
22	25	27	71X23X16	48



M2003

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
20	21	23	63X19X18	48



M2200

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
14	20	22	50X20X18	48



M5510

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
22	27	25	70X18X19	48



开山刀Corn Machete

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
10.5	18	19	41X22X30	48
12.5	20	21	47X22X30	48
13.5	22	23	50X22X30	48



开山刀Corn Machete

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
10.5	19	18	43X23X31	48



玉米刀Corn Machete

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
14	21	25	56X20X18	48



M212D

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
24	19.5	20.5	80.5X29.2X14.7	48
27	24	25	89.5X29.2X14.7	48



M212C

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
27	23	24	89.5X29.2X14.7	48



M205

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
14	21	23	56X20X19	48
16	22	24	61X20X19	48
18	23	25	66X20X19	48
20	24	26	71X20X19	48
22	26	28	76X20X19	48
24	27	29	81X20X19	48
26	28	30	86X20X19	48



M229

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
23	20	21	73X23X12	36



M2002-3

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
12	10	12	46X20X15.5	48



M212W

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
18	18	19	62X24X18	48
20	20	21	66X24X18	48
22	22	23	72X25X18	48



M205

SIZE (inch)	NET. WT (kg)	GR. WT (kg)	PKG. SPEC (carton) (cm)	QTY (pc)
18	22	24	61X20X19	48
22	24	26	71X20X19	48






ESP-R101-2



R105



R104



ESP-R101



R1061



R103



R106



R108



R110



C-R106



HS-RAKE-14T



RAKE-11T



R113L



R101-2FL(WELDED)



R101-1L(FORGED)



Cul-1FL



Cul-2FL



R112L



R101L (WELDED)



RH-M600



RH-S600



RH-R600



R106-3FL



R106-4ML




RAKEHOEFL



TRIANGLE-HOE





Item No.	Weight	Quantity per pkg(PCS)	G.W (KG)	N.W (KG)	Meac (CM)
A RH-P5001	2.5kg	6	16	15	51x21x10.5
B RH-P410	1.5/2.5/3(kg)	6	9.3/12.3/15.3/18.3	9/12/15/18	50x20x12/54x20x13/58x21x13/60x23x13
C RH-P407	4.5/5(lb)	6	12.6/13.9	12.3/13.6	47x21x13/48x21x13
D RH-Pickaxe	900g	24	22	21.6	26x30x15
E RH-P407-3	600g	24	15	14.4	31x30x11
F RH-P404	1.5/2.5/3(kg)	6	9.3/12.3/15.3/18.3	9/12/15/18	50x20x12/54x20x13/58x21x13/60x23x13
G RH-P406BP	5lb	6	14.1	13.6	51x23x15
H RH-P407-2	500g	24	13	12	26x30x15
I RH-P6710	5lb	6	13.9	13.6	55x21x13
J RH-P406	4.5/5(lb)	6	12.6/13.9	12.3/13.6	48x22x14/56x21x13
K RH-P402	1.5/2(kg)	10/6	15.5/12.5	15/12	48x26x12/52x19x14
L RH-P404-2	5/5.5(lb)	6	13.9/15.3	13.6/15	54x20x13/59x18x12
M RH-P410-2	500g	24	13	12	38x26x20
N RH-228-A	500g	25	12.5	13	30x26x20
O RH-FORK HOE	500g	25	13	12.5	30x26x20
P RH-HEART HOE	0.6(kg)	25	15.0	15.5	29x28x17
Q RH-P412	1.2(kg)	12	15	14.4	40x20x13



DISC BLADE
锯齿犁片



EAR PLOW
耳朵犁片

EAR PLOW-2
耳朵犁片-2



Disc ploughs are used in tillage on dry cultivated or fallow land, manure land, wheat and rice stubble fields. It has the characteristics of small resistance and easy operation etc.



DISC HARROW
弧形犁片



PLOW BODY
犁面



ROTARY PLOW
旋耕犁片



The series of suspended Disc harrows are mainly used for cleaning away stubble of plants before cultivation, or crushing clods after cultivation on uncultivated land and in sticky heavy clay soil field. They can also be used as a plough for primary tillage in dry cultivated fields.



ArtNo.	Size (inch)	Thickness (mm)
NOTCH BLADE (锯花犁片)	16	3
	18	3.5
	20	4



ArtNo.	Size (inch)	Thickness (mm)
FLAT BLADE (平犁片)	16	3
	18	3
	20	4
	22	5
	26	5



The series of ploughs are suitable for the sandy loam, loam, clay soil or paddy field. After cultivation, the land surface is leveling, the soil clods is well broken, then the organic fertilizer deeply under the earth, fertilizing the soil. The products are suitable to different model tractors all over the world.





PRODUCT TEST



1. BENDING TEST
压弯试验
2. IMPACT TEST
冲击试验
3. STATIC TEST
静载试验
4. HARDNESS TEST
硬度检测
5. FATIGUE TEST
疲劳试验
6. SALT SPRAY TEST
盐雾试验

公司战略 COMPANY STRATEGY

企业发展理念：二次创业、跨越式发展

Philosophy for development: To start a brand-new bussiness and get great-leap-forward development

企业精神：诚信、团结、务实、创新、和谐

Core Spirit: Honest and credible, unitive and practical, innovative and harmonious

企业使命：为员工谋福利、为企业谋发展、为社会做贡献

Company Mission: To benefit the staff, to develop the company, to make contributions to the society

企业发展思路：思想纳新、推陈出新、改革创新、焕然一新

Development Thoughts: To continuously absorb new ideas and theoeries

To get rid of the stale and bring forth the fresh

To reform and innovate gradually

To accomplish the bright new scenery for the company